



City of Golden Valley  
7800 Golden Valley Road • Golden Valley, MN 55427

# FEASIBILITY Report

June 10, 2014

**DRAFT**

## 2015 Bassett Creek Main Stem Restoration Project

*City of Golden Valley  
Hennepin County, Minnesota*



701 Xenia Avenue South, Suite 300  
Minneapolis, MN 55416  
Tel: (763) 541-4800 • Fax: (763) 541-1700  
wsbeng.com

# FEASIBILITY REPORT

---

## DRAFT FEASIBILITY STUDY FOR 2015 BASSETT CREEK MAIN STEM RESTORATION PROJECT

For:

City of Golden Valley

June 10, 2014

Prepared By:

WSB & Associates, Inc.  
701 Xenia Avenue S., Suite 300  
Minneapolis, MN 55416  
(763) 541-4800  
(763) 541-1700 (Fax)

# CERTIFICATION

---

I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision and that I am a duly licensed Professional Engineer under the laws of the State of Minnesota.

---

Todd Hubmer, P.E.

Reg. No. 24043

---

Peter Willenbring

Reg. No. 15998

# TABLE OF CONTENTS

---

<b>1</b>	<b>INTRODUCTION .....</b>	<b>1</b>
<b>1.1</b>	<b>Background/ Need for Project .....</b>	<b>1</b>
<b>1.2</b>	<b>General Project Description and Estimated Cost .....</b>	<b>2</b>
<b>1.3</b>	<b>Recommendations .....</b>	<b>3</b>
<b>2</b>	<b>BACKGROUND AND OBJECTIVES.....</b>	<b>5</b>
<b>2.1</b>	<b>Goals and Objectives .....</b>	<b>5</b>
2.1.1	Scope .....	5
2.1.2	Streambank Stabilization.....	6
2.1.3	Considerations.....	6
<b>2.2</b>	<b>Background .....</b>	<b>6</b>
2.2.1	Reach Description .....	6
2.2.2	Past Documents and Activities Addressing this Reach.....	7
<b>3</b>	<b>SITE CHARACTERISTICS .....</b>	<b>10</b>
<b>3.1</b>	<b>Bassett Creek Watershed .....</b>	<b>10</b>
<b>3.2</b>	<b>Stream Characteristics.....</b>	<b>10</b>
<b>3.3</b>	<b>Site Access.....</b>	<b>10</b>
<b>3.4</b>	<b>Wetlands.....</b>	<b>11</b>
<b>3.5</b>	<b>Cultural and Historical Resources.....</b>	<b>11</b>
<b>3.6</b>	<b>Phase I Environmental Assessment .....</b>	<b>11</b>
3.6.1	Adjoining and Surrounding Releases .....	12
<b>4</b>	<b>POTENTIAL IMPROVEMENTS.....</b>	<b>13</b>
<b>4.1</b>	<b>Description of Potential Improvements.....</b>	<b>13</b>
4.1.1	Slope Shaping.....	13
4.1.2	Biologs .....	13
4.1.3	Biologs with Fieldstone .....	13
4.1.4	Live Fascines .....	14
4.1.5	Vegetated Reinforced Slope Stabilization (VRSS).....	14
4.1.6	Root Wads.....	14
4.1.7	Live Stakes.....	14
4.1.8	Rock Vanes .....	14
4.1.9	Fieldstone Riprap .....	14
4.1.10	Fieldstone Boulder.....	15
4.1.11	Maintenance .....	15
<b>4.2</b>	<b>Project Impacts .....</b>	<b>18</b>
4.2.1	Easement Acquisition .....	18
4.2.2	Permits Required for Project .....	19
4.2.3	Other Project Impacts.....	20
<b>4.3</b>	<b>Estimated Project Cost .....</b>	<b>21</b>
4.3.1	Estimated Cost.....	21

# TABLE OF CONTENTS

---

4.3.2	Anticipated Project Lifespan .....	22
4.3.3	30 Year Maintenance Costs/Life Cycle Cost .....	23
4.3.4	Analysis of the Benefits and Impacts of each Restoration Alternative.....	24
<b>4.4</b>	<b>Funding Sources .....</b>	<b>24</b>
<b>4.5</b>	<b>Project Schedule .....</b>	<b>24</b>
<b>5</b>	<b>REFERENCES .....</b>	<b>31</b>

## List of Tables

Table 1	BCWMC Channel Restoration Projects
Table 2a	Option 1 Potential Soft Armoring Stabilization Measures at Each Site
Table 2b	Option 2 Potential Hard Armoring Stabilization Measures at Each Site
Table 3a	Option 1 Site Locations, Potential Soft Armoring Stream Stabilization Practices, and Overall Opinion of Cost for the 2015 Bassett Creek Main Stem Restoration Project.
Table 3b	Option 2 Potential Site Locations, Potential Hard Armoring Stream Stabilization Practices, and Overall Opinion of Cost for the 2015 Bassett Creek Main Stem Restoration Project.

## List of Appendices

Appendix A	Figures
	Figure 1 Location Map
	Figure 2 Option 1 Proposed Soft Armoring Maintenance Locations
	Figure 3 Option 2 Proposed Hard Armoring Maintenance Locations
	Figure 4 Slope Shaping
	Figure 5 Bio-Log Bank Protection with or without Fieldstone
	Figure 6 Live Fascines
	Figure 7 Vegetative Reinforced Slope Stabilization (VRSS)
	Figure 8 Root Wads
	Figure 9 Live Stakes
	Figure 10 Rock Vanes
	Figure 11 Fieldstone Rip Rap
	Figure 12 Fieldstone Boulder
Appendix B	2013 Site Photos
Appendix C	Wetland Delineation Report ( <i>Enclosed Disk</i> )
Appendix D	Cultural and Historical Resources Report ( <i>Enclosed Disk</i> )
Appendix E	Phase 1 Environmental Assessment Study ( <i>Enclosed Disk</i> )
Appendix F	2013 City of Golden Valley Streambank Erosion Inventory

# 1 Introduction

## 1.1 Background/ Need for Project

The Main Stem of Bassett Creek extends from Rhode Island Avenue and 10<sup>th</sup> Avenue to the south side of Duluth Street. This reach, located within the City of Golden Valley (**See Figure 1**) has been inspected and studied by the Watershed Commission and the City of Golden Valley and it has been noted the Creek is experiencing erosion and sedimentation to varying degrees along its channel banks in selected locations. Pictures of many of these areas are also provided within this study providing further evidence of these problems. This erosion is undermining trees along the channel bank, creating side bank failures, downstream sedimentation, water quality impacts, and loss of habitat.

The Bassett Creek Watershed Management Commission (BCWMC) Watershed Management Plan recognizes the need to restore stream reaches damaged by erosion or affected by sedimentation. Section 7 of the BCWMC Plan further indicates that one of the primary concerns of residents in the District is the maintenance of the natural beauty of the creek in residential and recreational areas.

Section 7 of the BCWMC plan outlines the Commission's Goals and Policies relating to undertaking and funding channel restoration projects, the Commission's direction related to design of these projects, and highlights the benefit of stream restoration. In January 2007 the BCWMC's Technical Advisory Committee recommended that the Commission add stream channel restoration projects to the Commission's 10-Year Capital Improvements Program (CIP).

The Commission's general stream restoration goals include implementing stream restoration measures whenever necessary to maintain health, safety, and welfare of the residents in the District, as well as maintain or enhance the natural beauty and wildlife habitat value of Bassett Creek.

Additionally, the plan also indicates that as part of the design of any project, the benefit or impact of the proposed restoration measures on natural habitat, navigability, flood control, water quality, aesthetic qualities of the area, and ability to protect property, structures, and prevent future erosion should be considered.

This study examines the feasibility of restoring sites along the Main Stem of Bassett Creek from Rhode Island Avenue and 10<sup>th</sup> Avenue to the south side of Duluth Street, located within the City of Golden Valley (**Figure 1**).

This feasibility study follows the protocols developed by the U.S. Army Corps of Engineers (USACE) and the BCWMC for projects within the BCWMC Resource Management Plan (RMP). This reach is included in the RMP.

Restoration of sites along this reach is proposed to be included as a group for design and construction in the BCWMC 2015 CIP.

## **1.2 General Project Description and Estimated Cost**

Measures identified for potential implementation in this reach consist of the following in selected areas along the channel:

- Removal of hazard and invasive trees and vegetation
- Reshaping and stabilization of eroded stream banks
- Installation of a variety of stream stabilization measures and flow diversion methods to address erosion problems, including Rock Vanes, Bio-logs, boulders, riprap, live stakes, and native vegetation and plantings
- Repair of storm sewer outfalls and other failing infrastructure along the creek
- Establishing native vegetation, trees, and shrubs along the creek
- Removal of miscellaneous debris from within the creek

This study has identified two restoration design options for the project as well as a hybrid of the two options. These options include a bioengineering approach the uses stabilization techniques that rely primarily on vegetation, and their associated root structures to stabilize the creek bank, and a more structural approach using rock, or other non-vegetative materials to stabilize eroding shorelines. A design using a combination of these two options has also been considered and has been preliminarily selected as a preferred option in many areas needing restoration.

The selection of the best option for a given steam reach will be based on a number of factors including but not limited to; ease of and ability to obtain access for installation and future maintenance, slope of creek bank, presence of mature trees in the area and need to remove trees, exposure of creek bank to sunlight, velocity of flow in channel reach, and property owners' preferences for type of treatment.

Since selection of the type of treatment used in a given area, will need the support of the property owner, the City will need to finalize the design approach as a collaborative effort with the property owner. At this time, based on our review of the feasible options available and input from a number of property owners that attended a public informational meeting on the project, it is anticipated that either the vegetative or hybrid option would be selected for most areas of the channel requiring stabilization work.

The do nothing option was fully considered as an option for many areas for which erosion is present to a limited degree. For many areas not included in this project for restoration, this option was selected as there was limited evidence of significant recent erosion occurring as

would be observed from the presence of trees falling into the creek from eroding banks, creek bank slopes being undercut, evidence of historic migration/widening of the creek bank.

It is also apparent that this project will likely present a one-time opportunity for access to many areas of the channel bank in the coming years. If limited erosion is present, the do nothing option was fully considered, if evidence is available that the creek bank is eroding at a higher rate, this option will have less weight. This weight this option was given at this stage of the evaluation also took into consideration the impact of potential further erosion on trees, yards, structures and other physical and natural features of concern.

This do-nothing option will also be more fully examined during final design, when residents have an opportunity to; provide additional input into erosion that they have observed to be taking place, discuss and react to treatment options and anticipated future maintenance needs of these options, and actually provide needed access easements.

This study identifies 29 locations for both restoration options, (*Figure 2 & 3*) and (*Table 2a & 2b*) identifies the locations of the sites, and provides additional detail of the methods under consideration for use. As noted earlier in this report, based on preliminary input from residents, it is anticipated that a hybrid of a structural and non-structural methods will likely be used in many of these locations, with the non-structural vegetative component of this option being used to a maximum reasonable extent to assure the natural beauty and wildlife habitat benefits of this treatment practice can be fully developed.

The estimated feasibility cost for the implementation for each of the restoration measures for the 2015 Bassett Creek Main Stem Restoration project ranges from \$1,319,109 to \$1,659,434, as shown on (*Table 3a & 3b*). These estimated costs are currently greater than the project budget. Once the design options have been finalized and property owners engaged, the maintenance areas will be prioritized according to the following priorities until the budget amount is reached:

1. Stabilization of all stream crossing and storm sewer outfalls
2. Improvements on property currently owned by the City in Areas A and E.
3. Privately owned land in Area D with the most extreme erosion issues where land owners have provided access.
4. Most extreme areas located within golf course property.

Temporary construction easements are not included in the opinion of cost at this time and are expected to have little or no effect on the total cost, even though the project is primarily located on private property.

### **1.3 Recommendations**

Stabilization of this reach of the Main Stem of Bassett Creek will provide downstream water quality improvement by restoring actively eroding stream banks, preventing erosion at other sites using preemptive protective measures, improving failing infrastructure, and improving the overall wildlife habitat along the Creek.

This study identifies 29 locations for restoration (*Figure 2 & 3*) and (*Table 2a & 2b*) identifies the locations of the sites, and provides additional detail of the methods under consideration for use. Based on an evaluation of stabilization practices that was completed as part of this study and preliminary input from residents, it is anticipated that a hybrid of the two methods will likely be used in many of these locations, with the vegetative component of this option being used to a maximum reasonable extent to assure the natural beauty and wildlife habitat benefits of this treatment practice can be fully developed.

It is recommended that the BCWMC CIP include restoration work on this reach of Main Stem of Bassett Creek for 2015. It is further recommended that the restoration of this reach of the Bassett Creek Main Stem proceed into the design and construction phase.

## **2 Background and Objectives**

The BCWMC Plan recognizes the need to restore stream reaches damaged by erosion or affected by sedimentation. Section 7.0 of the BCWMC Plan describes the issue, the Commission's policies relating to channel restoration, and the benefit of stream restoration in preserving fisheries habitat and minimizing nutrient and sediment loads to the creek and downstream waters. In January 2007, the BCWMC's Technical Advisory Committee recommended that the Commission add stream channel restoration projects to the Commission's 10- Year Capital Improvements Program (CIP).

This feasibility study follows the protocols developed in 2009 by the U.S. Army Corps of Engineers (USACE) and the BCWMC for projects within the BCWMC Resource Management Plan. Although this reach is not included in the RMP, it otherwise fits with the intent of it due to proximity and similarity to the other stream projects included in the RMP.

This study examines the feasibility of restoring sites along the Main Stem of Bassett Creek from 10<sup>th</sup> Avenue and Rhode Island Avenue, on the south, and extending north about 9,500 feet to the southerly edge of Duluth Street, just east of Adair Ave (*Figure 1*).

The 2013 Golden Valley Erosion Site Survey identified numerous problem areas along the project area of Bassett Creek within the City of Golden Valley. The problems include a heavy tree canopy of volunteer trees; degraded vegetative diversity; invasive species of trees, vegetation, and shrubs; areas of active streambank erosion; deposition of sediments; and failing infrastructure.

The work to restore the channel in this area has been requested by the City of Golden Valley, which has very little ownership of or easement rights to the property adjacent to the creek. Restoration of the sites along this reach is proposed to be included as a group for design and construction in the BCWMC's 2015 CIP.

### **2.1 Goals and Objectives**

The objective of this study is to review the feasibility of implementing measures to stabilize stream banks, re-establish desirable vegetation along the reach, and to provide improvements to the existing infrastructure along Bassett Creek. In addition, this study will provide conceptual designs and costs estimated for the measures that could potentially be used at each of the selected erosion sites.

#### ***2.1.1 Scope***

The City of Golden Valley completed an erosion inventory along Bassett Creek in 2013. This inventory identified 18 areas of streambank erosion, along with several hazard trees, and infrastructure repair locations. WSB and Associates, Inc. (WSB) staff performed a channel survey on August 8, 2013 which confirmed these sites and updated the information, including adding several more sites. Many of these individual sites are grouped within the project areas identified in this study. The

selected sites were deemed to be the most critical for meeting the BCWMC goals and objectives while providing a cost effective benefit. City of Golden Valley staff were also involved with selecting the final sites.

### ***2.1.2 Streambank Stabilization***

The goals of the stream stabilization project include:

- Stabilize eroding banks to improve water quality and to protect property and infrastructure.
- Improve upon the natural beauty and habitat along Bassett Creek by stabilizing eroded areas along the creek and establishing native vegetation and plantings adjacent to the restored areas.
- Prevent future channel erosion along the creek and the resultant negative water quality impact on downstream water bodies.

### ***2.1.3 Considerations***

- Restoration activities must minimize floodplain impacts. Several businesses and residences are located near the creek and it is critical for the proposed project to not increase flood elevations that impact these properties.
- Existing floodplain storage and cross sectional areas must be maintained.
- Opportunities to enhance vegetation and habitat within the reach should be sought out.

## **2.2 Background**

### ***2.2.1 Reach Description***

This reach of the Bassett Creek Main Stem (*Figure 1*) extends approximately 9,500 feet from 10<sup>th</sup> Avenue and Rhode Island Avenue the south, to the southerly edge of Duluth Street, just east of Adair Avenue. Land use adjacent to this reach is single family and golf course along with some high density residential or commercial.

WSB staff reviewed available background information, inspected the Creek on August 8, 2013, and identified a total of 29 sites that should be included as part of a project to address bank erosion, bank failure, and perform infrastructure repairs. In addition, there is a considerable amount of debris, fallen trees, gabion baskets, and block walls that need to be removed from the Creek. The City of Golden Valley completed an erosion inventory along this reach of Bassett Creek in 2013. This inventory identified 18 individual erosion locations. WSB staff confirmed most of the sites and added several more. Several of these individual sites are grouped within the

29 project sites identified in this study. The sites presented here were deemed to be the most critical for meeting the BCWMC goals and objectives while providing a cost effective benefit.

Photos of each of the erosion sites are found in (*Appendix B*). The bank failures along this reach appear to be caused by a combination of natural stream erosion processes, changing watershed hydrology, and a heavy volunteer tree canopy limiting light penetration, limiting stabilizing vegetation growth. Despite Cities' best efforts to incorporate best management practices (BMPs) to minimize the impacts of increased runoff, development fundamentally changes the hydrology of the watershed. BMPs reduce the impacts of urban development on streams receiving stormwater runoff, but physical changes and increased rates of erosion occur.

### ***2.2.2 Past Documents and Activities Addressing this Reach***

#### **City of Golden Valley Erosion Site Inventory (2013)**

In 2013 the City of Golden Valley completed an erosion inventory and assessment on the Bassett Creek Main Stem as it flows through its jurisdiction. This inventory identified 18 individual erosion locations within this portion of Bassett Creek.

City staff completed the inventory by walking the length of Bassett Creek and identifying, locating, and documenting sites of significant bank erosion and sediment deposition, as well as the presence of obstructions, storm sewer outlet structures, and other utilities within the stream channel. Documentation included noting the location of the site on aerial photographs, notes on the details of each site, and a digital photograph of each site.

Typically, the causes of erosion were related to the following:

- Lack of stabilization vegetation, heavy tree canopy
- Steep slopes and direct drainage to the Creek
- Storm sewer outfalls discharging above the normal water level of the creek or having no energy dissipation at the outfall
- Cut bank formation due to unstable channel slope and or elevated flow rates. The City of Golden Valley Erosion Site Inventory is included here as (*Appendix E*).

## **BCWMC Main Stem Watershed Management Plan (2000)**

As part of the Bassett Creek Main Stem Watershed Management Plan (2000), the BCWMC estimated the sediment and phosphorus loading to Bassett Creek from channel erosion. Three erosion scenarios were evaluated for increased loadings resulting from minor, moderate, and severe channel erosion levels. The most likely scenario for Bassett Creek was between the moderate and severe scenarios with approximately ten percent of the stream channel suffering from erosion. Similar scenarios were used to estimate the additional loading of phosphorus to Bassett Creek.

The study results indicated that moderate channel erosion could contribute an additional 1,000,000 pounds of suspended sediments annually and 500 pounds of phosphorus annually. This is an increase from approximately 2,650 pounds to 2,700 pounds to the Main Stem of Bassett Creek. The study results also showed that stabilizing the Main Stem of Bassett Creek could reduce total phosphorus (TP) loads by an estimated 96 pounds per year and total suspended solids (TSS) loads by an estimated 200,000 pounds per year.

Stabilization of this reach of the Main Stem of Bassett Creek is estimated to have a cost per pound of phosphorus removed is estimated at \$2,000 per pound.

## **BCWMC Watershed Management Plan (2004)**

The BCWMC Watershed Management Plan (2004) recognized the need to restore stream reaches damaged by erosion or affected by sedimentation. The BCWMC established a fund to cover the costs of channel stabilization projects. However, the fund as authorized was insufficient to cover the costs of all of the identified projects. In January 2007, the BCWMC's Technical Advisory Committee recommended that the Commission add stream channel restoration projects to the Commission's 10-Year CIP. The BCWMC then identified potential channel restoration projects by stream reach, prepared cost estimates for the restoration of the reach, prioritized the restoration projects, and added the larger projects to the CIP. These restoration projects included the Main Stem of Bassett Creek, the North Branch of Bassett Creek, the Sweeney Lake Branch of Bassett Creek, and Plymouth Creek.

The reaches identified have experienced increased stream bank erosion, streambed aggradation, or scour. These erosion and aggradation processes are a combination of natural and artificial processes due to increased runoff volumes and higher peak discharges in these reaches that occur with urban development in the watershed. The sediment load from the erosion and scour increases phosphorus loads to downstream water bodies, decreases the clarity of water in the stream, destroys aquatic habitat, and reduces the discharge capacity of the channel. The BCWMC added several channel restoration projects to their long range CIP in May 2007.

## BCWMC Resource Management Plan (2009)

The BCWMC completed a Resource Management Plan (RMP) in July 2009 for water quality improvement projects within the Bassett Creek Watershed scheduled for design and construction between 2010 and 2016. The goal of the RMP was to streamline the permitting process with the U.S. Army Corps of Engineers (USACE) for all of the projects. This reach is included in the RMP. Per discussion with the USACE, this feasibility study follows the protocols developed by the USACE and the BCWMC for projects within the BCWMC RMP.

**Table 1** presents completed and future restoration projects included in the BCWMC CIP, along with their estimated start dates and costs.

**Table 1 BCWMC Channel Restoration Projects**

Creek Project	Target Project Start	Estimated Project Cost <sup>1</sup>
Sweeney Lake Branch	2008 (complete)	\$386,000
Plymouth Creek, Reach 1	2010 (complete)	\$965,000
Bassett Creek Main Stem, Reach 2; Crystal border to Regent Ave.	2010 (complete)	\$636,000
Bassett Creek Main Stem, Reach 1; Duluth St. to Crystal Border	2011 (complete)	\$580,200
North Branch	2011 (complete)	\$834,900
Bassett Creek Main Stem 2012; Golden Valley Road to Irving Ave. No.	2012 (ongoing)	\$600,000
Plymouth Creek, Reach 2 (PC-2)	2015	\$559,000
Bassett Creek Main Stem 2105: 10th Ave to Duluth Street	2015	\$1,000,000

<sup>1</sup> Costs as estimated in revised 2011 CIP

### **3 Site Characteristics**

#### **3.1 Bassett Creek Watershed**

The watershed area tributary to this reach of Bassett Creek is approximately 25,000 acres and includes a significant portion of the Bassett Creek watershed. The upstream watershed drains all or portions of Plymouth, Minnetonka, Medicine Lake, New Hope, St. Louis Park, Crystal, and Golden Valley. Existing land use includes approximately forty percent single-family residential; twenty-eight percent commercial/industrial; seven percent highway; seven percent parks and undeveloped land; four percent multi-family residential; and water surface area over the remaining land area.

#### **3.2 Stream Characteristics**

This reach of the Bassett Creek Main Stem (*Figure 1*) extends for approximately 9,500 feet from 10<sup>th</sup> Avenue and Rhode Island Avenue to the south, and to the southerly edge of Duluth Street, just east of Adair Avenue. The stream is relatively shallow in most places except for occasional deep pools.

With the exception of a reach of the Creek within Area D, virtually all sections of the Main stem of Bassett Creek reach were converted into ditches in the 1900s through the 1920s. The riparian vegetation in this reach varies considerably depending on adjacent land use. Much of the reach contains unmanaged woody vegetation. Some banks within golf course areas are largely free of woody vegetation and the banks are mostly grasses dominated by reed canary grass. Some banks within the parks and the golf course have turf grass to the top of the bank.

WSB staff walked the reach to further investigate the scale and severity of the erosion problems for this feasibility study. WSB staff reviewed the previously documented erosion sites and identified additional sites.

#### **3.3 Site Access**

Obtaining access to the creek at regular intervals, to bring in materials and equipment will be a challenge in many locations, and project costs will reflect ease of access during the bidding process. Most areas of the channel do have access from public right of way locations at road crossings, but additional access locations would assist in the implementation of the project. In regard to performing channel maintenance on banks owned by residents, if access is not granted to the creek bank by residents, maintenance in these areas of private property cannot be completed.

Based on initial observations and input at a public meeting, access to most maintenance areas will be possible, and residents have expressed a willingness to work with the City on the project, so executed permission to enter documents are anticipated to be obtained in most areas, and therefore, work is anticipated to be able to be completed in most of the areas identified to be stabilized in this report.

### **3.4 Wetlands**

The wetlands associated with the study area in the Main Stem of Bassett Creek were delineated in accordance to the USACE Wetland Delineation Manual and Midwest Regional Supplement (2008). The delineation and assessment was necessary to meet the requirements of a Section 404 Permit and the Wetland Conservation Act. The assessment also included the use of the Minnesota Routine Assessment Method (MNRAM 3.4), which is a comprehensive ranking system designed to help qualitatively assess functions and values associated with Minnesota wetlands for the purpose of managing local wetland resources.

Six wetlands totaling approximately 1.54 acres were identified and field delineated. The wetlands border the Main Stem for the extent of the study area are Type 1L, or Seasonally Flooded Basins or Floodplains. In addition, MNRAM functional wetland assessments were also performed. Due to the nature and scope of the proposed 2015 project, it is our opinion that the proposed stream bank restoration activities will require a DNR Work within the Bed of Public Waters permit, and would qualify for a No-Loss determination (under the WCA) and Regional General Permit (Section 404). The DNR's work within the Bed of Public Waters Permit, WCA, and Section 404 regulatory approvals would likely not require wetland replacement plan or wetland mitigation.

A full summary of the wetland delineation and MNRAM results, including figures and field data sheets, is in (*Appendix C*).

### **3.5 Cultural and Historical Resources**

A reconnaissance survey of Sites 1 through 29 was completed during in September 2013 to determine if any sites may require further investigation for cultural or historical importance. The survey was completed by reviewing historical aerial photographs, interviewing local residents, and walking the relevant reaches to observe conditions on the ground. The survey found no sites with enough archeological potential that justify further investigation before any construction disturbance to the area. The full report of the archeological reconnaissance survey, including figures, is included in *Appendix D*.

### **3.6 Phase I Environmental Assessment**

WSB was retained by the City of Golden Valley (the City) to conduct a Phase I Environmental Site Assessment (ESA) of the 2015 Bassett Creek Main Stem Restoration Project which consists of a 1.7 mile reach of Bassett Creek from Rhode Island Ave north to Duluth Street in Golden Valley, Hennepin County, Minnesota (the subject property). The objective of the assessment was to identify Recognized Environmental Conditions (RECs) associated with the property according to ASTM E1527-13 "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessments". See *Appendix E* for further the complete report.

The subject property is located in residential, recreational, and commercial parcels within Sections 28, 29, and 32, Township 118 North, and Range 21 West, in Hennepin County,

Minnesota. For the purposes of this assessment, the subject property consisted of a 200-foot-radius from the Bassett Creek Main Stem along the 1.7 mile creek reach. A subject property location map is included as *Figure 1*.

The Phase I ESA is being conducted in support of a proposed creek restoration project that will involve excavation, grading, bank stabilization, and tree removal within the subject property boundary. For ease of discussion, the subject property is divided into five different areas (Areas A-E) as illustrated on *Figure 1*.

WSB has performed this Phase I ESA in conformance with the scope and limitations of ASTM Practice E1527-13. Exceptions to and deletions from this practice are described in **Section 2.3** of this Phase I ESA. This Phase I ESA has been prepared exclusively for the City of Golden Valley. No additional parties may rely on the contents of this report unless written authorization is obtained from WSB.

This Phase I ESA has revealed no recognized environmental conditions (RECs) associated with the subject property.

Additionally, 15 potential environmental sites were identified during this Phase I ESA and the following environmental items should be noted:

### ***3.6.1 Adjoining and Surrounding Releases***

The regulatory database search identified two adjoining properties and five surrounding area properties (located within 500 feet of the subject property) that have documented releases. There is a potential that these releases have impacted the property soil and/or sediment. The majority of these releases have been issued “site closure” by the MPCA indicating the identified contamination, if present, does not appear to pose a threat to public health or the environment under current conditions (note: site closure does not indicate the site is free of contamination) or have been determined to be small in scale and not require additional investigation and/or cleanup. The adjoining property releases are highlighted on the potential environmental sites map included in *Appendix E*.

## 4 Potential Improvements

### 4.1 Description of Potential Improvements

As described in **Section 1.2**, the project along the 2015 Bassett Creek Main Stem Restoration Project reach consists of two options and a variety of stream stabilization measures to address erosion problems. **Figures 2 & 3** shows the identified stabilization sites and **Tables 2a & 2b** list the potential stabilization measures for each site. There are several stream restoration techniques that can be used, although not all of them would be practicable or applicable to the stream erosion problems on Bassett Creek. The techniques discussed below and included in the conceptual design are among commonly used techniques. Those included in the concept design were selected for their functionality and the expectation that most contractors have had experience with installation of the technique. The final design will determine the most appropriate measures to use at each individual site to meet the objectives of all parties involved. The final design could include techniques not included in these concept designs.

#### *4.1.1 Slope Shaping*

In many places, the eroding bank will be graded to a 3:1 slope. This provides a stable slope that will not naturally slough and it provides a surface that is flat enough on which vegetation can be planted or seeded. **Figure 4** illustrates this practice.

#### *4.1.2 Biologs*

Biologs are natural fiber rolls made from coir fiber that are laid along the toe of the stream bank slope to stabilize the toe of the stream bank. Biologs 12 inches in diameter are typically used. Because they are made of natural fiber, vegetation can grow on the biologs. When needed, grading of the stream bank slope above the biolog is used to create a more stable slope (2:1 to 3:1). **Figure 5** illustrates this practice.

#### *4.1.3 Biologs with Fieldstone*

Biologs are natural fiber rolls made from coir fiber that are laid along the toe of the stream bank slope along with a one foot section of Class II Fieldstone Rip Rap to stabilize the toe of the stream bank. Biologs 12 inches in diameter are typically used. Because they are made of natural fiber, vegetation can grow on the biologs while the Fieldstone Rip Rap provides a slightly greater stabilization characteristic. When needed, grading of the stream bank slope above the biolog is used to create a more stable slope (2:1 to 3:1). **Figure 5** illustrates this practice.

#### ***4.1.4 Live Fascines***

Live fascines use dormant willow and dogwood cuttings installed during the dormant season. In this case, the cuttings are bundled together and planted in a row parallel to the stream flow. They can be effective in reducing sheet erosion along a slope because a portion of the fascine extends above the ground surface. **Figure 6** illustrates this practice.

#### ***4.1.5 Vegetated Reinforced Slope Stabilization (VRSS)***

VRSS is a bioengineering method that combines rock, geosynthetics, soil, and plants to stabilize steep, eroding banks. VRSS typically involves protecting layers of soil with a blanket or geotextile material creating soil lifts (also called soil pillows) and planting or seeding native vegetation on the slope. The vegetation's root systems provide the long-term slope stabilization. **Figure 7** illustrates this practice.

#### ***4.1.6 Root Wads***

Root wads are constructed from root balls with sections of their tree trunks attached. Removed trees will be salvaged for use as root wads. The tree trunks are buried into the bottom of the stream bank, with the root wad end sticking out into the stream. Supporting footer logs and boulders are often used to stabilize the root wads. Given the large number of trees that may need to be removed as part of this project, a large number of root wads may be available for use in this reach during restoration. **Figure 8** illustrates this practice.

#### ***4.1.7 Live Stakes***

Live stakes are dormant stem cuttings, typically willow and dogwood species. They are collected and installed during the dormant season (late fall to early spring) and grow new roots and leaves, quickly and inexpensively establishing woody vegetation on a stream bank. The willows and dogwoods grow into stands that provide long lasting bank protection. **Figure 9** illustrates this practice.

#### ***4.1.8 Rock Vanes***

Rock vanes (also called J vanes) are constructed of boulders embedded into the creek bottom. The vanes are embedded in the stream bank and are oriented upstream to direct the flow away from that bank. Rock vanes typically occupy no more than one-third of the channel width. **Figure 10** illustrates this practice.

#### ***4.1.9 Fieldstone Riprap***

Fieldstone Riprap (also called stone toe protection) is used to protect the toe of the stream bank. In-stream riprap typically consists of cobble-sized rock (6 to 12 inches in diameter). The riprap is keyed in to the streambed and extends up the bank to

approximately the bankfull level elevation. The bankfull level is the elevation of the water in the channel during a 1.5-year return frequency runoff event. In some cases, this level may be below the top of the stream bank. Riprap is typically used in conjunction with planting of the upper banks to provide full bank protection. Riprap is especially effective in heavily shaded areas, where it is difficult to establish vegetation. **Figure 11** illustrates this practice.

**4.1.10 Fieldstone Boulder**

Boulders are used to protect the toe of the stream bank. In-stream boulders typically consist of rocks (24 to 36 inches in diameter). The riprap is keyed in to the streambed and extends up the bank to approximately the bankfull level elevation. The bankfull level is the elevation of the water in the channel during a 1.5-year return frequency runoff event. In some cases, this level may be below the top of the stream bank. Riprap is typically used in conjunction with planting of the upper banks to provide full bank protection. Riprap is especially effective in heavily shaded areas, where it is difficult to establish vegetation. **Figure 12** illustrates this practice.

**4.1.11 Maintenance**

Maintenance of newly planted vegetation to protect it from poor survival rates of individual plants and encroachment by invasive species is crucial to the success of stabilization projects. The cost estimates in this study include a three year warranty and maintenance for establishment of vegetation as specified in the contract documents.

**Table 2a – Potential Stabilization Measures at Each Site**

<b>Potential Bioengineering Stabilization Measures for Each Site</b>			
<b>Site Number</b>	<b>Station</b>	<b>Potential Stream Stabilization Practice<sup>1</sup></b>	<b>Photos<sup>2</sup></b>
1	1+50	Remove 30 in Cotton Wood Tree	1
2	0+50-8+00	Reshape and Stabilize Streambanks with 12 in Biolog and 12 in Live Fascine (1,500 ft) Remove 120 Trees	2
3	4+50	Remove 36 in Cottonwood Tree	-
4	5+75	Remove 42 in Cottonwood Tree	-
5 & 6	8+00 & 9+00	Remove Existing Gabions and Grouted Rip Rap at Culvert Place 30 tons of Class III Fieldstone Rip Rap at Each End of Culvert	3

7	36+50 to 41+50	Reshape and Stabilize Streambanks with 12 in Biolog with 1 ft section of Class II Fieldstone Rip Rap (1,000 ft) Install 6 Root Wads Install 6 Rock Vanes Remove 75 Trees	4
8	43+25	Remove 68 in Cottonwood Tree	-
9	42+50 to 45+50	Reshape and Stabilize Streambanks with 12 in Biolog and a 1 ft Section of Class II Fieldstone Rip Rap (600 ft) Install 5 Root Wads Install 5 Rock Vanes Remove 75 trees	5
10	48+00 to 53+50	Reshape and Stabilize Streambanks with 12 in Biolog and a 1 ft Section of Class II Fieldstone Rip Rap (1100 ft) Install 5 Root Wads Install 5 Rock Vanes Remove 80 Trees	6
11	50+90	Stabilize 12 in FES	7
12	54+75	Remove 66 in Cottonwood Tree	-
13	56+00	Remove (5) 50 in and greater Cottonwood Trees	8
14	54+50 to 58+70	Reshape and Stabilize Streambanks with 12 in Biolog and 1 ft Section of Class II Fieldstone Rip Rap (840 ft) Remove 75 Trees	9
15	58+70 to 59+70	Reshape and Stabilize Streambanks with a 6 ft section of Fieldstone Boulders (200 ft)	10
16	65+20	Reattach FES and Pipe Tie joints Reinstall sheet piling under FES	11
17	62+75	Install 8" Galvanized FES on 8 in CMP	12
18	63+80 to 64+60	Remove block wall (80 ft)	13
19	62+50 to 80+50	Reshape and Stabilize Streambanks with 12 in Biolog and 1 ft Section of Class II Fieldstone Rip Rap (3,600 ft) Install 28 Root Wads Install 25 Rock Vanes Remove 200 Trees	14
20	68+50 to 71+00	Stabilize streambank with VRSS (305 sq yd)	15
21 & 22	76+00 & 77+00	Install Turf Reinforcement Mat on Peninsulas (700 sq yd)	-

23	83+00 to 94+00	Reshape and Stabilize Streambanks with 12 in Biolog and 12 in Live Fascine (2,200 ft) Install 18 Root Wads Install 17 Rock Vanes Remove 175 Trees	16
24	86+50 to 86+70	Remove gabion baskets (20ft)	17
25	87+60	Install FES on 12 in and 24 in RCP pipe	18
26	87+90	Install Galvanized FES on 12 in PVC pipe	19
27	89+25	Install FES on 12 in RCP and PVC pipe	20
28	89+90	Install FES on 12in RCP	21
29	90+80 to 91+00	Remove gabion baskets (20 ft)	-

<sup>1</sup> All sites will be planted or seeded with native grasses, shrubs, and trees. The final design phase will determine which practices will be used at each site and may or may not use the practices specified in this table.

<sup>2</sup> Photos are located in Appendix B.

**Table 2b – Potential Stabilization Measures at Each Site**

<b>Potential Engineered (Harder Armoring) Stabilization Measures at Each Site</b>			
<b>Site Number</b>	<b>Station</b>	<b>Potential Stream Stabilization Practice<sup>1</sup></b>	<b>Photos<sup>2</sup></b>
1	1+50	Remove 30 in Cotton Wood Tree	1
2	0+50- 8+00	Reshape and Stabilize Streambanks with 2 ft section of Class II Fieldstone Rip Rap (1,500 ft) Remove 50 trees	2
3	4+50	Remove 36 in Cottonwood Tree	-
4	5+75	Remove 42 in Cottonwood Tree	-
5 & 6	8+00 & 9+00	Remove Existing Gabions and Grouted Rip Rap at Culvert Place 30 tons of Class III Fieldstone Rip Rap at Each End of Culvert	3
7	36+50 to 41+50	Reshape and Stabilize Streambanks with 2 ft section of Class II Fieldstone Rip Rap (1,000 ft) Remove 50 Trees	4
8	43+25	Remove 68 in Cottonwood Tree	-
9	42+50 to 45+50	Reshape and Stabilize Streambanks with 2 ft section of Class II Fieldstone Rip Rap (600 ft) Remove 30 trees	5
10	48+00 to 53+50	Reshape and Stabilize Streambanks with 2 ft section of Class II Fieldstone Rip Rap (1100 ft) Remove 40 Trees	6
11	50+90	Stabilize 12 in FES	7

12	54+75	Remove 66 in Cottonwood Tree	-
13	56+00	Remove (5) 50 in and greater Cottonwood Trees	8
14	54+50 to 58+70	Reshape and Stabilize Streambanks with 2 ft section of Class II Fieldstone Rip Rap (840 ft) Remove 20 Trees	9
15	58+70 to 59+70	Reshape and Stabilize Streambanks with a 6 ft section of Fieldstone Boulders (200 ft)	10
16	65+20	Reattach FES and Pipe Tie joints Reinstall sheet piling under FES	11
17	62+75	Install 8" Galvanized FES on 8 in CMP	12
18	63+80 to 64+60	Remove block wall (80 ft)	13
19	62+50 to 80+50	Reshape and Stabilize Streambanks with 2 ft section of Class II Fieldstone Rip Rap (3,600 ft) Remove 130 Trees	14
20	68+50 to 71+00	Reshape and Stabilize Streambank with 9 ft Fieldstone Boulder section (250 ft)	15
21 & 22	76+00 & 77+00	Install Turf Reinforcement Mat on Peninsulas (700 sq yd)	-
23	83+00 to 94+00	Reshape and Stabilize Streambanks with 2 ft section of Class II Fieldstone Rip Rap (2,200 ft) Remove 80 Trees	16
24	86+50 to 86+70	Remove gabion baskets (20ft)	17
25	87+60	Install FES on 12 in and 24 in RCP pipe	18
26	87+90	Install Galvanized FES on 12 in PVC pipe	19
27	89+25	Install FES on 12 in RCP and PVC pipe	20
28	89+90	Install FES on 12in RCP	21
29	90+80 to 91+00	Remove gabion baskets (20 ft)	-

<sup>1</sup> All sites will be planted or seeded with native grasses, shrubs, and trees. The final design phase will determine which practices will be used at each site and may or may not use the practices specified in this table.

<sup>2</sup> Photos are located in Appendix B

## 4.2 Project Impacts

### 4.2.1 Easement Acquisition

Nearly all of the work sites are located on property with very little easements or right-of-way. Temporary construction easements or temporary rights-of-entry are not included in the opinion of cost and are not expected to have significant effect on the total cost.

#### ***4.2.2 Permits Required for Project***

The proposed project will require:

1. Clean Water Act Section 404 permit from the USCAE, or Letter of Permission under a General Permit, and Section 401 certification from the Minnesota Pollution Control Agency (MPCA), a
2. Compliance with the Minnesota Wetland Conservation Act, and
3. A Public Waters Work Permit from the Minnesota Department of Natural Resources (MNDNR). The proposed project should also follow the MPCA's guidance document for managing dredged materials, if applicable.
4. City of Golden Valley Stormwater Permit
5. City of Golden Valley ROW Permit

#### **Section 404 Permit**

The USACE regulates the placement of fill into wetlands, if the wetlands are hydrologically connected to a Waters of the United States, under Section 404 of the Clean Water Act (CWA). In addition, the USACE may regulate all proposed wetland alterations if any wetland fill is proposed. The MPCA may be involved in any wetland mitigation requirements as part of the CWA Section 401 water quality certification process for the 404 Permit.

The BCWMC developed its RMP, which was submitted to the USACE in April 2009 (revised in July 2009), with the goal of completing a conceptual level USACE permitting process for projects proposed. This feasibility study follows the protocols developed for projects within the BCWMC RMP.

The USACE 404 permit requires a Section 106 review for historic and cultural resources. The results of the archeological reconnaissance study are included as ***Appendix D***. If more detailed information is requested by the State Historic Preservation Office (SHPO), then a Phase I Archeological Survey may need to be completed. A Phase I Archeological Survey can be completed in 45 days or less during the frost-free period. The USACE staff anticipates that the 404 permit review and approval process could require 120 days to complete.

#### **Minnesota Wetland Conservation Act**

The Wetland Conservation Act (WCA) regulates the filling and draining of wetlands and excavation within Type 3, 4, and 5 wetlands. In addition, the WCA may regulate all types of wetland alteration if any wetland fill is proposed. The WCA is administered by local government units (LGU), which include cities, counties, watershed management organizations, soil and water conservation districts, and townships. The City of Golden Valley is the LGU for the proposed project. The Minnesota Board of Water and Soil Resources (BWSR) oversees the administration of the WCA statewide.

The proposed project will only involve grading existing stream banks and other stream

bank work. This type of work can generally be considered self-mitigating and will not require wetland mitigation, but all work requires review by the LGU.

### **Minnesota Pollution Control Agency**

Based on the findings of the Phase I, it is not anticipated that environmental impacts, such as contaminated soil and debris, will be encountered during the stream restoration activities. As with all excavation projects, the potential risk for encountering unexpected environmental conditions at the time of construction, particularly given the urban environment surrounding this project remains. If environmental impacts are encountered during the creek restoration earthwork, contaminated materials will need to be handled and managed appropriately. The response to discovery of contamination typically includes entering the MPCA's voluntary program. In accordance with MPCA's guidance, a construction contingency plan (CCP) could be prepared for the project, which would include initial procedures for handling materials suspected to be impacted, collecting analytical samples, and determining a path forward with MPCA for managing impacted materials.

### **Public Waters Work Permit**

The MnDNR regulates projects constructed below the ordinary high water level of public waters, watercourses, or wetlands, which alter the course, current, or cross section of the water body. Public waters regulated by the MnDNR are identified on published public waters inventory (PWI) maps. Bassett Creek is a public watercourse, so the proposed work will require a MnDNR public waters work permit.

### **Local Permits**

The City of Golden Valley requires permits for grading work within their jurisdiction. Their requirements should be reviewed in the context of each site's work.

### ***4.2.3 Other Project Impacts***

#### **Tree Loss**

There are considerable tree removals associated with this project. Due to the anticipated tree removals, two restoration options have been developed to mitigate tree loss. Option 1, that utilizes more non-structural vegetative stabilization practices, requires more bank clearing, shaping to achieve flatter side slopes, and more clearing of canopy trees that would prohibit light from penetrating and developing faster growing ground cover. This bank shaping is anticipated to require the removal of approximately 800 trees. Option 2 utilizes a more hard armor approach can stabilize a steeper side slope, and limit tree removal of approximately 400 trees. All of the trees are located in areas where bank grading or site access will be necessary. A detailed tree inventory will be completed during the final design process. The project costs include tree replacement at each location. Utilization of the Hybrid option is anticipated to reduce tree loss in many areas, compared to that associated with strictly the implementation of a non-structural option.

## **Water Quality Impacts**

The proposed stabilization measures will result in a reduction of the sediment and phosphorus loading to Bassett Creek and all downstream water bodies, including the Mississippi River and Lake Pepin. Using the BCWMC Main Stem Watershed Management Plan (2000) analyses discussed in **Section 2.2.2**, and proportioning removal by reach length, stabilizing this reach is estimated to reduce TP loads by between 60 and 100 pounds per year and TSS loads by between 140,000 and 200,000 pounds per year. This range is dependent on the type of bank treatment utilized and the extent over which the treatment is provided.

## **4.3 Estimated Project Cost**

### ***4.3.1 Estimated Cost***

The project cost to complete all of the work outlined in this feasibility study is estimated to range from approximately \$1,320,000 to \$1,660,000. However, it is understood that at current funding levels, only \$1,000,000 is available to complete this work. To address this consideration, similar to past projects, it is proposed to refine the scope of the project during design, bidding and construction as necessary to meet this level of funding. This will be accomplished by limiting work in various areas as necessary to achieve the greatest benefit, taking into consideration resident support, cost for access to property, severity of erosion, and further input from City residents, Staff and Watershed Management Organization. The opinion of cost uses the following assumptions:

- 40% of project costs will be utilized for final design, permitting, construction observation, and contingency.
- Construction easements will not be needed. If construction easements are necessary to construct the project, the cost is expected to be included in the contingency.
- The estimated cost includes testing stream bank material for hazardous compounds that would require treatment of the dredged materials per MPCA regulations.
- Additional work will be required to determine if cultural and/or historical resources are present at any project site.
- Removed trees will be replaced at the rate of 1:8 for the bioengineering approach and 1:4 with the more engineered approach.
- The construction contract(s) will include a three year maintenance and warranty for new vegetation.

While environmental impacts are not anticipated at the currently proposed restoration sites, a construction contingency plan (CCP) is recommended to outline initial

environmental responses if unanticipated contamination is encountered. The cost for preparing the CCP is estimated to be approximately \$2,000, which would include both the preparation of the plan and outlining its provisions to client staff and contractors.

The cost for implementing a CCP will depend on the magnitude, nature, and extent of any potential impacts that are encountered. To develop a cost allowance in the absence of identified environmental impacts, the following preliminary estimate has been developed. During the project, it is arbitrarily assumed that about 100 cubic yards (roughly five percent) of the total amount of excavated materials for the project will encounter contaminated soil or debris and require offsite disposal at a landfill. The estimate includes costs for analytical testing, transportation and disposal of impacted materials to a local Resource Conservation and Recovery Act (RCRA) Subtitle D Landfill, backfilling of clean soil, and coordination of the work with the MPCA, contractor, and the owner. Additional assumptions are shown on the estimate. In the event that no impacted materials are encountered during the project, the CCP would not be implemented and related costs would not be incurred. Based on the above assumptions, current transportation rates, and disposal rates at a nearby landfill, the cost estimate for the implementation of the described scenario is \$12,000.

Encountering more serious levels of contamination (e.g., RCRA Subtitle C hazardous wastes, PCBs) was not included in the above assumptions and cost estimate. Handling, transport, and disposal of soil or materials classified as hazardous waste could require disposal at a specialized out-of-state landfill and be significantly more expensive.

A feasibility-level opinion of cost for the project construction is included in *Tables 3a & 3b*. *Figures 2 & 2* show the corresponding site numbers and stationing referenced.

The feasibility level opinion of cost provided in this report is made on the basis of WSB's experience and qualifications, and represents our best judgment as experienced and qualified professionals familiar with the project. The opinion of cost is based on project-related information available to WSB at this time and includes a conceptual-level design of the project.

#### ***4.3.2 Anticipated Project Lifespan***

Anticipated lifespan for bioengineering and hard armoring restoration practices can vary considerably depending on watershed characteristics, existing tree canopy, and the typical maintenance regiment each restoration technique receives.

Within this reach of Bassett Creek it is anticipated that the bioengineering restoration methods would be most successful in areas where the tree canopy is not too dense and would not reduce sunlight penetration. Vegetation requiring less sunlight can be used in some locations with more limited sunlight successfully, but this vegetation is generally slower growing and has a reduced ability to stabilize areas rapidly.

The timeframe to reestablish volunteer and invasive trees shrubs along the stream banks would likely be about 10 to 15 years, which would shade vegetation along the bank and needs to be considered in evaluating the life span of a bioengineered method. In addition to management of the surrounding forest along the creek, most of this reach is located on private property and it is difficult to anticipate the level of maintenance each resident may provide, which may significantly reduce its lifespan.

Hard armored restoration practices will have a longer lifespan within this reach and can remain stable under conditions of limited sunlight penetration and reduced maintenance activities, however provide less habitat and natural beauty benefits. . It is anticipated that the life span of a more hard armored stabilization approach would exceed 20 years, and require significantly less ongoing maintenance. For this reason, a hybrid option seems to be warranted in many areas of this reach of Bassett Creek.

#### ***4.3.3 30 Year Maintenance Costs/Life Cycle Cost***

Estimated 30 year costs for each design alternative is difficult to anticipate due to the greater portion of the project being located on private property, the ability to gain access to the restored areas, and the amount of additional restoration required on private property.

It is estimated that the annual maintenance of the bioengineering practices would be about \$5,000 a year for tree clearing, vegetation restoration along the creek, and private property restoration, which comes to approximately \$0.50 a foot along this reach 9,400 foot long reach.

It is estimated that the annual maintenance of the more engineered practices would be about \$1,000 a year for tree clearing, vegetation restoration along the creek, and private property restoration, which comes to approximately \$0.10 a foot along this 9,400 foot long reach.

Estimated 30 year costs for the bioengineering restoration, at an estimated 3% and 4% annual inflation rate, ranges from \$248,005 to \$266,657. . Estimated 30 year costs for the more hard armoring restoration, at an estimated 3% and 4% annual inflation rate, ranges from \$128,005 to \$146,657.

Based on a construction cost of approximately \$1,000,000, if it is assumed that a 15 to 30 year project benefit will be provided, and an average annual phosphorus reduction over the next 30 years will be 30 pounds per year, assuming other costs for maintenance etc. are negligible, the annualized cost per pound of phosphorus removed as a result of this project would be is anticipated to range from \$1,100 to \$2,200 per pound. Adding in maintenance costs would increase this cost by approximately 150 to 300 per pound.

#### ***4.3.4 Analysis of the Benefits and Impacts of each Restoration Alternative***

Analysis of each of the stabilization and restoration methods provides positives and negatives for each method. Bioengineering practices are more preferable and natural method to restore the creek due to the ability to provide more biodiversity and wildlife habitat along this reach. However, the bioengineering approach does allow for a certain amount of natural stream bank erosion and meandering of the creek to occur, which can be problematic within the creeks tight confines on private property. In addition, the bioengineering methods do require routine maintenance over time and due to the proximity of the project on private property, this makes it difficult for the City to provide regular maintenance and it is difficult to depend on local residents to provide the level of maintenance required to keep the bioengineering method viable. Routine maintenance may include removal of invasive species, tree canopy, reshaping, and re-establishment of vegetation in areas of bank failure.

The more hard armored approach does not provide as much biodiversity, it does not allow for as much natural erosion and meandering to occur by provide a more stable channel, which may be requested by the adjacent residents. In addition, the hard armored approach does not require the routine maintenance of vegetation management and tree clearing, thus reducing the overall maintenance.

It is anticipated that this project will incorporate a hybrid of both bioengineering and armored engineered approaches in each reach based on access to the creek, property owner input, and the ability to clear trees along the corridor.

#### **4.4 Funding Sources**

The City of Golden Valley proposes the utilization of BCWMC capital improvement program (CIP) funds to fund the project costs. BCWMC channel restoration projects are funded through the BCWMC's CIP and are paid for via an ad valorem tax levied by Hennepin County over the entire Bassett Creek watershed.

#### **4.5 Project Schedule**

The design for this project is anticipated to begin in September of 2014. Permits for the project will be submitted in the fall of 2014. The construction work will likely be completed during the fall of 2015 through the spring of 2016. For project work to occur in 2014, the BCWMC must hold a public hearing and order the project in time for the BCWMC's submittal of its 2015 ad valorem tax levy request to Hennepin County in September 2014. If project construction is to occur in fall or winter, it is recommended that the project bidding take place in the summer. This will allow contractors to acquire plants and seeds at a reasonable price for the required quantities. In the intervening time, the City will gather public input, prepare the final design, and obtain permits.

**Table 3a. Site Locations, Potential Bioengineering Stream Stabilization Practices, and Overall Opinion of Cost for the 2015 Bassett Creek Main Stem Restoration Project**

<b>Site Locations, Potential Stream Stabilization Practices, and Overall Opinion of Cost for the 2015 Bassett Creek Main Stem Restoration Project</b>				
<b>Site Number</b>	<b>Site Station<sup>1</sup></b>	<b>Site Length (ft)</b>	<b>Proposed Stream Stabilization Practice</b>	<b>Estimate Site Expense</b>
1	1+50	-	Remove 30 in Cotton Wood Tree	\$2,000.00
2	0+50-8+00	750	Reshape and Stabilize Streambanks with 12 in Biolog and 12 in Live Fascine (1,500 ft) Remove 120 Trees	\$171,000.00
3	4+50	-	Remove 36 in Cottonwood Tree	\$2,000.00
4	5+75	-	Remove 42 in Cottonwood Tree	\$2,000.00
5 & 6	8+00 & 9+00	100	Remove Existing Gabions and Grouted Rip Rap at Culvert Place 30 tons of Class III Fieldstone Rip Rap at Each End of Culvert	\$6,000.00
7	36+50 to 41+50	500	Reshape and Stabilize Streambanks with 12 in Biolog with 1 ft section of Class II Fieldstone Rip Rap (1,000 ft) Install 6 Root Wads Install 6 Rock Vanes Remove 75 Trees	\$68,250.00
8	43+25	-	Remove 68 in Cottonwood Tree	\$2,000.00
9	42+50 to 45+50	300	Reshape and Stabilize Streambanks with 12 in Biolog and a 1 ft Section of Class II Fieldstone Rip Rap (600 ft) Install 5 Root Wads Install 5 Rock Vanes Remove 75 trees	\$56,250.00

10	48+00 to 53+50	550	Reshape and Stabilize Streambanks with 12 in Biolog and a 1 ft Section of Class II Fieldstone Rip Rap (1100 ft) Install 5 Root Wads Install 5 Rock Vanes Remove 80 Trees	\$84,700.00
11	50+90	-	Stabilize 12 in FES	\$1,000.00
12	54+75	-	Remove 66 in Cottonwood Tree	\$2,000.00
13	56+00	-	Remove (5) 50 in and greater Cottonwood Trees	\$10,000.00
14	54+50 to 58+70	420	Reshape and Stabilize Streambanks with 12 in Biolog and 1 ft Section of Class II Fieldstone Rip Rap (840 ft) Remove 75 Trees	\$62,450.00
15	58+70 to 59+70	100	Reshape and Stabilize Streambanks with a 6 ft section of Fieldstone Boulders (200 ft)	\$102,500.00
16	65+20	-	Reattach FES and Pipe Tie joints Reinstall sheet piling under FES	\$10,000.00
17	62+75	-	Install 8" Galvanized FES on 8 in CMP	\$750.00
18	63+80 to 64+60	80	Remove block wall (80 ft)	\$500.00
19	62+50 to 80+50	1500	Reshape and Stabilize Streambanks with 12 in Biolog and 1 ft Section of Class II Fieldstone Rip Rap (3,600 ft) Install 28 Root Wads Install 25 Rock Vanes Remove 200 Trees	\$275,900.00
20	68+50 to 71+00	250	Stabilize streambank with VRSS (305 sq yd)	\$76,250.00
21 & 22	76+00 & 77+00	100	Install Turf Reinforcement Mat on Peninsulas (700 sq yd)	\$8,500.00

23	83+00 to 94+00	1100	Reshape and Stabilize Streambanks with 12 in Biolog and 12 in Live Fascine (2,200 ft) Install 18 Root Wads Install 17 Rock Vanes Remove 175 Trees	\$184,050.00
24	86+50 to 86+70	20	Remove gabion baskets (20ft)	\$1,000.00
25	87+60	-	Install FES on 12 in and 24 in RCP pipe	\$2,000.00
26	87+90	-	Install Galvanized FES on 12 in PVC pipe	\$750.00
27	89+25	-	Install FES on 12 in RCP and PVC pipe	\$1,500.00
28	89+90	-	Install FES on 12in RCP	\$1,000.00
29	90+80 to 91+00	20	Remove gabion baskets (20 ft)	\$1,000.00
Construction Subtotal				\$1,135,350.00
Construction Contingency (20%)				\$227,070.00
Design, Permitting and Administration (15%)				\$170,302.50
Contingency for Contaminated Soils (3%)				\$34,060.50
Additional Cultural and Historical Investigation				\$7,500.00
3- Year Vegetation Warranty and Manteca Period (7.5%)				\$85,151.25
<b>Total</b>				<b>\$1,659,434.25</b>

<sup>1</sup> Steam Stationing: 0+00 is located at the end of the culvert north of 10th Ave at Rohde Island Avenue

**Table 3b. Site Locations, Potential Engineered (Hard Armoring) Stream Stabilization Practices, and Overall Opinion of Cost for the 2015 Bassett**

<b>Site Locations, Potential Stream Stabilization Practices, and Overall Opinion of Cost for the 2015 Bassett Creek Main Stem Restoration Project</b>				
<b>Site Number</b>	<b>Site Station<sup>1</sup></b>	<b>Site Length (ft)</b>	<b>Proposed Stream Stabilization Practice</b>	<b>Estimate Site Expense</b>
1	1+50	-	Remove 30 in Cotton Wood Tree	\$2,000.00
2	0+50-8+00	750	Reshape and Stabilize Streambanks with 2 ft section of Class II Fieldstone Rip Rap (1,500 ft) Remove 50 trees	\$90,500.00
3	4+50	-	Remove 36 in Cottonwood Tree	\$2,000.00
4	5+75	-	Remove 42 in Cottonwood Tree	\$2,000.00
5 & 6	8+00 & 9+00	100	Remove Existing Gabions and Grouted Rip Rap at Culvert Place 30 tons of Class III Fieldstone Rip Rap at Each End of Culvert	\$6,000.00
7	36+50 to 41+50	500	Reshape and Stabilize Streambanks with 2 ft section of Class II Fieldstone Rip Rap (1,000 ft) Remove 50 Trees	\$64,500.00
8	43+25	-	Remove 68 in Cottonwood Tree	\$2,000.00
9	42+50 to 45+50	300	Reshape and Stabilize Streambanks with 2 ft section of Class II Fieldstone Rip Rap (600 ft) Remove 30 trees	\$38,700.00
10	48+00 to 53+50	550	Reshape and Stabilize Streambanks with 2 ft section of Class II Fieldstone Rip Rap (1100 ft) Remove 40 Trees	\$67,200.00
11	50+90	-	Stabilize 12 in FES	\$1,000.00
12	54+75	-	Remove 66 in Cottonwood Tree	\$2,000.00
13	56+00	-	Remove (5) 50 in and greater Cottonwood Trees	\$10,000.00

14	54+50 to 58+70	420	Reshape and Stabilize Streambanks with 2 ft section of Class II Fieldstone Rip Rap (840 ft) Remove 20 Trees	\$53,700.00
15	58+70 to 59+70	100	Reshape and Stabilize Streambanks with a 6 ft section of Fieldstone Boulders (200 ft)	\$102,500.00
16	65+20	-	Reattach FES and Pipe Tie joints Reinstall sheet piling under FES	\$10,000.00
17	62+75	-	Install 8" Galvanized FES on 8 in CMP	\$750.00
18	63+80 to 64+60	80	Remove block wall (80 ft)	\$500.00
19	62+50 to 80+50	1500	Reshape and Stabilize Streambanks with 2 ft section of Class II Fieldstone Rip Rap (3,600 ft) Remove 130 Trees	\$219,700.00
20	68+50 to 71+00	250	Reshape and Stabilize Streambank with 9 ft Fieldstone Boulder section (250 ft)	\$76,250.00
21 & 22	76+00 & 77+00	100	Install Turf Reinforcement Mat on Peninsulas (700 sq yd)	\$8,500.00
23	83+00 to 94+00	1100	Reshape and Stabilize Streambanks with 2 ft section of Class II Fieldstone Rip Rap (2,200 ft) Remove 80 Trees	\$134,400.00
24	86+50 to 86+70	20	Remove gabion baskets (20ft)	\$1,000.00
25	87+60	-	Install FES on 12 in and 24 in RCP pipe	\$2,000.00
26	87+90	-	Install Galvanized FES on 12 in PVC pipe	\$750.00
27	89+25	-	Install FES on 12 in RCP and PVC pipe	\$1,500.00
28	89+90	-	Install FES on 12in RCP	\$1,000.00
29	90+80 to 91+00	20	Remove gabion baskets (20 ft)	\$1,000.00

Construction Subtotal	\$901,450.00
Construction Contingency (20%)	\$180,290.00
Design, Permitting and Administration (15%)	\$135,217.50
Contingency for Contaminated Soils(3%)	\$27,043.50
Additional Cultural and Historical Investigation	\$7,500.00
3- Year Vegetation Warranty and Manteca Period (7.5%)	\$67,608.75
<b>Total</b>	<b>\$1,319,109.75</b>

<sup>1</sup> Steam Stationing: 0+00 is located at the end of the culvert north of 10th Ave at Rohde Island Avenue

## 5 References

Barr Engineering Co., *Bassett Creek Watershed Management Plan*, Bassett Creek Watershed Management Commission, 2004.

Barr Engineering Co. and Hennepin County, county ditch records.

WSB & Associates, Inc. City of Golden Valley consulting engineer.

Blondo Consulting, LLC cultural resource survey and report.

Hoisington Koegler Group, Inc., *Bassett Creek Valley Master Plan*, Bassett Creek Valley Redevelopment Oversight Committee, City of Minneapolis, 2007.

Natural Resources Conservation Service – Minnesota, *Shallow Water Management for Shorebirds*, USDA, 2001

US Department of the Interior – Fish and Wildlife, *Management of Seasonally Flooded Impoundments for Wildlife*, Resource Publication 148, 1982.

USACE, *Interim Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Midwest Region*, 2008.

# 2015 Bassett Creek Restoration Feasibility Study

## *Appendix A*

### *Figures*






**Feasibility Study  
for the  
2015 Bassett Creek  
Main Stem  
Restoration  
City of Golden Valley  
Minnesota**

**Figure 1**

**Legend**

-  Bassett Creek Watershed
-  Surface Water
-  Creeks/Stream
-  City Boundary




**Feasibility Study  
for the  
2015 Bassett Creek  
Main Stem  
Restoration  
City of Golden Valley  
Minnesota**

**Option 1  
Proposed Soft Armoring  
Maintenance Locations  
Figure 2**

**Legend**

- ★ Identified Maintenance Location
- Maintenance Location
- 🌳 Large Tree Removal
- Observed Bank Erosion
- 📷 Photos
- 2015 Bassett Creek




0 250 500 1,000 Feet

**Feasibility Study  
for the  
2015 Bassett Creek  
Main Stem  
Restoration  
City of Golden Valley  
Minnesota**

**Option 2  
Proposed Hard Armoring  
Maintenance Locations  
Figure 3**

**Legend**


- ★ Identified Maintenance Location
- Maintenance Location
- 🌳 Large Tree Removal
- Observed Bank Erosion
- Photos
- 2015 Bassett Creek



0 250 500 1,000 Feet



## Slope Preparation




### Slope Preparation

This work consists of shaping the contours of the maintenance areas to achieve slopes as shown on the plans. Slope preparation will aid in the placement of the selected slope stabilization method. It is anticipated that earthwork on this project will balance on site.





## Bio-log Bank Protection (With or Without Stone)




### Bio-log Bank Protection

Bio-logs are natural fiber rolls made from coir fiber that are laid along the toe of the stream bank slope to stabilize the toe of the stream bank. The bio-logs are typically 12 inches in diameter. Because they are made of natural fiber, vegetation can grow on the bio-logs. When needed, grading of the stream bank slope above the bio-log will achieve a more stable slope (2:1 to 3:1). Cord grass plugs will be placed within the bio-log three feet on center.





## Live Facines




### Live Fascines

Live fascines also use dormant willow and dogwood cuttings installed during the dormant season. In this case, the cuttings are bundled together and planted in a row parallel to the stream flow. They can be effective in reducing sheet erosion along a slope because a portion of the fascine extends above the ground surface





VRRS



**Vegetated Reinforced Slope Stabilization (VRRS)**


VRRS is a bioengineering method that combines rock, geosynthetics, soil, and plants to stabilize steep, eroding banks. Vrrs typically involves protecting layers of soil with a blanket or geotextile material creating "soil lifts" (also called "soil pillows") and vegetating the slope. The vegetation root system provides the long-term slope stabilization.



Before After




# Root Wads



## Root Wads

Root wads are constructed from root balls of trees removed as part of this project. The trunks are buried into the bottom of the stream bank, with the root wad end sticking out into the stream. Supporting "footer logs" and boulders are used to stabilize the root wads.






## Live Stakes

Live stakes are dormant stem cuttings, typically willow and dogwood species. They are collected and installed during the dormant season and grow new roots and leaves revegetating a stream bank. Materials will be cut and placed in a container of water to be transported to the site and kept in water until installed. Taper the cutting with the end going into the ground at right angles to the slope face, 2/3 - 3/4 of their length. Care shall be taken not to split the ends or damage the bark of the cuttings. The engineer shall stake the location of live stakes in the field.



# Rock Vanes




## Rock Vanes

Rock vanes, or j-vanes, are constructed of boulders embedded into the creek bottom. The vanes are embedded (five feet) in the stream bank and are oriented upstream (20 to 30 degrees) to direct the flow away from that bank. J-vanes will not occupy no more than one-third of the channel width.





## Stone Toe Protection



### Fieldstone Rip Rap

Fieldstone rip rap will be used to protect the toe of the stream bank. In stream systems, rip rap consists of cobble-sized rock (12 inches to 18 inches in diameter). The riprap is keyed in to the streambed and extends up the reshaped slope and cannot extend past the top of bank. The exact location and elevation of the stone toe will be staked in the field by the engineer. Hand placement of fieldstone rip rap will be required and will be directed by the engineer. Placement of fieldstone rip rap must not result in a decrease of channel cross section.



Before After



## Fieldstone Boulders

### Fieldstone Boulder

Fieldstone boulder will be used to protect the toe of the stream bank. In stream typically consists of boulder-sized rock (30 inches to 34 inches in diameter) placed over a half foot thick layer of class i fieldstone rip rap and a half foot layer of coarse filter aggregate. The boulder will extend up the reshaped slope and cannot extend past the top of bank. The exact location and elevation of the boulder toe will be staked in the field by the engineer. Placement of fieldstone boulders must not result in a decrease of channel cross section.



Before



After






**Feasibility Study  
for the  
2015 Bassett Creek  
Main Stem  
Restoration  
City of Golden Valley  
Minnesota**

**Legend**

- 2015 Bassett Creek Restoration Project
- Area A
- Area B
- Area C
- Area D
- Area E
- NWI
- 100 Year Flood Elev



0 250 500 1,000 Feet



**Feasibility Study  
for the  
2015 Bassett Creek Main Stem  
Restoration  
City of Golden Valley  
Minnesota**


**Soft Armoring Option  
Area A**

**Legend**

- Area A
- Rock Vane
- Biolog
- Live Fascine
- Parcel Boundaries
- Index (10-Foot)
- Intermediate (2-Foot)
- Storm Sewer
- Watermain
- Sanitary Sewer



0 25 50 100 Feet





**Feasibility Study  
for the  
2015 Bassett Creek Main Stem  
Restoration  
City of Golden Valley  
Minnesota**


**Hard Armoring Option  
Area A**

**Legend**

- Area A
- Fieldstone
- Parcel Boundaries
- Index (10-Foot)
- Intermediate (2-Foot)
- Storm Sewer
- Watermain
- Sanitary Sewer



0 25 50 100 Feet



**Feasibility Study  
for the  
2015 Bassett Creek Main Stem  
Restoration Project  
City of Golden Valley  
Minnesota  
Soft Armoring Option  
Area B**

**Legend**

- Large Tree
- Area B
- Root\_Wad
- Rock Vane
- Biolog Fieldstone
- Biolog
- Parcel Boundaries
- Storm Sewer Manholes
- Storm Sewer
- Watermain
- Sanitary Sewer
- Sanitary Sewer Manhole




0 50 100 200 Feet



**Feasibility Study  
for the  
2015 Bassett Creek Main Stem  
Restoration Project  
City of Golden Valley  
Minnesota  
Hard Armoring Option  
Area B**

**Legend**

- Large Tree
- Area B
- Fieldstone
- Parcel Boundaries
- Storm Sewer Manholes
- Storm Sewer
- Watermain
- Sanitary Sewer
- Sanitary Sewer Manhole



**Tree Removals:**  
Sta 36+50 to 41+50  
Remove 20 to 30 Trees  
Clear dead and leaning trees  
Clear brush along streambank

Sta 36+50 to 41+50  
Stabilize Streambanks with  
a 2 ft section of  
Class II Fieldstone Rip Rap  
(1,000 ft)

Sta 36+50 to 41+50  
Revegetate disturbed  
areas with native grasses  
shrubs and trees

Sta 9+00  
Remove Existing gabions at culvert  
Place 30 tons of Class III Rip Rap  
at Culverts



0 50 100 200 Feet

**Feasibility Study  
for the  
2015 Bassett Creek Main Stem  
Restoration Project  
City of Golden Valley  
Minnesota  
Soft Armoring Option  
Area C**

**Legend**

- Area C
- Parcel Boundaries
- Rock Vane
- Root\_Wad
- Biolog Fieldstone
- Index (10-Foot)
- Intermediate (2-Foot)
- Storm Sewer
- Watermain
- Sanitary Sewer
- Fieldstone Boulder



0 50 100 200 Feet




**Feasibility Study  
for the  
2015 Bassett Creek Main Stem  
Restoration Project  
City of Golden Valley  
Minnesota  
Hard Armoring Option  
Area C**

**Legend**


- █ Area C
- Parcel Boundaries
- Index (10-Foot)
- Intermediate (2-Foot)
- Storm Sewer
- Watermain
- Sanitary Sewer
- Fieldstone
- ||| Fieldstone Boulder



0 50 100 200 Feet



**Feasibility Study  
for the  
2015 Bassett Creek Main Stem  
Restoration Project  
City of Golden Valley  
Minnesota  
Soft Armoring Option  
Area D**



**Legend**

- ▭ Area D
- ▭ Rock Vane
- Root\_Wad
- Biolog Fieldstone
- VRSS
- Parcel Boundaries
- Index (10-Foot)
- Intermediate (2-Foot)
- Storm Sewer
- Watermain
- Sanitary Sewer



0 50 100 200 Feet


**Tree Removals:**  
Sta 62+50 to 82+50  
Remove 140 to 150 Trees  
Clear dead and leaning trees  
Clear brush along streambank

**Feasibility Study  
for the  
2015 Bassett Creek Main Stem  
Restoration Project  
City of Golden Valley  
Minnesota**

**Hard Armoring Option**

**Legend Area D**

- Area D
- Fieldstone Boulder
- Fieldstone
- Parcel Boundaries
- Index (10-Foot)
- Intermediate (2-Foot)
- Storm Sewer
- Watermain
- Sanitary Sewer



Sta 59+70 to 82+50  
Revegetate disturbed  
areas with native grasses  
shrubs and trees

Sta 80+00 to 82+50  
Previously stabilized

Sta 75+00 to 79+25  
Stabilize Streambanks with  
a 2 ft section of  
Class II Fieldstone Rip Rap  
(425 ft)

Sta 74+25 to 74+75  
Previously stabilized

Sta 59+70 to 74+25  
Stabilize Streambanks with  
a 2 ft section of  
Class II Fieldstone Rip Rap  
(1,455 ft)

Sta 71+00 to 80+50  
Stabilize Streambanks with  
a 2 ft section of  
Class II Fieldstone Rip Rap  
(950 ft)

Sta 63+80 thru 64+60  
Remove block wall  
(80 ft)

Sta 63+20  
Reattach FES and Pipe  
Tie joints  
Reinstall sheetpiling under  
FES

Sta 68+50 thru 71+00  
Stabilize streambank  
with a 9 ft Fieldstone  
Boulder section  
(250 ft)

Sta 59+70 to 68+50  
Stabilize Streambanks with  
a 2 ft section of  
Class II Fieldstone Rip Rap  
(880 ft)

Sta 62+75  
Install 8" Galvanized  
FES on 8 in CMP

**Tree Removals:**  
Sta 62+50 to 82+50  
Remove 120 to 130 Trees  
Clear dead and leaning trees  
Clear brush along streambank

**Feasibility Study  
for the  
2015 Bassett Creek Main Stem  
Restoration Project  
City of Golden Valley  
Minnesota**


**Soft Armoring Option  
Area E**

**Legend**

- Area E
- Rock Vane
- ✱ Root Wad
- Biolog
- Live Fascine
- Parcel Boundaries
- Index (10-Foot)
- Intermediate (2-Foot)
- Storm Sewer
- Watermain
- Sanitary Sewer



0 50 100 200 Feet






**Feasibility Study  
for the  
2015 Bassett Creek Main Stem  
Restoration Project  
City of Golden Valley  
Minnesota**

**Hard Armoring Option  
Area E**

**Legend**

- Area E
- Fieldstone
- Parcel Boundaries
- Index (10-Foot)
- Intermediate (2-Foot)
- Storm Sewer
- Watermain
- Sanitary Sewer



0 50 100 200 Feet

# **2015 Bassett Creek Restoration Feasibility Study**

## ***Appendix B***


### ***2013 Site Photos***

**APPENDIX B**

**2015 Main Stem of Bassett Creek Maintenance Site Photos**



Maintenance Site 1



Maintenance Site 2

**2015 Main Stem of Bassett Creek Maintenance Site Photos**



Maintenance Site 5 & 6



Maintenance Site 7

**2015 Main Stem of Bassett Creek Maintenance Site Photos**



Maintenance Site 9



Maintenance Site 10

**2015 Main Stem of Bassett Creek Maintenance Site Photos**



Maintenance Site 11



Maintenance Site 13

**2015 Main Stem of Bassett Creek Maintenance Site Photos**



Maintenance Site 14



Maintenance Site 15

**2015 Main Stem of Bassett Creek Maintenance Site Photos**



Maintenance Site 16



Maintenance Site 17

**2015 Main Stem of Bassett Creek Maintenance Site Photos**



Maintenance Site 18



Maintenance Site 19

**2015 Main Stem of Bassett Creek Maintenance Site Photos**



Maintenance Site 20



Maintenance Site 23

**2015 Main Stem of Bassett Creek Maintenance Site Photos**



Maintenance Site 24



Maintenance Site 25

**2015 Main Stem of Bassett Creek Maintenance Site Photos**



Maintenance Site 26



Maintenance Site 27



Maintenance Site 28

**2015 Bassett Creek Restoration Feasibility Study**

***Appendix C***

***Wetland Delineation Report (Enclosed Disk)***



## *Memorandum*

**To:** *Jeff Oliver, City of Golden Valley  
Joe Fox, City of Golden Valley*

**Cc:** *Erick Francis, WSB & Associates, Inc.*

**From:** *Travis Fristed, PWS  
WSB & Associates, Inc.*

**Date:** *February 3, 2014*

**Re:** *Level 1 Wetland Delineation  
2015 Bassett Creek Main Stem Restoration  
City of Golden Valley, MN  
City Project No. 13-25  
WSB Project No. 02032-060*

---

Enclosed please find information pertaining to the approximate boundary, type, and regulatory status of wetlands adjacent to the main stem of Bassett Creek, from Rhode Island Avenue to Duluth Street in the City of Golden Valley. This Level 1 wetland delineation memorandum is intended for the City of Golden Valley to facilitate LGU discussions with the Technical Evaluation Panel and other regulatory agencies (if needed).

### Level 1 Desktop Review

WSB staff initiated a review of aerial photographs from 1991 to 2012 to determine the presence and extent of wetland signatures within the projects areas A through E. Wetland signatures included saturation or inundation and changes in plant community on the aerial imagery. In addition to historical aerial photographs, WSB completed a desktop review of available City records and GIS data, and offer the following observations:

- Mapped DNR Protected Waters and FEMA 100-Year Floodplain is located within the entire main stem of Bassett Creek.
- Mapped hydric soil signatures are partially located within and adjacent to the main stem of Bassett Creek, throughout Areas A to E.
- The entire main stem of Basset Creek is mapped as a riverine wetland type (R2UBG) on the current National Wetlands Inventory (NWI). Additional NWI signatures adjacent to the main stem are present in Area B (PUBGx excavated pond, south of Jersey/Plymouth Avenues), Area D (PFO1A), and Area E (PFO1A), as illustrated on the attached figure.

Field Review of Wetland Signatures

The 2015 proposed maintenance locations were overlaid onto the desktop review for WSB staff to field review six potential wetland signatures in Areas D and E on October 10, 2013. Visual changes in the dominance of hydrophytic vegetation, surface hydrology indicators, and landscape position were used by staff to evaluate the presence or lack of wetland within each potential wetland signature. Two foot LiDAR contour data and visual aerial changes in plant communities were also utilized after the field review to further define the approximate wetland boundaries and types. The results of this desktop and field review and field verification yielded six potential wetlands as detailed in *Table 1*.

**Table 1. Summary of Potential Wetlands, 2015 Bassett Creek Main Stem Restoration (City Project No. 13-25)**

Wetland Id	Wetland Plant Community	Approximate Size (Square Feet)	Wetland Type-Circular 39 (Cowardin)	DNR Protected Waters Inventory	National Wetlands Inventory (Cowardin)	Comments
1	Seasonally Flooded	15617	Type 1L (PFO1A)	-----	PFO1A	Adjacent to Bassett Creek
2	Seasonally Flooded	25578	Type 1L (PFO1A)	-----	PFO1A	Adjacent to Bassett Creek
3	Seasonally Flooded	23039	Type 1L (PFO1A)	-----	PFO1A	Hydrologically connected via culvert(s) under trail to Bassett Creek
4	Seasonally Flooded	873	Type 1L (PFO1A)	-----	PFO1A	Adjacent to Bassett Creek
5	Seasonally Flooded	1164	Type 1L (PFO1A)	-----	PFO1A	Isolated depression, east of trail (no apparent surface outlet)
6	Seasonally Flooded	770	Type 1L (PFO1A)	-----	PFO1A	Isolated depression, east of trail (no apparent surface outlet)

Wetland Conservation Act & Clean Water Act: Section 404 Jurisdiction

The Wetland Conservation Act (WCA- MN Rules 8420) regulates filling, draining, and excavation activities of certain wetland types in all non-DNR Protected Waters wetlands within Minnesota. Each of the wetlands listed in Table 1 are anticipated to be regulated under the WCA. Potential wetlands no. 1-6 also appear to be hydrologically connected to Bassett Creek, and therefore are assumed to be Waters of the US and regulated under Section 404 of the Clean Water Act.

Due to the nature and scope of the proposed 2015 project, it is our opinion that the proposed stream bank restoration activities will require a DNR Work within the Bed of Public Waters permit, and would qualify for a No-Loss determination (under the WCA) and Regional General Permit (Section 404). The DNR’s work within the Bed of Public Waters Permit, WCA, and Section 404 regulatory approvals would likely not require a wetland replacement plan or wetland mitigation. As construction plans reach 90% finalized, we recommend the City of Golden Valley make application to the regulatory agencies to ensure approvals are issued prior to the construction letting date.

If you have any questions or concerns, please contact me at [tfrieded@wsbeng.com](mailto:tfrieded@wsbeng.com) or 763-287-7169.


Attachments



**Feasibility Study  
for the  
2015 Bassett Creek  
Main Stem  
Restoration  
City of Golden Valley  
Minnesota**

**Legend**

-  2015 Bassett Creek Restoration Project
-  Area A
-  Area B
-  Area C
-  Area D
-  Area E
-  Easements
-  100 Year Flood Elev




0 250 500 1,000 Feet

Path: K:\02032-060\GIS\Map\New folder\02032-06\_wetlands\_AreaD-E.mxd Date Saved: 2/3/2014 3:14:10 PM

**Legend**

- Creek Stationing
- Level 1 Wetland Delineation (Type 1L, Seasonally Flooded)
- 10-Foot Contour
- 2-Foot Contour
- NWI
- Area D
- Area E



city of  
**golden valley**



**Feasibility Study  
for the  
2015 Bassett Creek Main Stem  
Restoration Project  
City of Golden Valley  
Minnesota**

**Level 1 Wetland Delineation  
Areas D & E**

**2015 Bassett Creek Restoration Feasibility Study**

***Appendix D***

.....***Cultural and Historical Resources Report***

**A Cultural Resources Assessment of the  
2015 Main Stem Bassett Creek Feasibility Project,  
Golden Valley,  
Hennepin County, Minnesota**

**by  
Steven J. Blondo, MA  
Principal Investigator  
Blondo Consulting, LLC**

**SHPO Review and Compliance Number: pending**

**February 5, 2014  
FINAL DRAFT REPORT**



STEVEN J. BLONDO, MA  
3939 SAND HILL RD., KETTLE RIVER, MN 55757  
218-485-1174 • STEVEN@BLONDOCONSULTING.COM  
WWW.BLONDOCONSULTING.COM

## **Management Summary/Abstract**

Blondo Consulting, LLC was retained to complete a cultural resource assessment of the 2015 Bassett Creek Main Stem Feasibility Study Project, Hennepin County, Minnesota. The Area of Potential Effect (APE) includes the stretch between Duluth Street and east of Rhode Island Avenue and includes an area adjacent to Bassett Creek where project improvements are to occur. The purpose of the survey was to learn whether any archaeological deposits and subsurface or above ground cultural features exist within the APE prior to the stream bank stabilization. The proposed stream bank stabilization includes balancing the stream banks, and installing soft-engineered BMPs and hard armoring. The project will require permitting by the Army Corps of Engineers and therefore will be subject to review under Section 106 of the National Historic Policy Act (NHPA).

A field visit took place on September 13, 2013. At that time, the APE was walked with Project Manager Erick Francis of WSB & Associates. Discussions of project plans and stabilization locations took place. Stream bank restoration and stabilization locations were identified adjacent to the current stream and within the 100-year flood plain. These areas were compared to areas identified by Christina Harrison of Archaeological Research Services as having potential for intact subsurface deposits. Blondo Consulting recommends no further work for the proposed project site locations.

## **TABLE OF CONTENTS**

1.0	INTRODUCTION .....	1
2.0	PROJECT AND SITE DESCRIPTION .....	1
3.0	METHODOLOGY .....	1
4.0	ENVIRONMENT .....	2
4.1	Soils.....	2
4.2	Geological Background.....	2
4.3	Flora and Fauna.....	2
5.0	CULTURAL HISTORY .....	3
5.1	Pre-Contact Period.....	3
5.1.1	Paleoindian Tradition .....	3
5.1.2	Archaic Tradition.....	3
5.1.3	Woodland Tradition .....	4
5.1.4	Plains Village and Mississippian/Oneota Tradition .....	4
5.2	Contact/Post Contact Period.....	5
6.0	RESULTS OF BACKGROUND AND ARCHIVAL RESEARCH.....	6
6.1	Previously Identified Cultural Resources .....	6
6.2	Previous Surveys .....	6
7.0	FIELD RESULTS.....	6
7.1	Project Site Area A .....	6
7.2	Project Site Area B.....	7
7.3	Project Site Area C .....	7
7.4	Project Site Area D.....	7
7.5	Project Site Area E.....	7
8.0	CONCLUSION .....	8

References Cited/Bibliography

Maps

Photographs

## **1.0 INTRODUCTION**

In September 2013, WSB and Associates (WSB), consultant to the City of Golden Valley, retained Blondo Consulting, LLC (Blondo Consulting) to complete an archaeological reconnaissance investigation for the proposed stream bank stabilization project located along Bassett Creek, Golden Valley, Hennepin County, Minnesota. The purpose of the investigation is to identify if previously unrecorded archaeological sites exist within the project area. The archaeological investigation involved a field visit on September 13, 2013. During this visit, all five reaches of Bassett Creek were walked. Mr. Erick Francis of WSB & Associates explained project locations and proposed stabilization methods. Comparisons to areas identified by Archaeological Research Services as having potential for subsurface deposits were made. The results of the investigation and recommendations are also included in this report.

## **2.0 PROJECT AND SITE DESCRIPTION**

The City of Golden Valley is proposing improvements and stabilization of the existing stream bank located within Bassett Creek Watershed east of Adair Avenue and North of 10th Street. The project related portions of Bassett Creek are located within T118N, R21W, Sections 28, 29, and 32. The Area of Potential Effect (APE) contains the stream bank and area adjacent to Bassett Creek where project improvements are to occur, immediately adjacent to the stream bank in five proposed improvement areas. The APE has been defined as the area where ground disturbance is likely to occur.

## **3.0 METHODOLOGY**

The proposed project is located in a region where recorded archaeological properties are not numerous, though this may be because of a lack of formal survey. Archaeological properties related to American Indian occupation and activities are usually found along lakes and streams, or former large permanent bodies of water on prominent topographic features (i.e. uplands or terraces).

Background research was completed by Ms. Christina Harrison of Archaeological Research Services in 2009. The literature review was completed at the State Historical Preservation Office (SHPO), and Office of the State Archaeologist (OSA). State archaeological site files, *National Register of Historic Places* (NRHP), historic maps (including Trygg maps and the Andreas Atlas), and current and historic aerial photographs. Winchell's *Aborigines of Minnesota* (1911) were reviewed to further identify reported archaeological sites and potential for burial mounds and unplatted cemeteries. "Cultural Resource Phase IA Review Conducted for the Bassett Creek Watershed Management Commission Resource Management Plan, Hennepin County, Minnesota" documented Ms. Harrison's findings.

The archaeological investigation involved a field visit on September 13, 2013. During this visit, all five stretches of Bassett Creek were walked. Mr. Erick Francis of WSB & Associates explained project locations and proposed stabilization methods. Comparisons to areas identified by Archaeological Research Services as having potential for subsurface deposits were made.

## **4.0 ENVIRONMENT**

The project area falls in Anfinson's Archaeological Region 4: Central Deciduous Lakes. Anfinson's archaeological regions allow us understand the prehistoric environment and better predict where archaeological sites may be located.

Region 4: Central Deciduous Lakes topography consists of “a patchwork of moraines, till plains, and outwash plains” (Anfinson 1988:295). The region is defined by the rivers that flow through and border it. The Mississippi flowing through the region, the St. Croix forming the eastern and rivers draining into the Red River forming the western boundaries. Anfinson tells us that the area has a complex glacial history, “at different times covered by ice lobes from the north, northeast, northwest, and even southwest” (Anfinson 1988:295). The eastern half of the region was free of ice by 13,500 years ago but the Des Moines Lobe covered the western half of the region until about 12,000 years ago.

In pre-settlement times, most of the region's vegetation consisted of “Big Woods bordered with oak in the west, oak woods in the southeast, and mixed coniferous-deciduous forest in [the] north” (Anfinson 1988:296). Marschner describes the natural vegetation as wet prairie or marsh, oak openings and barrens, and big woods (hardwoods – oak, maple, basswood, hickory). Today the area is located in the Eastern Broadleaf Forest Province, Minnesota and NE Iowa Morainal Section, and Big Woods Subsection of the Department of Natural Resources Ecological Classification System (DNR ECS).

### **4.1 Soils**

Anfinson gives a general description of the soils in the area as “medium to coarse textures with prairie soils in the south and west and forest soils in the north and east” (1990:148). County soil data shows a variety of soils within the project area. These soils can be divided into hydric “soils that are water-saturated for long enough periods to produce reduced conditions and affect the growth of plants” (Brady 1999:533) and non-hydric. Hydric soils have less potential to produce archaeological sites than non-hydric soils.

### **4.2 Geological Background**

Wright identifies the physiographic regions overlaying the state. Overlaying the project area is the Eastern St. Croix Moraine (#13) (Wright 1972:570). Wright goes on to describe the area as being “composed of stony, reddish-brown glacial drift” and “less suitable for intensive agriculture than for scenic sighting of country houses” (1972:570).

### **4.3 Flora and Fauna**

Early prehistoric subsistence resources of the area would have included “extinct woodland dwellers such as the giant beaver and mastodants[sic] and smaller animals known in the northern forests of today” (Anfinson 1988:296). Early Middle Prehistoric faunal would have been similar to Late Prehistoric fauna and would have included: white tailed deer, beaver, bear, moose (in the north and east), bison and elk (in the south and

west). Fish and waterfowl as well as wild rice would have been plentiful in wetlands and lakes. Acorns and other nuts, berries and plants would have been available for gathering.

## **5.0 CULTURAL HISTORY**

Statewide contexts have been developed by the Minnesota State Historic Preservation Office (SHPO), which examines Minnesota's recent Prehistoric through Historic past. These contexts are based on archaeological and historic research. They describe the history of the state, and assist in predicting where specific types of sites may occur both geographically and temporally.

American Indian contexts are commonly divided into three major traditions: Paleoindian, Archaic, and Woodland based on significant changes these communities lived and what they ate. Historic contexts are generally divided into Contact and Post-Contact periods. The Contact period begins with early European exploration of the state and continues through the Post-Contact period including settlement and statehood.

Most archaeological sites found within Hennepin County have only been dated to the Pre-Contact period. Exact dating is difficult based on limited testing, analysis, and quantity of artifacts. However, based on the types of artifacts found within the county, it can be assumed that almost all periods of prehistory have the potential to be represented within the project boundaries.

### **5.1 Pre-Contact Period**

#### **5.1.1 Paleoindian Tradition (12,000 to 8,000 Before Present [B.P.]**

The Paleoindian Tradition begins at the close of the Pleistocene era and beginning of the Holocene era. Native Communities are small, mobile, and focused on hunting. The glacial ice retreats and Lake Agassiz (located on the edge of Traverse County) drains and prairie vegetation advances into western Minnesota. Archaeological evidence from Paleoindian sites in Minnesota include the Browns Valley Site, 21TR0005, located near the project area reflect the same general characteristics and patterns noted for Paleoindian sites throughout the central United States and Canada. Based on the small number of artifacts recovered from these sites, it can be assumed that these communities hunted a limited number of large animals, mainly mammoth and mastadons. As the Pleistocene era ended and the Holocene era began, these mega fauna gradually died out. Ancient species of bison followed the advance of prairie vegetation, giving Paleoindian people a species to shift their hunting focus to. In addition to hunting large and smaller game, it is likely that gathering wild plant foods supplemented the diet of the Paleoindian people.

Paleoindian people are known for their distinctive stone tools. Projectile points of this period show advanced craftsmanship and include large lanceolate projectile points. Because Paleoindian communities were very small and nomadic, archaeologists have found only sparse, scattered evidence of the Paleoindian people throughout the region.

#### **5.1.2 Archaic Tradition (8,000 to 2,800 B.P.)**

The beginning of the Archaic period is marked by adaptation to environmental changes in the form of diet and settlement patterns. Archaic People begin to use more diverse

plant and animal resources. A broader range of tools including new projectile point forms, copper tools, and ground and pecked stone tools appear. Although some research suggests that community size increased during the Archaic period, some archaeological evidence counters that assumption, suggesting that community sizes remained small, and that day-to-day activities took place at a series of seasonal camps (Anfinson 1987:1997). The hunting of bison remained an integral part of life for Archaic people. As with Paleoindian sites, Archaic sites are relatively small and ephemeral.

### ***5.1.3 Woodland Tradition (2,800 B.P. to European Contact)***

In the Midwest region, archaeologists tend to divide the Woodland Tradition into three periods: Early, Middle, and Late, however Anfinson (1987a) has suggested that in Minnesota it may be more appropriate to make a single division into Initial and Terminal periods. The manufacture of ceramic vessels, use of bows and arrows, construction of burial mounds, and cultivation of specific plant species, mark the transition into the Woodland Tradition. Archaeologists believe that the Woodland Tradition remained similar to that of the Archaic period, with a dependence upon a diverse, seasonal resource base of plants and animals (Johnson 1988; Anfinson 1987a:222).

Although community sizes have many similarities between the Early Woodland and Late Archaic period, by the Late Woodland period populations are on the rise. This may be due to increased efficiency in regards to how food was acquired. Woodland period sites range from burial mounds to small limited use sites to large village and habitation sites. Sites are located in areas where the community could focus on specific resources to environments capable of sustaining larger communities over longer periods of time.

### ***5.1.4 Plains Village & Mississippian/Oneota Traditions (1,100 B.P. to European Contact)***

Terminal Woodland period sites in Minnesota exhibit significant changes in subsistence and settlement patterns. Ceramic vessels with different form and decoration, settlement patterns shifting to larger and more permanent villages (usually near river settings) all mark a change archaeologists refer to as the Plains Village and Mississippian/Oneota Traditions. Archaeological evidence indicates that both the Plains Village and Mississippian complexes relied heavily on bison hunting and intensive corn horticulture.

Archaeologists are unsure how the Oneota complexes developed. Two common theories are prevalent. The first indicates that groups migrating into the Upper Midwest brought with them new cultural traditions. A second theory is that people already living in the area began to adopt cultural changes different from groups around them.

Plains Village and Oneota site types are similar to those associated with the Woodland Tradition. The archaeological remains of these complexes range from burial mounds to small, limited use sites and extensive habitation sites. Site location remains consistent with the Woodland Period.

## **5.2 Contact/Post-Contact Period (1630 to Present)**

This period generally refers to the span of time extending from the first European explorations until intensive Euro-American settlement of the region. Minnesota's historical period began in 1673 when French explorers Marquette and Joliet discovered the upper portion of the Mississippi River. Ten years later, Catholic Missionary Father Louis Hennepin returned to France to write the first book about Minnesota, *Description de la Louisiane*, telling his story of exploring Minnesota and being held captive by the Dakota Indians.

The territory containing modern-day Minnesota was claimed by Spain, France, Great Britain, and eventually the United States. Lieutenant Zebulon Montgomery Pike led the first United States expedition through Minnesota in 1805. Fort St. Anthony (later Ft. Snelling) was completed between 1819 and 1824, and in 1836 the Wisconsin Territory including a portion of Minnesota, was formed. Minnesota became a territory in 1849 and achieved statehood on May 11, 1858.

The fur trade drove much of the European exploration and settlement in Minnesota through the mid-1800s. While the fur trade impacted the American Indian communities throughout all of Minnesota, European settlement in the area exploded after the 1860s. At that time, intensive settlement and agriculture dramatically transformed the landscape, displacing a large number of American Indians. In 1862 tensions between white settlers and American Indians exploded resulting in the Dakota Conflict. Ultimately, this war left 462 whites and "an unknown but substantial number" of American Indians dead (Anderson and Woolworth 1988). This conflict concluded with the hanging of 38 Dakota Indians in Mankato and the deportation of many others to Santee, Nebraska.

As white settlers made Minnesota their home, farming became the predominant industry. Wheat was the cash crop, and mills sprang up along major waterways across the state, notably in Minneapolis. Minnesota dominated the world in wheat processing until the 1930s. In addition to milling, Minnesota was also a leader in lumbering and iron mining.

Possible archaeological site types associated with this period are generally consistent with those of earlier periods, but the influence of European and Euro-American traders, missionaries, settlers, and industries affected the locations of these sites. This period also includes the settlement patterns, subsistence activities, and economic strategies employed by Euro-American immigrants beginning in the mid-nineteenth century. Associated archaeological and historic site types categorized in the Contact/Post-Contact period include standing structures as well as archaeological sites.

## **6.0 RESULTS OF BACKGROUND AND ARCHIVAL RESEARCH**

### **6.1 Previously Identified Cultural Resources**

Records searches were conducted at both the State Historic Preservation Office (SHPO) and Office of the State Archaeologist (OSA). The Area of Potential Effect (APE) contains the stream bank and area immediately adjacent to the stream bank in five proposed improvement areas. The APE has been defined as the area where direct adverse effect is likely to occur. No previously identified cultural resources (archaeological or historical sites) have been recorded within the APE. As pointed out by Christina Harrison in her 2009 report “only a few systematic efforts have been made to survey this general area for archaeological evidence” (2009:[7]).

### **6.2 Previous Surveys**

The region around the project area has been the subject of several important surveys. The earliest recorded survey was that of T.H. Lewis, who surveyed large areas of the state for earthworks during the latter part of the nineteenth-century (Winchell 1911). Lewis recorded a number of mounds and earthworks in Hennepin County (Winchell 1911). More recently, compliance surveys have played an important role in understanding the distribution of cultural resources. Although a number of Cultural Resource Surveys have been completed within the Watershed, most of the area adjacent to the current project has not been previously surveyed. Christina Harrison and Archaeological Research Services (ARS) completed a preliminary reconnaissance survey along the main stem in 2009. Other Cultural Resources Surveys conducted near the project area are listed in Harrison’s 2009 report.

## **7.0 FIELD RESULTS**

Steven Blondo conducted a field visit on September 13, 2013. The project area was walked with WSB Project Manager Erick Francis. He explained proposed project improvements. Notes and photographs were taken. Comparisons to Harrison’s results were made along the way. Improvements consist of a series of stabilization and restoration locations. Improvement efforts include removal of fallen and dead trees, shaping of the eroded stream banks in selected areas, and installation of stream bank stabilization methods such as cross vanes, rock vanes, bio-log, and stone toe protection. Removal and salvage of rip-rap will take place in selected areas and placement of new rip rap where needed. The restoration of disturbed areas will be completed by reseeding with native vegetation and installation of erosion blanket on disturbed areas. The following describes each of the five areas in detail.

### **7.1 Project Site Area A**

Project Site Area A is located between Rhode Island Avenue and Pennsylvania Avenue. It consists of an approximately 900 foot section of Bassett Creek within a residential setting. Houses in the area appear to date to the 1950s and 1960s, which is confirmed by aerial photographs showing construction between 1957 and 1960. A series of large 30 to 40 inch diameter cottonwoods are located in Area A. Recommended improvements for this reach include: clearing of trees, reshaping of eroding slopes, stabilization, and revegetation of upper slopes. The area was not part of Harrison’s previous survey. A field

visit by Blondo Consulting revealed low potential for intact cultural materials. Blondo Consulting recommends no further cultural work for Area A.

### **7.2 Project Site Area B**

Project Site Area B is located between Pennsylvania Avenue and Hampshire Avenue. Project Site Area B overlaps with Harrison's Main Stem Figure CO1. Through this area, Bassett Creek bisects the Golden Valley Country Club. According to Harrison, the club was formed as the "Golden Valley Golf Club in 1916 and first developed as a 9-hole course on 133 acres of pasture land, corn fields, and swamp land north of the railroad tracks" (Harrison 2010:C-2). She explains that the course was expanded to 18 holes when it was renovated in the late 1920s by A.W. Tillinghast "whose design, following some course modifications made in the 1940s and 1960s, since has been restored". Proposed improvements are planned for an area approximately 50 to 75 feet east of the edge of the golf course. Depending on the scale of the work proposed in this area, evaluation of the 1916 Golf Course may be required. Provided proposed improvements in this area do not affect the golf course, Blondo Consulting recommends no further cultural work for Area B.

### **7.3 Project Site Area C**

Project Site Area C is located between Hampshire Avenue and the current Canadian Pacific (CP) Railway. Harrison investigated the area as CO2. She stated that the creek appeared to have been straightened. She states "due to these modifications of the original terrain, the segment seems to lack archaeological potential" (2010:C-4). Recommended improvements for this reach include: reshaping of eroding slopes, stabilization, and revegetation of upper slopes. A field visit by Blondo Consulting confirmed Harrison's finding of low potential for intact cultural materials. Blondo Consulting recommends no further cultural work for Area C.

### **7.4 Project Site Area D**

Project Site Area D is located between the current Canadian Pacific (CP) Railway and St. Croix Avenue. Harrison investigated the area as CO3. She noted that most of the area is low and of low archaeological potential. Some higher ground areas were identified and warranted further Phase I testing. Recommended improvements for this reach include: reshaping of eroding slopes, stabilization, and revegetation of upper slopes. A field visit by Blondo Consulting found that areas where proposed improvements are planned do not correlate to the higher probability areas identified by Harrison. Improvements are planned for creek banks. The higher elevation and probability areas are located above the creek bank areas, outside planned project improvements. Blondo Consulting recommends no further cultural work for Area D.

### **7.5 Project Site Area E**

Project Site Area E is located between St. Croix Avenue and Duluth Street. Harrison investigated the area as CO4. She noted that most of the area is low and of low archaeological potential. Three higher terraces were identified which Harrison said may warrant further Phase I testing. Recommended improvements for this reach include: reshaping of eroding slopes, stabilization, and revegetation of upper slopes. A field visit by

Blondo Consulting found that areas where proposed improvements are planned do not correlate to the higher probability areas identified by Harrison. Again, improvements are planned for creek banks. The higher elevation and probability areas are located above the creek bank areas, outside planned project improvements. Blondo Consulting recommends no further cultural work for Area E.

## **8.0 CONCLUSION**

Blondo Consulting, LLC was retained to complete a cultural resources reconnaissance investigation for the 2015 Bassett Creek Main Stem Restoration Project, Golden Valley, Hennepin County, Minnesota. The Area of Potential Effect (APE) includes five (5) maintenance areas along the creek. The purpose of the survey was to learn whether any archaeological deposits or subsurface features exist within the APE prior to the stream bank stabilization. The proposed stream bank stabilization includes sloping of eroded stream banks, and installing soft-engineered BMPs and hard armoring. The project will require permitting by the Army Corps of Engineers and therefore will be subject to review under Section 106 of the National Historic Policy Act (NHPA).

A field visit was completed on September 13, 2013. During this visit, all nine reaches of Bassett Creek were walked. Mr. Erick Francis of WSB & Associates explained project locations and proposed stabilization methods. Comparisons to areas identified by Archaeological Research Services as having potential for subsurface deposits were made. No archaeological materials were encountered. Blondo Consulting, LLC recommends no further archaeological work for the proposed project site locations.

With any project there is the chance of unanticipated discovery. Should archaeological materials surface during construction, it is advised that a professional archaeologist be consulted. Minnesota Statute 307.08 protects unplatted cemeteries (including burial mounds) and issues guidelines for dealing with unexpected finds. Should human remains be encountered during stream bank stabilization, all work must stop and local law enforcement must be called.

## References Cited/Bibliography

- Anderson, Gary Clayton, Alan R. Woolworth  
1988 *Through Dakota Eyes: Narrative Accounts of the Minnesota Indian Wars of 1862*. Minnesota Historical Society Press, St. Paul.
- Andreas, A.T.  
1874 *An illustrated historical atlas of the state of Minnesota*. Chicago: A.T. Andreas
- Anfinson, Scott  
1987 The Prehistory of the Prairie Lake Region in the Northeastern Plains. Thesis for the University of Minnesota.  
1990 Archaeological Regions in Minnesota and the Woodland Period. In *The Woodland Tradition in the Western Great Lakes: Papers Presented to Elden Johnson*, edited by Guy Gibbon, pp. 135-166. University of Minnesota Publications in Anthropology No. 4, Minneapolis.  
1997 *Southwestern Minnesota Archaeology: 12,000 years in the Prairie Lake Region*. St Paul: Minnesota Historical Society.
- Bozhardt, Robert F., James L. Theler, and Thomas F. Kehoe  
1986 The Early Woodland Stage. In "Introduction to Wisconsin Archaeology: Background for Cultural Resource Planning." *The Wisconsin Archaeologist* 67(3-4):243-262.
- Brady, Nyle C. and Ray R. Weil  
1998 *Elements of the Nature and Properties of Soils*. Prentice Hall, Upper Saddle River.
- Harrison, Christina  
2009 *Cultural Resource Phase IA Conducted for the Bassett Creek Watershed Management Commission Resource Management Plan, Hennepin County, Minnesota*.  
2010 *Report on Preliminary Reconnaissance Survey Conducted by Archaeological Research Services (ARS) Along the Main Stem of Bassett Creek Cities of Crystal and Golden Valley, Hennepin County, Minnesota*.
- Johnson, Elden  
1988 *Prehistoric Peoples of Minnesota*, third edition. Minnesota Historical Society, St. Paul.
- Marschner, F.J.  
1930 *Map of the Original Vegetation of Minnesota*. Reprinted in 1978 by the Minnesota Department of Natural Resources, St. Paul, Minnesota.

Minnesota DNR

Minnesota DNR website found at <http://www.dnr.state.mn.us/ecs/index.html>, accessed 20 July 2009.

Minnesota State Historical Preservation Office Files

n.d. Various Files for recorded sites, archaeological as well as surveys conducted within the state.

Minnesota State University Mankato

Minnesota History, A Timeline Website found at <http://www.mnsu.edu/emuseum/history/mnstatehistory/timeline.html#1659>. accessed 28 February 2007.

Office of the State Archaeologist Files

n.d. Various Files for recorded sites.

United States Census Website

Found at: <http://census.gov>, accessed 20 July 2009.

Winchell, N. H.

1888 *The Geology of Minnesota. Vol II of the Final Report.* Pioneer Press Company, State Printers, St. Paul.

Winchell, N.H.

1911 *The Aborigines of Minnesota.* The Pioneer Company, St. Paul, Minnesota.

Wright, H. E.

1972 Quaternary History of Minnesota. In *Geology of Minnesota: A Centennial Volume*, edited by P.K. Sims and G. B. Morey. Minnesota Geological Survey, University of Minnesota, St. Paul.



Photo 1: Area A along Bassett Creek, facing west.




Photo 2: Area C along Bassett Creek, facing east.




Photo 3: Area C along Bassett Creek, facing west.



Photo 4: Area D along Bassett Creek, facing northwest.



Photo 5: Area D along Bassett Creek, facing south.

**2015 Bassett Creek Restoration Feasibility Study**

***Appendix E***

.....***Phase 1 Environmental Assessment Study***

DECEMBER 4, 2013



**City of Golden Valley**  
7800 Golden Valley Road • Golden Valley, MN 55427

**PHASE I**  
**Environmental**  
**Site Assessment**

**2015 Bassett Creek Main Stem  
Restoration Project**

*Rhode Island Avenue North  
to Duluth Street  
Golden Valley, MN*

*WSB Project No. 2032-060*



701 Xenia Avenue South, Suite 300  
Minneapolis, MN 55416  
Tel: (763) 541-4800 · Fax: (763) 541-1700  
wsbeng.com

# **Phase I Environmental Site Assessment**

---

## **2015 Bassett Creek Main Stem Restoration Project Rhode Island Avenue North to Duluth Street Golden Valley, MN**

**Prepared for:**

**City of Golden Valley  
7800 Golden Valley Road  
Golden Valley, MN 55427**

**Prepared by:**

**WSB & Associates, Inc.  
701 Xenia Avenue South, Suite 300  
Minneapolis, MN 55416**

**December 4, 2013**



---

Ryan G. Spencer  
Environmental and Remediation Scientist

# Table of Contents

---

## TITLE SHEET

## TABLE OF CONTENTS

<b>1. Summary</b> .....	<b>1</b>
<b>2. Introduction</b> .....	<b>2</b>
2.1 Purpose .....	2
2.2 Scope of Services .....	3
2.3 Assessment Limitations and Assumptions.....	3
2.4 Special Terms and Conditions.....	4
2.5 Previous Environmental Documents.....	4
<b>3. Site Description</b> .....	<b>4</b>
3.1 Subject Property Location .....	4
3.2 Property Setting .....	5
3.3 Current and Historic Property Use .....	5
3.4 Description of Structures, Roads, and Improvements .....	5
3.5 Adjoining Properties .....	6
<b>4. User Provided Information</b> .....	<b>6</b>
<b>5. Records Review</b> .....	<b>6</b>
5.1 Regulatory Records Review .....	6
5.2 Physical Setting Information .....	11
5.3 Historical Use Information .....	12
<b>6. Site Reconnaissance</b> .....	<b>15</b>
6.1 Methodology .....	15
6.2 General Site Setting .....	15
6.3 Exterior and Interior Observations .....	15
<b>7. Interviews</b> .....	<b>17</b>
<b>8. Findings, Conclusions, and Opinions</b> .....	<b>17</b>
8.1 Recognized Environmental Conditions .....	17
8.2 Historical Recognized Environmental Conditions.....	17
8.3 Controlled Recognized Environmental Conditions .....	18
8.4 De Minimis Conditions.....	18
8.5 Items of Environmental Note .....	18
<b>9. Recommendations</b> .....	<b>19</b>
<b>10. Data Gaps</b> .....	<b>19</b>
<b>11. Qualifications of Environmental Professionals</b> .....	<b>20</b>

# Table of Contents

---

## LIST OF TABLES

Table 1 – Summary of Potential Environmental Sites

## LIST OF FIGURES

Figure 1 – Project Location  
Figure 2 – USGS Topographical Map  
Figure 3A – Hennepin County Soils Survey  
Figure 3B – Hennepin County Soils Survey  
Figure 4 – Surface Geology  
Figure 5 – Bedrock Geology  
Figure 6 – County Well Index  
Figure 7 – Photograph Location Map  
Figure 8A – Potential Environmental Sites  
Figure 8B – Potential Environmental Sites  
Figure 8C – Potential Environmental Sites  
Figure 8D – Potential Environmental Sites  
Figure 8E – Potential Environmental Sites

## LIST OF APPENDICES

Appendix A – User Questionnaire  
Appendix B – Regulatory Records Documentation (EDR Report)  
Appendix C – Fire Insurance Maps (No Coverage)  
Appendix D – Aerial Photographs  
Appendix E – Topographic Maps  
Appendix F – Photographic Documentation

## 1. Summary

WSB & Associates, Inc. (WSB) was retained by the City of Golden Valley (the City) to conduct a Phase I Environmental Site Assessment (ESA) of the 2015 Bassett Creek Main Stem Restoration Project which consists of a 1.7 mile reach of Bassett Creek from Rhode Island Ave North to Duluth Street in Golden Valley, Hennepin County, Minnesota (the subject property). The objective of the assessment was to identify Recognized Environmental Conditions (RECs) associated with the property according to ASTM E1527-13 “Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessments”.

The subject property is located within residential, recreational, and commercial parcels within Sections 28, 29, and 32, Township 118 North, and Range 21 West, in Hennepin County, Minnesota. For the purposes of this assessment, the subject property consisted of a 200 foot radius from the Bassett Creek Main Stem along the 1.7 mile creek reach. A subject property location map is included as **Figure 1**.

The Phase I ESA is being conducted in support of a proposed creek restoration project that will involve excavation, grading, bank stabilization, and tree removal within the subject property boundary. For ease of discussion, the subject property is divided into five different areas (Areas A-E) as illustrated on **Figure 1**.

WSB has performed this Phase I ESA in conformance with the scope and limitations of ASTM Practice E1527-13. Exceptions to and deletions from this practice are described in **Section 2.3** of this Phase I ESA. This Phase I ESA has been prepared exclusively for the City of Golden Valley. No additional parties may rely on the contents of this report unless written authorization is obtained from WSB.

This Phase I ESA has revealed no recognized environmental conditions (RECs) associated with the subject property.

Additionally, 15 potential environmental sites were identified during this Phase I ESA (see **Table 1**) and the following environmental items should be noted:

### ***Adjoining and Surrounding Releases***

The regulatory database search identified two adjoining properties and five surrounding area properties (located within 500 feet of the subject property) that have documented releases. There is a potential that these releases have impacted the property soil and/or sediment. The majority of these releases have been issued “site closure” by the MPCA indicating the identified contamination, if present, does not appear to pose a threat to public health or the environment under current conditions (note: site closure does not indicate the site is free of contamination) or have been determined to be small in scale and not require additional investigation

and/or cleanup. The adjoining property releases are highlighted on the potential environmental sites map included as **Figure 8**.

### ***Historic Railroad Lines***

The property is transected by the Minneapolis Northfield and Southern railroad line on the eastern portion and also adjoined by the Chicago and Northwestern railroad line to the south. There is the potential that historic railroad operations (i.e. derailments, creosote treated railroad ties, routine maintenance, etc.) have resulted in environmental impacts to the property. No obvious sign of contamination or environmental impacts were observed near the railroad lines during the site reconnaissance. The railroad lines are highlighted on the potential environmental sites map included as **Figure 8**.

### ***Undocumented Fill Materials***

Historical aerial photographs and topographic maps indicate the presence of land disturbances (undocumented filling and grading) adjoining many subject property areas. The majority of the land disturbances are for residential purposes and the construction of roads. Two significant land disturbances, one located north of the property (a former gravel pit) and one located south of the property (a commercial development) were identified in the historic review. There is the potential that historic filling and grading has caused environmental impacts to the property. The areas of significant disturbance are highlighted on the potential environmental sites map included as **Figure 8**.

## **2. Introduction**

### **2.1 Purpose**

WSB was retained by the City to conduct a Phase I ESA of the 2015 Bassett Creek Main Stem Restoration Project which extends 1.7 miles from Rhode Island Avenue North to Duluth Street in Golden Valley, Hennepin County, Minnesota (the subject property). The objective of the assessment was to identify RECs associated with the property according to ASTM E1527-13 "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessments".

The ASTM E1572-13 Standard defines the term *recognized environmental condition* as meaning "the presence or likely presence of any hazardous substances or petroleum products in, on, or at a property: (1) due to any release to the environment; (2) under conditions indicative of a release to the environment; or (3) under conditions that pose a material threat of a future release to the environment." The term is not intended to include *de minimis* condition's that generally do not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate

governmental agencies. Conditions determined to be de minimis are not recognized environmental conditions.

## **2.2 Scope of Services**

The Scope of Services performed by WSB is defined by the ASTM E1527-13 Standard and the methodologies and procedures described in the body of this report. The ASTM E1527-13 Standard is intended to permit a user to satisfy one of the requirements to qualify for the innocent landowner, contiguous property owner, or bona fide prospective purchaser limitations on CERCLA liability, which is the practice that constitutes “all appropriate inquiry into previous ownership and uses of the property with good commercial or customary practice” as defined in 42 U.S.C. 9601 (35) (B).

## **2.3 Assessment Limitations and Assumptions**

This Phase I ESA was performed in accordance with ASTM E1527-13 Standard Practice for Environmental Site Assessments. No conditions were encountered that were determined to be significantly limiting to the purpose of this assessment.

Additionally, the following assumptions should be noted:

- The detailed history of land use and ownership to satisfy the purpose of this Phase I ESA was determined from the Scope of Services listed in **Section 2.2** and title reviews were not conducted. The lack of a title review is not a significant data gap.
- The creek restoration areas were not clearly defined at the time of this Phase I ESA. The subject property was conservatively assumed to include a 200 foot radius from the Bassett Creek Main Stem from Rhode Island Avenue North to Duluth Street in Golden Valley, MN.
- Since the City does not own all the land within the subject property boundary, this Phase I ESA focuses solely on potential impacts associated with the soil and sediments that are anticipated to be excavated and disturbed during implementation of the restoration project. The implementation of this project will not change the land use or ownership of the property.
- This Phase I ESA did not include the completion of soil borings, the installation of groundwater monitoring wells, or the collection of soil or groundwater samples. In addition, this assessment did not include collecting or analyzing samples from the presence of asbestos, PCBs, lead-based paint, lead in drinking water, radon, or urea formaldehyde as this is beyond the scope of the ASTM E1527-13.

## **2.4 Special Terms and Conditions**

The findings and conclusions presented in this report are based on the general guidance provided by ASTM E1527-13, available data cited in this report, and property conditions noted at the time of the site reconnaissance. A Phase I ESA cannot wholly eliminate the uncertainty regarding the potential for REC at the property.

This assessment is intended to reduce, but not eliminate, uncertainty related to the potential for RECs in connection with the property within reasonable time limits and cost. The conclusions and recommendations contained in this report represent WSB's professional opinions. These opinions are arrived at in accordance with currently acceptable current Phase I ESA practices and are subject to the inherent limitations of environmental assessments outlined in this section.

WSB obtained, reviewed, and evaluated information provided by property owner/representatives, Environmental Data Resources Inc. (EDR), Historical Information Gatherers, Inc. (HIG), and local/public entities. WSB's conclusions, opinions, and recommendations are based in part on this information. WSB's services did not include the verification of the accuracy or authenticity of this information as this is beyond the scope of a Phase I ESA per ASTM guidelines.

This report is based upon the standard gathered historical information (ASTM E1527-13) and WSB's observations made during the site reconnaissance. Given the inherent limitations of environmental assessment work, WSB does not guarantee that the property is free of hazardous or potentially hazardous materials or conditions, or that latent or undiscovered conditions will not become evident in the future. WSB's report is prepared in accordance with WSB's Scope of Work and no other warranties, representations, or certifications are made.

## **2.5 Previous Environmental Documents**

WSB is not aware of any previous environmental documents prepared for the subject property.

# **3. Site Description**

## **3.1 Subject Property Location**

The subject property is approximately 100 acres in size and located within portions of Section 28, 29, and 32, Township 118 North, and Range 21 West, in Golden Valley, MN. The subject property consists of a 1.7 mile corridor that extends from Rhode Island Avenue North to Duluth Street in Golden Valley, MN. For the purposes of this assessment, the subject property consists of a 200 foot radius from the Bassett Creek Main Stem along property reach. For ease of discussion, the subject property

was divided into five different areas (Areas A-E). A subject property location map is included as **Figure 1**.

### **3.2 Property Setting**

The subject property is characterized by an incised creek channel that is located within urbanized residential, recreational, and commercial properties. The property is generally wooded and is adjoined primarily by residential properties. The property also transects the Golden Valley Country Club (Area B) and is adjoined by commercial properties to the south of Area A and east of Area E. The Minneapolis Northfield and Southern railroad line transects the property on the eastern portion in between Areas D and E and the Chicago and Western railroad line adjoins the property to the south of Area A.

### **3.3 Current and Historic Property Use**

The subject property is currently developed for urbanized residential, recreational, and commercial uses. Based on historical review, the subject property and surrounding area was developed for residential and cropland dating back to least 1937. Residential development of the area increased dramatically from 1947 through 1964 and commercial development followed from 1964 through 1991. The property use has been basically unchanged since 1991. Additional details regarding historic property use is included in **Section 5.3**.

### **3.4 Description of Structures, Roads, and Improvements**

Portions of various residential dwellings, storage buildings, and garages occupy the subject property. In addition, a golf course maintenance building, a senior housing complex, two multifamily housing complexes, and a commercial building also occupy portions of the subject property. The subject property transects portions of Rhode Island Avenue North, Quebec Avenue North, Pennsylvania Avenue North, Hampshire Avenue North, Florida Avenue North, Douglas Drive, St. Croix Avenue North, and Duluth Street. An active railroad line is present just south of the subject property (Chicago and Northwestern) and another railroad line transects the properties on the eastern portion (Minneapolis Northfield and Southern).

The City is proposing a creek restoration project within the project area. The proposed activities will include excavation, grading, bank stabilization, and tree removal at selected locations along the 1.7 mile subject property reach. The creek stabilization and restoration locations have yet to not be determined and are anticipated to only make up a fraction of the entire 1.7 property reach. The main focus of this Phase I ESA was to identify potential areas of environmental concern that will potentially be impacted during restoration activities.

### 3.5 Adjoining Properties

The adjoining property use was noted on November 19, 2013 by WSB. The adjoining land use is described below:

<b>North:</b>	Areas A, C, and D: Residential Area B: Recreational (Golden Valley Country Club) Area E: Residential and commercial
<b>East:</b>	Areas A, D, and E: Residential and commercial
<b>South:</b>	Area A: Residential and commercial Area B: Recreational (Golden Valley Country Club) Areas C and D : Residential
<b>West:</b>	Areas A, D, and E: Residential and commercial

## 4. User Provided Information

In order to satisfy the requirements of All Appropriate Inquiries (AAI), the property user was provided an environmental questionnaire. The user is the party seeking to use the Phase I ESA and has specific obligations under ASTM E1527-13. WSB provided a user questionnaire to Jeff Oliver (Golden Valley City Engineer) for the purpose of satisfying the user provided requirement for ASTM and AAI procedures.

Mr. Oliver was not aware of any hazardous substance or petroleum product litigation, administrative proceedings, violations, recognized environmental conditions, environmental liens, or reduction in value associated with the subject property. In addition, he was not aware of any environmental permits, underground storage tanks, aboveground storage tanks, or environmental report documents associated with the property. A copy of the completed user questionnaire is included as **Appendix A**.

## 5. Records Review

### 5.1 Regulatory Records Review

A Federal and State database review was conducted by Environmental Data Resources Inc. (EDR) a commercial regulatory database service firm. An Environmental EDR report was generated for the subject property on November 21, 2013. This report was used to identify verified or potential hazardous substances and petroleum releases associated with the property, adjoining properties, and surrounding. A copy of the EDR Report is included as **Appendix B**.

The Federal and State regulatory agencies database evaluated and the approximate minimum search distances used are consistent with the ASTM E1572-13 Standard Practice. The EDR Report includes descriptions of the databases examined, and radius maps showing the locations of the sites identified (see last page of EDR Report for map).

### ***Subject Property***

One database listing identified in the EDR Report was located on the subject property. The listing was identified on the Minnesota Pollution Control Agency's "What's In My Neighborhood" (MN WIMN) and listed as the 2012 Bassett Creek Restoration Project. The activity was listed as a construction stormwater permit and the address was unknown. Inclusion on the MN WIMN database means that the site is listed on an air quality, hazardous waste, remediation, solid waste, tanks and leaks, or water quality database and does directly indicate a hazardous material spill or release. However, it appears this listing is mislabeled and associated with the 2012 Bassett Creek Restoration Project which took place south of the subject property.

Based on the information provided in the EDR Report and type of database listing; this listing does not represent a recognized environmental condition at this time.

### ***Adjoining Properties***

Four database listings identified in the EDR Report were determined to be for adjoining properties. Many of the adjoining sites were list on more than one database. Below is a summary of the identified adjoining database listings:

- *Bassett Creek Medical Dental Building*  
*5851 Duluth Street, Golden Valley, MN 55422*  
*Regulator Report ID: 3*  
*Potential Environmental Site ID: E-2*

This site is occupied by several medical and dental practices and was listed on the facility index system (FINDS), hazardous waste non-generator (RCRA NonGen/NLR), and conditionally exempts small quantity hazardous waste generator (RCRA-CESQG), and MN WIMN databases. Inclusion on FINDS database indicates the site is listed on a facility index database (likely triggered by a hazardous waste generator permit) and does not directly indicate a hazardous material spill or release. Inclusion on the RCRA NonGen/NLR means that the site no longer generates hazardous materials and inclusion on the RCRA-CESQG means the site generates, transports, stores, treats, or disposes of less than 100 kilograms of hazardous waste, or less than 1 kilogram of acutely hazardous waste per month. According to the EDR Report, the hazardous

materials present at this site are classified as D002 (corrosive waste) and there was no indication of a hazardous material violation or release.

- *Colonial Acres Home Inc.*  
*5825 St. Croix Avenue North, Golden Valley, MN 55422*  
*Regulator Report ID: 5*  
*Potential Environmental Site ID: D-3*

This site was listed on the RCRA-CESQG, FINDS, and MN WIMN databases. According to the EDR Report, the hazardous materials present at this site are classified as D001 (ignitable waste), D002 (corrosive waste) and X002 (polychlorinated biphenyls). There was no indication of a hazardous material violation or release.

- *Conrad Mauersberger Property*  
*1620 East Constance Drive, Golden Valley, MN 55422*  
*Regulator Report ID: 7*  
*Potential Environmental Site ID: D-2*

This site was listed on the LUST and MN WIMN databases. According to the EDR Report, a fuel oil tank release was discovered at this site in 1994. A total of 10 cubic yards of contaminated soil was excavated and removed from the site. The release was issued “site closure” by the MPCA in 1995 indicating the identified contamination, if present, does not appear to pose a threat to public health or the environment under current conditions (note: site closure does not indicate the site is free of contamination). No additional information was available regarding the release.

- *Randal Pool and Spa*  
*6200 Golden Valley Road, Golden Valley, MN 55422*  
*Regulator Report ID: 11*  
*Potential Environmental Site ID: C-3*

This site was listed on the MN SPILLS database. According to the EDR Report, hydrochloric acid used to remove paint from a swimming pool was drained into the storm sewer that enters Bassett Creek in 1992. No cleanup or release volume details were included in the EDR Report and the spill closure date was not reported. No additional information was provided regarding this release.

Based on the information provided in the EDR Report, type of database listings, distance from the subject property in reference to the anticipated groundwater flow direction (east/northeast towards the Mississippi River), and regulatory status (all LUST sites closed by the MPCA); the adjoining property listings do not represent a recognized environmental condition at this time.

## ***Surrounding Area***

The EDR Report identified twelve (12) additional sites within a 1/8 of mile radius of the subject property. Many of these sites are listed on more than one database. The majority of the listings were for MN WIMN listings (11) and SPILLS sites (5). All of the identified SPILLS database listings have been closed by the MPCA except for four sites. The unclosed SPILLS sites are releases associated with traffic accidents, unpermitted storm sewer discharge, and releases of natural gas. These releases appear to be small in nature and did not require further investigation or cleanup.

In addition, there were two RCRA-CESQG listings, one RCRA-NonGen/NLR listing, one hazardous materials incident report system (HMIRS) listing, one integrated compliance information system (ICIS) listing, one material licensing tracking system (MLTS) listing, three FINDS listings, one site remediation (MN SRS) listing, one Minnesota list site (MN LS) listing, two LUST listings (all of which have been closed by the MPCA), two UST listings, one leaky above ground storage tank (LAST) listing (closed by the MPCA), one manifest (WI MANIFEST) listing, one voluntary investigation and cleanup program (VIC) listing, one air permitted (MN AIRS) listing, and three hazardous material manufacture facility (MN TIER 2) listings identified in the surrounding area.

Based on the information indicated in the EDR Report, database listing types, regulatory status, distances from the property, and locations relative to the estimated groundwater flow direction (east/northeast towards the Mississippi River), these listings do not represent a recognized environmental condition at this time.

However, the following six sites were noted as potential environmental sites:

- *Kings of Grace Lutheran Church*  
*6000 Duluth Street, Golden Valley, MN 55422*  
*Regulator Report ID: 1*  
*Potential Environmental Site ID: E-5*

This site was listed on the LUST, UST, SPILLS, and MN WIMN databases. A fuel oil release was discovered at this site in 1989. According to the EDR Report, a fuel oil tank leak was discovered at the property in 1989. The release was issued "site closure" by the MPCA in 1989 indicating the identified contamination, if present, does not appear to pose a threat to public health or the environment under current conditions (note: site closure does not indicate the site is free of contamination). The site UST was reportedly removed.

- *Bassett Creek Plaza*  
*5801 Duluth Street, Golden Valley, MN 55422*  
*Regulator Report ID: 4*

*Potential Environmental Site ID: E-3*

This site was listed on the RCRA-CESQG, MLTS, FINDS, RCRA-NonGen/NLR, ICIS, and MN WIMN databases. This site is occupied by multiple tenants and the hazardous materials present are classified as D001 (ignitable waste) and F001 (spent halogenated solvents). There was no indication of a hazardous material violation or release for this site.

- *Colonial Acres Home Inc.*  
*5800 St. Croix Avenue North, Golden Valley, MN 55422*  
*Regulator Report ID: 5*  
*Potential Environmental Site ID: E-1*

This site was listed on the underground storage tank (UST), leaky underground storage tank (LUST), release (SPILLS), and MN WIMN databases. According to the EDR Report, a diesel fuel tank leak was discovered at the property in 1993. A total of 11 cubic yards of contaminated soil was excavated and removed from the site and groundwater was impacted. The release was issued “site closure” by the MPCA in 1995 indicating the identified contamination, if present, does not appear to pose a threat to public health or the environment under current conditions (note: site closure does not indicate the site is free of contamination). A 300 gallon diesel tank is reportedly currently present at the site.

In addition, a sewer release was reported at this site 1996. According to the EDR Report, an equipment failure occurred and caused a sewer back up in the underground parking garage. No additional information was available regarding the sewer release.

- *Furniture Replacement Services*  
*6100 Golden Valley Road, Golden Valley, MN 55422*  
*Regulator Report ID: 9*  
*Potential Environmental Site ID: D-1*

This site was listed on the SPILLS database. According to the EDR Report, a semi-truck when over a cliff in 1995 and causing light fuel oil and diesel fuel to be released. No cleanup or release volume details were included in the EDR Report and the spill closure date was not reported. No additional information was provided regarding this release.

- *Center Point Energy – Golden Valley*  
*6161 Golden Valley Road, Golden Valley, MN 55422*  
*Regulator Report ID: 13*  
*Potential Environmental Site ID: C-2*

This site was listed on the MN SRS, MN LS, VIC, MN AIRS, MN TIER 2, RCRA-CESQG, FINDS, and WI MANIFEST databases. According to the EDR Report, the site has 18 flow meter stations along a natural gas pipeline and a mercury release has impacted site soils. The site was entered into the MPCA VIC Program in 2007 and a No Action Letter was issued for the mercury contaminated soil located inside a meter building only. The site has 40 ASTs that contain propane (liquefied petroleum gas) and has hazardous materials present classified as D001 (ignitable waste), D002 (corrosive waste), D003 (reactive waste), and F003 (spent non-halogenated solvents). No additional information was provided regarding this site and mercury release.

- *Center Point Energy Gas Line*  
*Golden Valley Road and Douglas Drive North, Golden Valley, MN 55422*  
*Regulator Report ID: 15*  
*Potential Environmental Site ID: C-1*

This site was listed on the SPILLS database. According to the EDR Report, a pipe failed during depressurizing resulting in a natural gas release. The pipe was repaired and no other details were available.

## **Unmapped Orphan Sites**

Unmapped orphan sites are sites which EDR could not determine an exact location due to incomplete or inaccurate database information. The EDR Report did not identify any orphaned sites.

## **5.2 Physical Setting Information**

*Topography:* Based on the United States Geological Survey (USGS) 7.5-minute topographic quadrangle maps, the subject property ranges in elevation from 890 feet above mean sea level in the western portion to 864 feet in the eastern portion (see **Figure 2**). The property topography slopes generally from north to south/southeast and is characterized by an incised creek channel. The property is surrounded by urbanized residential, recreational, and commercial areas.

*Groundwater:* Shallow groundwater at the property is anticipated to occur at the creek elevation of approximately 890 feet above sea level on the western portion of the property and 864 feet on the eastern portion of the property. The estimated shallow groundwater flow direction is east/northeast towards the Mississippi River.

*Soils:* According to the Soil Survey of Hennepin County, the property soils consist of Malardi-Hawick complex and Bisclay loam in Area A; Malardi-Hawick complex, Bisclay loam, and Urban land-Udorthents in Area B; Malardi-Hawick complex and Bisclay loam in Area C; Bisclay loam, Medo soils, and Urban land-Udorthents in Area D; and Medo soils in Area E. A Hennepin County Soils Map is included as **Figure 3**.

*Geology:* The property surficial geology consists of New Ulm outwash and Quaternary peat and muck as outlined on **Figure 4**. The underlying property bedrock consists of the Platteville-Glenwood and St. Peter Sandstone formations as outlined on **Figure 5**. The depth to bedrock is estimated to be greater than 40 feet below ground surface (bgs).

*Wells:* The MDH County Well Index Online was reviewed to determine if wells are present on the property or surrounding area. The well search did not identify any on the subject property and identify 27 wells located within 1,000 feet of the property. A well index map is included as **Figure 6**.

### 5.3 Historical Use Information

WSB reviewed historical information to determine if past subject property uses have led to recognized environmental conditions. WSB consulted historical sources that were readily available, practically reviewable, and likely to be useful to determine the past history of the property within the timeframe and constraints of this Phase I ESA. The sources consulted included the following.

- ***Fire Insurance Maps:*** Sanborn fire insurance maps were requested from Historical Information Gathers, Inc. (HIG) for the property. Often, areas of potential environmental concern, such as locations of former storage tanks or hazardous substance storage, can be identified by referencing fire insurance maps. The property was not covered in the Sanborn fire insurance map search conducted by HIG. A copy of the searched Sanborn abstract report is included in **Appendix C**.
- ***City Directories:*** City directories provide a history over time by listing address and occupant information (i.e. resident and/or commercial business names) and can be useful in identifying sites of potential environmental concern. Due to the large size of the subject property City Directories were not reviewed during this Phase I ESA.
- ***Historical Aerial Photographs:*** HIG provided aerial photography of the subject property and surrounding area dating back to 1937. Aerial photographs were reviewed for the years 1937, 1940, 1947, 1953, 1957, 1964, 1969, 1979, 1984, 1991, 1997, 2003, and 2010 (see **Appendix D**). In addition, a property aerial from 2012 is included as **Figure 1**. Based on the aerial review, the following observations were made:

#### *Aerial Photograph Review – Area A*

*Property:* The property is sparsely tree covered on the 1937 through 1947 photographs. The tree cover increases on the 1953 through 1964 photographs

and the property is mostly unchanged on the 1964 through 2010 photographs. No obvious environmental items of note were observed.

*Surrounding Properties:* The surrounding area is primarily developed with residential and cropland on the 1937 through 1947 photographs and the number of residential houses increases on the 1947 through 1964 photographs. The area to the south is significantly disturbed in the 1957 through 1964 photographs and transitions into commercial use on the 1964 through 1987 photographs. The railroad line to the south is present on the 1937 through 2010 photographs. The area to the east is developed with a golf course on the 1937 through 2010 photographs. The surrounding area is basically unchanged on the 1987 through 2010 photographs.

#### *Aerial Photograph Review – Area B*

*Property:* The property is sparsely tree covered and developed with a golf course on the 1937 through 2010 photographs. The residential neighborhood on the eastern portion of the property is present on the 1953 through 2010 photographs. No obvious environmental items of note were observed.

*Surrounding Properties:* The surrounding area is primarily developed with a golf course on the 1937 through 2010 photographs. The area to the east and west is developed for residential and cropland use on the 1937 through 1947 photographs and the number of residential houses increase on the 1953 through 1964 photographs. The surrounding area is basically unchanged on the 1964 through 2010 photographs.

#### *Aerial Photograph Review – Area C*

*Property:* The property is sparsely tree covered on the 1937 through 1947 photographs. The tree cover increases on the 1953 through 1964 photographs and the property is basically unchanged on the 1964 through 2010 photographs. The railroad line that transects the property on the eastern portion is present on the 1937 through 2010 photographs. No obvious environmental items of note were observed.

*Surrounding Properties:* The surrounding area is primarily developed with residential and cropland on the 1937 through 1947 photographs. Residential development of the area increases on the 1953 through 1964 photographs and the surrounding area is basically unchanged on the 1964 through 2010 photographs. The recreational field to the south is first present on the 1964 photograph and the multifamily housing complex to the south is first present on the 1964 photograph. The multifamily complex to the north is first present on the 2003 photograph.

### Aerial Photograph Review - Area D

*Property:* The property is sparsely tree covered in the 1937 through 1947 photographs. The tree cover increases in the 1953 through 1964 photographs as the surrounding area gets developed for residential use. The property is mostly unchanged in the 1964 through 2010 photographs. No obvious environmental items of note were observed.

*Surrounding Properties:* The surrounding area is primarily developed with residential and cropland in the 1937 through 1953 photographs. Residential development of the area increases in the 1957 through 1964 photographs and the multifamily housing complex to the south is first present on the 1969 photograph and the senior living complex to the east is first present on the 1979 photograph. The surrounding area is basically unchanged in the 1979 through 2010 photographs.

### Aerial Photograph Review - Area E

*Property:* The property is sparsely tree covered in the 1937 through 1947 photographs. The tree cover increases in the 1953 through 1979 photographs as the surrounding area gets developed for residential and commercial use. The property is mostly unchanged in the 1979 through 2010 photographs. No obvious environmental items of note were observed.

*Surrounding Properties:* The surrounding area is primarily developed with residential and cropland in the 1937 through 1957 photographs. A gravel pit is present to the northeast on the 1947 through 1964 photographs. Residential and commercial development of the area increases in the 1964 through 1979 photographs and the commercial developments to the north and east are first present on the 1969 photograph. The surrounding area is basically unchanged in the 1979 through 2010 photographs.

- ***Historical Topographic Maps:*** HIG provided historic topographic maps of the subject property and surrounding area dating back to 1896. Topographic maps were reviewed for the years 1896, 1901, 1952, 1954, 1967, 1972, 1977, 1980, and 1993 (see **Appendix E**). Based on the topographic review, the following observations were gathered:

*Property:* The property is shaded yellow and red in the 1952 through 1993 maps indicating the property is located within a built up urban area. The property transects various wetland areas as indicated on the 1856 and 1901 maps. The railroad line (Minneapolis Northfield and Southern) that transect the property is labeled on the 1952 through 1993 maps. No obvious environmental items of note were observed during the topographical map review.

*Surrounding Properties:* The surrounding properties are shaded yellow and red in the 1952 through 1993 maps indicating they are located within a built up urban areas. The railroad line to the south (Chicago and Northwestern) is labeled on the 1952 through 1993 maps. A gravel pit to the northeast of the property is labeled on the 1952 map. No obvious environmental items of note were observed during the topographical map review.

## **6. Site Reconnaissance**

### **6.1 Methodology**

Mr. Ryan Spencer of WSB conducted observations of conditions at the subject property and adjoining properties on November 19, 2013. The site reconnaissance included a walkthrough of the property and only public property areas were assessed. No additional limiting conditions were encounter except for those outlined in **Section 2.3**.

### **6.2 General Site Setting**

The property is characterized by an incised creek channel that slopes gradually to the east/northeast. The property is surrounded by urbanized residential, recreational, and commercial areas since the 1950's. The property is adjoined mainly by residential properties and also transects a golf course, multiple streets/roads, and an active railroad line. Various wetlands areas are present on the property and/or located on the creek fringe areas. Select property photographs are included as **Appendix F**.

### **6.3 Exterior and Interior Observations**

WSB conducted observations of the conditions at the subject property and adjoining properties on November 19, 2013. A summary of the site reconnaissance is outlined on the site reconnaissance summary table below:

### Site Reconnaissance Summary Table

Issue	Observed During Site Visit		Comments
	Yes	No	
Aboveground & Underground storage tanks	X		A 15,000 gallon above ground storage tank (AST) was observed on the property. The AST was located near the golf course maintenance shed and is used to store water.
Drums and containers		X	None observed
Animals		X	None observed.
Buildings/structures	X		Residential dwellings, storage buildings, multifamily housing buildings, and commercial buildings were located on the property.
Construction/demolition debris		X	None observed.
Drainage ditches	X		Various inlets to Bassett Creek were observed.
Dirt/spoil piles		X	None observed.
Floor drains, sumps, vaults		X	None observed.
Hazardous substances/petroleum products		X	None observed.
Landfills		X	None observed.
Odors		X	None observed.
Oil/water separators		X	None observed.
Pipelines or utilities		X	None observed.
Pits, ponds, lagoons		X	None observed.
Pools of liquid		X	None observed.
Railroad spurs/lines	X		A railroad line is located south of the property and another railroad line transects the property on the eastern portion. No obvious environmental concerns were observed in the railroad line areas.
Septic systems		X	None observed.
Solid waste disposal		X	Evidence of yard waste dumping observed.
Solvents		X	None observed.
Spills or releases		X	None observed.
Stained soil/concrete		X	None observed.
Stressed or dead vegetation		X	None observed.
Transformers	X		Numerous pole mounted transformers were present at the property which is owned by the local utility company. The transformers were in good shape and no signs of a release were observed.
Unidentified substances		X	None observed.
Wastewater discharge from property		X	None observed.
Wells		X	None observed on the property but numerous wells were identified in the surrounding area.
Asbestos		X	None observed.
Lead based paint		X	None observed.
Mold/moisture		X	None observed.

## 7. Interviews

WSB conducted interviews with individuals who may have knowledge of current or past information regarding the subject property. Specifically, WSB made inquiries regarding knowledge of existing or former storage tanks, leaks, spills, drums, clandestine drug labs, or potential environmental concerns associated with the property. The individuals who were interviewed in person, by questionnaire, by phone, or through email are summarized in the table below:

**Summary of Interviews**

Resource	Title or Organization	Results of Interview
Jeff Oliver	Golden Valley – City Engineer	Mr. Oliver was not aware of any environmental issues or concerns associated with the property (See <b>Appendix A</b> ).
Mark Kuhnly	Golden Valley - Fire Chief	Mr. Kuhnly was not aware of any environmental issues or concerns associated with the property.

## 8. Findings and Opinions

### 8.1 Recognized Environmental Conditions

This Phase I ESA has identified no recognized environmental conditions (RECs) in connection with the subject property.

### 8.2 Historical Recognized Environmental Conditions

The ASTM E1572-13 Standard defines the term *historical recognized environmental condition (HREC)* as meaning “a past release of any hazardous substance or petroleum products that has occurred in connection with the property and has been addressed to the satisfaction of the applicable regulatory authority or meeting unrestricted residential use criteria established by a regulatory authority, without subjecting the property to any required controls (e.g., property use restrictions, AULs, institutional controls, or engineering controls). Before calling the past release a HREC, the EP must determine whether the past release is a REC at the time of the Phase I ESA is conducted (e.g., if there has been a change in the regulatory criteria). If the EP considers this past release to be a REC at the time the Phase I ESA is conducted, the conditions shall be included in the conclusion section of the report as a REC.”

Based on this assessment, WSB has identified no historical recognized environmental conditions in connection with the subject property.

### 8.3 Controlled Recognized Environmental Conditions

The ASTM E1572-13 Standard defines the term *controlled recognized environmental condition (CREC)* as meaning “a REC resulting from a past release of hazardous substances or petroleum products that has been addressed to the satisfaction of the applicable regulatory authority (e.g., as evidence by the issuance of NFA letter or equivalent, or meeting risk-based criteria established by regulatory authority), with hazardous substances or petroleum products allowed to remain in place subject to the implementation of required controls (e.g., property use restrictions, AULs, institutional controls, or engineering controls). A CREC shall be listed in the Findings Section of the Phase I ESA report, and as a REC in the Conclusions Section of the report.”

Based on this assessment, WSB has identified no controlled recognized environmental conditions in connection with the subject property.

### 8.4 De Minimis Conditions

The regulatory database search identified several database listings in the surrounding area (see **Section 5.1**). Based on the factors affecting the significance of these listings relative to the subject property, the listings represent a de minimis conditions at this time. Conditions determined to be de minimis are not recognized environmental conditions.

### 8.5 Items of Environmental Note

#### ***Adjoining and Surrounding Releases***

The regulatory database search identified two adjoining properties and five surrounding area properties (located within 500 feet of the subject property) that have documented releases. There is a potential that these releases have impacted the property soil and/or sediment. The majority of these releases have been issued “site closure” by the MPCA indicating the identified contamination, if present, does not appear to pose a threat to public health or the environment under current conditions (note: site closure does not indicate the site is free of contamination) or have been determined to be small in scale and not require additional investigation and/or cleanup. The adjoining property releases are highlighted on the potential environmental sites map included as **Figure 8**.

#### ***Historic Railroad Lines***

The property is transected by the Minneapolis Northfield and Southern railroad line on the eastern portion and also adjoined by the Chicago and Northwestern railroad line to the south. There is the potential that historic railroad operations (i.e. derailments, creosote treated railroad ties, routine maintenance, etc.) have resulted

in environmental impacts to the property. No obvious sign of contamination or environmental impacts were observed near the railroad lines during the site reconnaissance. The railroad lines are highlighted on the potential environmental sites map included as **Figure 8**.

### ***Undocumented Fill Materials***

Historical aerial photographs and topographic maps indicate the presence of land disturbances (undocumented filling and grading) adjoining many subject property areas. The majority of the land disturbances are for residential purposes and the construction of roads. Two significant land disturbances, one located north of the property (a former gravel pit) and one located south of the property (a commercial development) were identified in the historic review. There is the potential that historic filling and grading has caused environmental impacts to the property. The areas of significant disturbance are highlighted on the potential environmental sites map included as **Figure 8**.

## **9. Recommendations**

WSB has performed this Phase I ESA in conformance with the scope and limitations of ASTM Practice E1527-13 for the 1.7 mile property that extends from Rhode Island Avenue North to Duluth Street in Golden Valley, MN. Exceptions to, or deletions from, this practice are described in **Section 2.3** of this report.

This Phase I ESA has revealed no recognized environmental conditions associated with the subject property (see **Section 8.1**). Therefore, no additional investigation is recommended at the property at this time.

## **10. Data Gaps**

Data gaps are defined as a lack of or inability to obtain information required by the standards and practices despite good faith efforts. Good faith efforts were taken to obtain information about the property from a variety of readily available, practically reviewable, and likely to be useful sources. However, the following information was not able to be obtained:

- Title, Environmental Liens, or Activity and Use Limitation Search were not provided.

Please note that the lack of recorded sources listed above is considered a data gap but is not considered a material limitation for the completion of this Phase I ESA.

## **11. Qualifications of Environmental Professionals**

To the best of our professional knowledge and belief, we have met the definition of Environmental Professional as defined in CFR 312.10 of 40 CFR 312. We have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting. We have developed and performed all appropriate inquiries in general conformance with acceptable standards and practices in the industry.

## TABLES

**Table 1 - Summary of Potential Environmental Sites  
2015 Bassett Creek Main Stem Restoration Project  
Golden Valley, MN**

Potential Environmental Site ID	Regulatory Report Map ID	Site		Regulatory Listings	Type of Site	Site Details
		Name	Address			
A-1	NA	Chicago & Northwestern Railroad Line	NA	NA	Railroad Facility	Railroad line in operation since at least 1954. No obvious evidence of environmental contamination observed.
A-2	NA	Hennepin County Library	830 Winnetka Ave. N. Golden Valley, MN	NA	Land Disturbance	Significant land disturbance occurred at site from 1957 to 1964. Now developed as a public library.
B-1	NA	Golf Course Storage Bldg.	NA	NA	Recreational Use	Golf course maintenance storage building and 15,000 gallon water AST present at site.
C-1	15	Center Point Energy Gas Line	Golden Valley Rd. & Douglas Dr. N Golden Valley, MN	SPILLS	Commercial	A pipe failed during repressurizing resulting in a natural gas release. The pipe was repaired and no other details are available.
C-2	13	Center Point Energy - Golden Valley	6161 Golden Valley Rd. Golden Valley, MN	MN SRS, MN LS, MN VIC, MN AIRS, MN TIER 2, MN WIMN, RCRA-CESQG, FINDS, WI MANIFEST	Industrial	Site has 18 flow meter stations along a natural gas pipeline. A reported mercury release has impacted site soils. Site was entered into the MPCA VIC Program in 2007 and a No Action Letter was issued for mercury contaminated soil inside the meter building only. The site has 40 ASTs that contain propane (liquefied petroleum gas) and has hazardous materials present classified as D001 (ignitable waste), D002 (corrosive waste), D003 (reactive waste), and F003 (spent non-halogenated solvents).

**Table 1 - Summary of Potential Environmental Sites  
2015 Bassett Creek Main Stem Restoration Project  
Golden Valley, MN**

Potential Environmental Site ID	Regulatory Report Map ID	Site		Regulatory Listings	Type of Site	Site Details
		Name	Address			
C-3	11	Randal Pool and Spa	6200 Golden Valley Rd. Golden Valley, MN	SPILLS	Commercial	Hydrochloric acid used to remove paint from a swimming pool was drained into the storm sewer that enters Bassett Creek in 1992. No cleanup or release volume details were available and the spill closure date was not reported. No additional information was provided regarding this release.
C-4	NA	Minneapolis Northfield and Southern	NA	NA	Railroad Facility	Historic railroad line in operation since at least 1954. No obvious evidence of environmental contamination observed.
D-1	9	Furniture Replacement Services	6100 Golden Valley Rd. Golden Valley, MN	SPILLS	Commercial	An auto accident occurred in 1995 causing light fuel oil and diesel fuel to be released. No cleanup or release volumes were reported and the spill closure date was not reported.
D-2	7	Conrad Mauersberger Property	1620 E. Constance Dr. Golden Valley, MN	LUST	Residence	A fuel oil tank release was discovered at site in 1994. A total of 10 cubic yards of contaminated soil was excavated and removed from the site. The release was issued "site closure" by the MPCA in 1995.
D-3	5	Colonial Acres Home Inc.	5825 St. Croix Ave. N. Golden Valley, MN	RCRA-CESQG, FINDS, MN WIMN	Commercial	Hazardous materials present at this site are classified as D001 (ignitable waste), D002 (corrosive waste) and X002 (polychlorinated biphenyls). There was no indication of a hazardous material violation or release.


**Table 1 - Summary of Potential Environmental Sites  
2015 Bassett Creek Main Stem Restoration Project  
Golden Valley, MN**

Potential Environmental Site ID	Regulatory Report Map ID	Site		Regulatory Listings	Type of Site	Site Details
		Name	Address			
E-1	5	Colonial Acres Home Inc.	5800 St. Croix Ave. N. Golden Valley, MN	UST, LUST, SPILLS, MN WIMN	Commercial	A diesel fuel tank leak was discovered at the property in 1993. A total of 11 cubic yards of contaminated soil was excavated and removed from the site and groundwater was impacted. The release was issued "site closure" by the MPCA in 1995. Also a sewer release was reported at this site 1996 resulting from an equipment failure that caused a sewer back up in the underground parking garage. No additional information was available regarding the sewer release.
E-2	3	Bassett Creek Medical Dental Bldg.	5851 Duluth St. Golden Valley, MN	FINDS, (No Suggestions)/NLR, RCRA-CESQG, MN WIMN	Medical Facility	Site is occupied by several medical and dental practices. The hazardous materials present are classified as DOO2 (corrosive waste). There was no indication of a hazardous material violation or release listed for this site.
E-3	4	Bassett Creek Plaza Bldg.	5801 Duluth St. Golden Valley, MN	RCRA-CESQG, MLTS, FINDS, RCRA-NonGen/NLR, ICIS, MN WIMN	Commercial	Site is occupied by multiple tenants. The hazardous materials present are classified as DOO1 (ignitable waste) and F001 (spent halogenated solvents). There was no indication of a hazardous material violation or listed for this site.
E-4	NA	Mendota District Office	2055 Lilac Dr. N. Golden Valley, MN	NA	Land Disturbance	A gravel pit was located on this site on the 1947 through 1964 photographs. Now developed as a MnDOT District offices.


**Table 1 - Summary of Potential Environmental Sites  
2015 Bassett Creek Main Stem Restoration Project  
Golden Valley, MN**


Potential Environmental Site ID	Regulatory Report Map ID	Site		Regulatory Listings	Type of Site	Site Details
		Name	Address			
E-5	1	Kings of Grace Lutheran Church	6000 Duluth St. Golden Valley, MN	LUST, UST, SPILLS, MN WIMN	Commercial	A fuel oil release was discovered at this site in 1989. The release was issued "site closure" by the MPCA in 1989. The site UST was reportedly removed.

## FIGURES




**Figure 1: Project Location**  
**2015 Bassett Creek Main Stem Restoration Project**  
**City of Golden Valley, Minnesota**





**Figure 3A: Hennepin County Soils Survey  
2015 Bassett Creek Main Stem Restoration Project  
City of Golden Valley, Minnesota**





Document Path: K:\02032-060\GIS\Maps\ESA\fig3b\_soils.mxd




**Figure 3B: Hennepin County Soils Survey**  
**2015 Bassett Creek Main Stem Restoration Project**  
**City of Golden Valley, Minnesota**









Document Path: K:\02032-060\GIS\Maps\ESA\fig5\_BedrockGeology.mxd



**Figure 6: County Well Index  
2015 Bassett Creek Main Stem Restoration Project  
City of Golden Valley, Minnesota**




**Figure X: Photograph Locations**  
**2015 Bassett Creek Main Stem Restoration Project**  
**City of Golden Valley, Minnesota**






Document Path: K:\02032-060\GIS\Maps\ESA\fig8b\_PotentialEnvironmentalSites.mxd




Document Path: K:\02032-060\GIS\Maps\ESA\fig8c\_PotentialEnvironmentalSites.mxd



Document Path: K:\02032-060\GIS\Maps\ESA\fig8d\_PotentialEnvironmentalSites.mxd

**Figure 8D: Potential Environmental Sites**  
**2015 Bassett Creek Main Stem Restoration Project**  
**City of Golden Valley, Minnesota**



Document Path: K:\02032-060\GIS\Maps\ESA\fig8e\_PotentialEnvironmentalSites.mxd

## APPENDIX A

## Survey Questionnaire (User): Phase 1 Environmental Site Assessment



**Return by email to: [rspencer@wsbeng.com](mailto:rspencer@wsbeng.com) OR by Fax to: 763-231-4851**

*WSB has been retained to conduct a Phase I Environmental Site Assessment (ESA) of the following property. The ESA will involve site observations, interviews, and a review of the available documentation. To ensure the success of the ESA, and in accordance with the Scope of Work for this assessment, we request that you complete this questionnaire and return it to WSB within one business day of receipt.*

Completed By (Name): Jeff Oliver Company: City of Golden Valley  
 Completion Date: 1/20/13 Length of association with subject site: 20 yrs  
 Phone: 763-593-8034 E-mail: joliver@goldenvalleymn.gov  
 Site Name: Bassett Creek Restoration Project Site City: Golden Valley  
 Site Address: 10th Ave N - Duluth Street Site County: Hennepin  
 Site Address 2: \_\_\_\_\_ State: MN Zip: NA

**Instructions:** Please answer all questions to the best of your knowledge and in good faith. Please include comments if necessary to provide additional details for your responses. Note: U/NR indicates "Unknown" or "No Response" and "N/A" indicates not applicable.

	Question	RESPONSE			Comment
		Y	N	U/NR	
1	Are you aware of any pending, threatened, or past litigation relevant to hazardous substances or petroleum products in, on, or from the property?		X		
2	Are you aware of any pending, threatened, or past administrative proceedings relevant to hazardous substances or petroleum products in, on, or from the property?		X		
3	Are you aware of any notices from any governmental entity regarding any possible violations of environmental law or possible liability relating to hazardous substances or petroleum products?		X		
4	Do you have any specialized knowledge or experience that is material to recognized environmental conditions in connection with the property?		X		
5	Do you have any actual knowledge of environmental liens or activity and use limitations (AULs) such as engineering controls or institutional controls encumbering the property?		X		
6	Do you have any commonly known or reasonably ascertainable information within the local community about the property that is material to recognized environmental conditions in connection with the property?		X		
7	If the transaction involves the purchase of a parcel of real estate, are you aware of a reduction of the value to the property due to contamination issues?		X		N/A

If you have access to any of the following helpful documents, **please indicate them below** and then send them to WSB via standard mail or e-mail along with this questionnaire. Mailing address: 701 Xenia Avenue South, Suite 300, Minneapolis, MN 55416.

- Environmental site assessment reports (i.e. Phase I, Phase II, tank testing results, radon, lead paint, or asbestos testing, etc.)
- Environmental compliance audit reports: risk assessments; and recorded Activity and Use Limitations (AULs)
- Environmental permits (i.e. solid waste disposal, hazardous waste disposal, wastewater, NPDES, underground injection, etc.)
- Registrations for underground storage tanks (USTs) and aboveground storage tanks (ASTs)
- Material safety data sheets and Community right-to-know plan
- Safety plans; preparedness and prevention plans; spill prevention, countermeasure, and control plans, etc.
- Reports regarding hydrogeological conditions on the property and surrounding area; and geotechnical studies
- Notices/correspondence from any agency relating to past/current violations of environmental laws, or liens encumbering the property
- Hazardous waste generator notices or reports
- Other: \_\_\_\_\_

## APPENDIX B

**Bassett Creek Main Stem**  
Minneapolis, MN 55427

Inquiry Number: 3792338.1s  
November 21, 2013

## EDR DataMap™ Corridor Study



440 Wheelers Farms Road  
Milford, CT 06461  
Toll Free: 800.352.0050  
www.edrnet.com

**Thank you for your business.**  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

### Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission. EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

### TARGET PROPERTY INFORMATION

#### ADDRESS

MINNEAPOLIS, MN 55427  
MINNEAPOLIS, MN 55427

### DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable") government records within the requested search area for the following databases:

#### FEDERAL RECORDS

NPL..... National Priority List  
Proposed NPL..... Proposed National Priority List Sites  
De-listed NPL..... National Priority List Deletions  
NPL LIENS..... Federal Superfund Liens  
CERCLIS..... Comprehensive Environmental Response, Compensation, and Liability Information System  
CERC-NFRAP..... CERCLIS No Further Remedial Action Planned  
LIENS 2..... CERCLA Lien Information  
CORRACTS..... Corrective Action Report  
RCRA-TSDF..... RCRA - Treatment, Storage and Disposal  
RCRA-LOG..... RCRA - Large Quantity Generators  
RCRA-SQG..... RCRA - Small Quantity Generators  
US ENG CONTROLS..... Engineering Controls Sites List  
US INST CONTROL..... Sites with Institutional Controls  
ERNS..... Emergency Response Notification System  
DOT OPS..... Incident and Accident Data  
US CDL..... Clandestine Drug Labs  
US BROWNFIELDS..... A Listing of Brownfields Sites  
DOD..... Department of Defense Sites  
FUDS..... Formerly Used Defense Sites  
LUCIS..... Land Use Control Information System  
CONSENT..... Superfund (CERCLA) Consent Decreases  
ROD..... Records Of Decision  
UMTRA..... Uranium Mill Tailings Sites  
DEBRIS REGION 8..... Torres Martinez Reservation Illegal Dump Site Locations  
ODI..... Open Dump Inventory  
US MINES..... Mines Master Index File  
TRIS..... Toxic Chemical Release Inventory System  
TSCA..... Toxic Substances Control Act  
FTTS..... FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)  
HIST FTTS..... FIFRA/TSCA Tracking System Administrative Case Listing  
SSTS..... Section 7 Tracking Systems  
PADS..... PCB Activity Database System  
RADINFO..... Radiation Information Database  
RAATS..... RCRA Administrative Action Tracking System

## EXECUTIVE SUMMARY

RMP..... Risk Management Plans  
COAL ASH EPA..... Coal Combustion Residues Surface Impoundments List  
SCRD DRYCLEANERS..... State Coalition for Remediation of Drycleaners Listing  
US HIST CDL..... National Clandestine Laboratory Register  
PST TRANSFORMER..... PCB Transformer Registration Database  
FEDERAL FACILITY..... Federal Facility Site Information listing  
US FIN ASSUR..... Financial Assurance Information  
EPA WATCH LIST..... EPA WATCH LIST  
PRP..... Potentially Responsible Parties  
2020 COR ACTION..... 2020 Corrective Action Program List  
COAL ASH DOE..... Steam-Electric Plant Operation Data  
FEMA UST..... Underground Storage Tank Listing  
LEAD SMELTERS..... Lead Smelter Sites  
US AIRS..... Aerometric Information Retrieval System Facility Subsystem

#### STATE AND LOCAL RECORDS

MN SHWS..... Superfund Site Information Listing  
MN PLP..... Permanent List of Priorities  
MN DEL PLP..... Delisted Permanent List of Priorities  
MN SWF/LF..... Permitted Solid Waste Disposal Facilities  
MN LCP..... Closed Landfills Priority List  
MN SWRCY..... Recycling Facilities  
MN LIENS..... Environmental Liens  
MN AST..... Aboveground Storage Tanks  
MN BULK..... Bulk Facilities Database  
MN MANIFEST..... Hazardous Waste Manifest Data  
MN AGSPILLS..... Department of Agriculture Spills  
MN INST CONTROL..... Site Remediation Section Database  
MN DRYCLEANERS..... Registered Drycleaning Facilities  
MN BROWNFIELDS..... Petroleum Brownfields Program Sites  
MN CDL..... Clandestine Drug Labs  
MN ENF..... Generators Associated with Enforcement Logs  
MN HWS Permit..... Active TSD Facilities  
MN MDA LIS..... Licensing Information System Database Listing  
MN COAL ASH..... Coal Ash Disposal Site Listing  
MN UNPERM LF..... Unpermitted Facilities  
MN AGVIC..... Agricultural Voluntary Investigation & Cleanup Listing

#### TRIBAL RECORDS

INDIAN RESERV..... Indian Reservations  
INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands  
INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land  
INDIAN UST..... Underground Storage Tanks on Indian Land  
INDIAN VCP..... Voluntary Cleanup Priority Listing

#### EDR PROPRIETARY RECORDS

EDR MGP..... EDR Proprietary Manufactured Gas Plants  
EDR US Hist Auto Stat..... EDR Exclusive Historic Gas Stations  
EDR US Hist Cleaners..... EDR Exclusive Historic Dry Cleaners

#### SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified.

## EXECUTIVE SUMMARY

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in **bold italics** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

### FEDERAL RECORDS

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 07/11/2013 has revealed that there are 13 RCRA-CESQG sites within the searched area.

Site	Address	Map ID	Page
CENTENNIAL LAKES DENTAL NORTH	5851 DULUTH ST STE 218	3	13
WEST METRO OPHTHALMOLOGY	5851 DULUTH ST STE 215	3	14
<b>MIDWEST FOOT &amp; ANKLE SPECIALIS</b>	<b>5851 DULUTH ST STE 101</b>	<b>3</b>	<b>16</b>
<b>GIEBHAIN DENTAL ASSOCIATES P</b>	<b>5851 DULUTH ST STE 303</b>	<b>3</b>	<b>18</b>
DANIEL E SMOLEROFF DDS	5851 DULUTH ST STE 315	3	20
<b>KNUDSON DOUGLAS J DDS</b>	<b>5851 DULUTH ST STE 313</b>	<b>3</b>	<b>21</b>
<b>IMPLANT PERIODONTICS LTD</b>	<b>5851 DULUTH ST STE 313B</b>	<b>3</b>	<b>23</b>
<b>GERALD N WINTHEISER DDS</b>	<b>5851 DULUTH ST STE 211</b>	<b>3</b>	<b>24</b>
<b>BASSETT CREEK DENTAL</b>	<b>5851 DULUTH ST STE 100</b>	<b>3</b>	<b>26</b>
EAR NOSE & THROAT SPECIALTY CA	5851 DULUTH ST STE 204	3	30
<b>INSPEC INC.</b>	<b>5801 DULUTH STREET</b>	<b>4</b>	<b>34</b>
<b>COLONIAL ACRES HOME INC</b>	<b>5825 SAINT CROIX AVE N</b>	<b>5</b>	<b>39</b>
<b>CENTERPOINT ENERGY - GOLDEN VA</b>	<b>6161 GOLDEN VALLEY RD</b>	<b>13</b>	<b>60</b>

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 07/11/2013 has revealed that there are 4 RCRA NonGen / NLR sites within the searched area.

Site	Address	Map ID	Page
<b>GOLDEN VALLEY DENTAL XRAY</b>	<b>5851 DULUTH ST STE 314</b>	<b>3</b>	<b>11</b>
<b>KUSHINO NORMAN T DDS</b>	<b>5851 DULUTH ST STE 301B</b>	<b>3</b>	<b>28</b>
<b>DANIEL G RAETHER DDS</b>	<b>5851 DULUTH ST STE 304</b>	<b>3</b>	<b>32</b>
<b>BRINK PAUL ASSOCIATES INC</b>	<b>5801 DULUTH ST</b>	<b>4</b>	<b>36</b>

TC3792338.16 EXECUTIVE SUMMARY 3

## EXECUTIVE SUMMARY

HMIRS: The Hazardous Materials Incident Report System contains hazardous material spill incidents reported to the Department of Transportation. The source of this database is the U.S. EPA.

A review of the HMIRS list, as provided by EDR, and dated 12/31/2012 has revealed that there are 3 HMIRS sites within the searched area.

Site	Address	Map ID	Page
Not reported	1100 HAMPSHIRE AVENUE S	16	85
Not reported	1100 HAMPSHIRE AVENUE S	16	85
Not reported	1111 HAMPSHIRE AVENUE	16	86

ICIS: The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

A review of the ICIS list, as provided by EDR, and dated 07/20/2011 has revealed that there is 1 ICIS site within the searched area.

Site	Address	Map ID	Page
E & V CONSULTANTS AND CONST MA	5801 DULUTH STREET, #3	4	38

MLTS: The Material Licensing Tracking System is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and are subject to NRC licensing requirements.

A review of the MLTS list, as provided by EDR, and dated 07/22/2013 has revealed that there is 1 MLTS site within the searched area.

Site	Address	Map ID	Page
<b>INSPEC INC.</b>	<b>5801 DULUTH STREET</b>	<b>4</b>	<b>34</b>

FINDS: The Facility Index System contains both facility information and "pointers" to other sources of information that contain more detail. These include: RCRIIS; Permit Compliance System (PCS); Aerometric Information Retrieval System (AIRS); FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System, FTTS [FIFRA/TSCA Tracking System]; CERCLIS; DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); Federal Underground Injection Control (FURS); Federal Reporting Data System (FRDS); Surface Impoundments (SIA); TSCA Chemicals in Commerce Information System (CICS); PADS; RCRA-J (medical waste transporters/disposers); TRIS; and TSCA. The source of this database is the U.S. EPA/NTIS.

A review of the FINDS list, as provided by EDR, and dated 03/08/2013 has revealed that there are 19 FINDS sites within the searched area.

Site	Address	Map ID	Page
BYERLY'S GOLDEN VALLEY	5725 DULUTH ST	2	9
CENTENNIAL LAKES DENTAL NORTH	5851 DULUTH ST STE 218	3	10
<b>GOLDEN VALLEY DENTAL XRAY</b>	<b>5851 DULUTH ST STE 314</b>	<b>3</b>	<b>11</b>
WEST METRO OPHTHALMOLOGY	5851 DULUTH ST STE 215	3	15
EAR NOSE & THROAT SPECIALTY CA	5851 DULUTH ST STE 204	3	15
<b>MIDWEST FOOT &amp; ANKLE SPECIALIS</b>	<b>5851 DULUTH ST STE 101</b>	<b>3</b>	<b>16</b>

TC3792338.16 EXECUTIVE SUMMARY 4

## EXECUTIVE SUMMARY

Site	Address	Map ID	Page
DANIEL E SMOLEROFF DDS	5851 DULUTH ST STE 315	3	18
<b>GIEBHAIN DENTAL ASSOCIATES P</b>	<b>5851 DULUTH ST STE 303</b>	<b>3</b>	<b>18</b>
<b>KNUDSON DOUGLAS J DDS</b>	<b>5851 DULUTH ST STE 313</b>	<b>3</b>	<b>23</b>
<b>IMPLANT PERIODONTICS LTD</b>	<b>5851 DULUTH ST STE 313B</b>	<b>3</b>	<b>24</b>
<b>GERALD N WINTHEISER DDS</b>	<b>5851 DULUTH ST STE 211</b>	<b>3</b>	<b>24</b>
<b>BASSETT CREEK DENTAL</b>	<b>5851 DULUTH ST STE 100</b>	<b>3</b>	<b>26</b>
<b>KUSHINO NORMAN T DDS</b>	<b>5851 DULUTH ST STE 301B</b>	<b>3</b>	<b>28</b>
<b>DANIEL G RAETHER DDS</b>	<b>5851 DULUTH ST STE 304</b>	<b>3</b>	<b>32</b>
E & V CONSULTANTS AND CONST MA	5801 DULUTH STREET, #3	4	34
<b>INSPEC INC.</b>	<b>5801 DULUTH STREET</b>	<b>4</b>	<b>34</b>
<b>BRINK PAUL ASSOCIATES INC</b>	<b>5801 DULUTH ST</b>	<b>4</b>	<b>36</b>
<b>COLONIAL ACRES HOME INC</b>	<b>5825 SAINT CROIX AVE N</b>	<b>5</b>	<b>39</b>
<b>CENTERPOINT ENERGY - GOLDEN VA</b>	<b>6161 GOLDEN VALLEY RD</b>	<b>13</b>	<b>60</b>

### STATE AND LOCAL RECORDS

MN SRS: The database contains site information for sites monitored by the Site Remediation Section.

A review of the MN SRS list, as provided by EDR, and dated 08/29/2013 has revealed that there is 1 MN SRS site within the searched area.

Site	Address	Map ID	Page
<b>CENTERPOINT ENERGY - GOLDEN VA</b>	<b>6161 GOLDEN VALLEY RD</b>	<b>13</b>	<b>64</b>

MN LS: The List of Sites includes: Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS), No Further Remedial Action Planned (NFRAP), National Priorities List (NPL), Permanent List of Priorities (PLP), Sites delisted from the Permanent List of Priorities (DPLP), Hazardous Waste Permit Unit Project Facilities (HW PERM), List of Permitted Solid Waste Facilities (SW PERM), 1980 Metropolitan Area Waste Disposal Site Inventory, 1980 Statewide Outstate Dump Inventory (ODI), Voluntary and Investigation Program (VIC), and Closed Landfill Sites Undergoing Cleanup (LCP). The List of Sites comes from Minnesota Pollution Control.

A review of the MN LS list, as provided by EDR, and dated 04/22/2009 has revealed that there is 1 MN LS site within the searched area.

Site	Address	Map ID	Page
<b>CENTERPOINT ENERGY - GOLDEN VA</b>	<b>6161 GOLDEN VALLEY RD</b>	<b>13</b>	<b>64</b>

MN LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the Minnesota Pollution Control Agency's Leak Sites list.

A review of the MN LUST list, as provided by EDR, and dated 10/01/2013 has revealed that there are 4

TC3792338.16 EXECUTIVE SUMMARY 5

## EXECUTIVE SUMMARY

MN LUST sites within the searched area.

Site	Address	Map ID	Page
<b>KING OF GRACE LUTHERAN CHURCH</b>	<b>6000 DULUTH ST</b>	<b>1</b>	<b>4</b>
Complete Site Closed Date: 12/27/1989 00:00:00			
<b>COVENANT MANOR</b>	<b>5800 SAINT CROIX AVE</b>	<b>5</b>	<b>41</b>
Complete Site Closed Date: 03/24/1995 00:00:00			
<b>CONRAD MAUERSBERGER PROPERTY</b>	<b>1620 E CONSTANCE DR</b>	<b>7</b>	<b>46</b>
Complete Site Closed Date: 03/15/1995 00:00:00			
<b>BELLBOY CORPORATION</b>	<b>6005 GOLDEN VALLEY RD</b>	<b>10</b>	<b>49</b>
Complete Site Closed Date: 10/16/1992 00:00:00			

MN UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Minnesota Pollution Control's Underground Storage Tank File.

A review of the MN UST list, as provided by EDR, and dated 10/01/2013 has revealed that there are 3 MN UST sites within the searched area.

Site	Address	Map ID	Page
<b>KING OF GRACE LUTHERAN CHURCH</b>	<b>6000 DULUTH ST</b>	<b>1</b>	<b>4</b>
<b>COVENANT MANOR</b>	<b>5800 SAINT CROIX AVE</b>	<b>5</b>	<b>41</b>
<b>BELLBOY CORPORATION</b>	<b>6005 GOLDEN VALLEY RD</b>	<b>10</b>	<b>49</b>

MN LAST: A listing of leaking aboveground storage tanks.

A review of the MN LAST list, as provided by EDR, and dated 10/01/2013 has revealed that there is 1 MN LAST site within the searched area.

Site	Address	Map ID	Page
<b>VALLEY CREEK OFFICE PARK</b>	<b>GOLDEN VALLEY RD</b>	<b>12</b>	<b>56</b>
Complete Site Closed Date: 05/11/2007 00:00:00			

WI MANIFEST: Hazardous waste manifest information.

A review of the WI MANIFEST list, as provided by EDR, and dated 12/31/2012 has revealed that there is 1 WI MANIFEST site within the searched area.

Site	Address	Map ID	Page
<b>CENTERPOINT ENERGY - GOLDEN VA</b>	<b>6161 GOLDEN VALLEY RD</b>	<b>13</b>	<b>60</b>

TC3792338.16 EXECUTIVE SUMMARY 6

## EXECUTIVE SUMMARY

MN SPILLS: This is the Minnesota Pollution Control Agency's Spills Log.

A review of the MN SPILLS list, as provided by EDR, and dated 10/01/2013 has revealed that there are 8 MN SPILLS sites within the searched area.

Site	Address	Map ID	Page
<i>KING OF GRACE LUTHERAN CHURCH COVENANT MANOR</i>	<i>6000 DULUTH ST 5800 SAINT CROIX AVE</i>	<i>1</i>	<i>4</i>
NA	6014 GOLDEN VALLEY RD	5	41
Spill Closure: Response Completed			
FURNITURE PLACEMENT SERVICES	6100 GOLDEN VALLEY RD	9	48
DEBOER INC	GOLDEN VALLEY RD AND ZA	10	54
RANDAL POOL AND SPA	6200 GOLDEN VALLEY RD	11	55
<i>VALLEY CREEK OFFICE PARK</i>	<i>GOLDEN VALLEY RD</i>	<i>12</i>	<i>56</i>
Spill Closure: Refer To Water Quality			
CENTER POINT ENERGY GAS LINE	GOLDEN VALLEY RD AND DO	15	84

MN VIC: This is the Minnesota Pollution Control Agency's Voluntary Investigation and Cleanup Program list.

A review of the MN VIC list, as provided by EDR, and dated 08/29/2013 has revealed that there is 1 MN VIC site within the searched area.

Site	Address	Map ID	Page
<i>CENTERPOINT ENERGY - GOLDEN VA</i>	<i>6161 GOLDEN VALLEY RD</i>	<i>13</i>	<i>64</i>

MN AIRS: A listing of permitted AIRS facilities.

A review of the MN AIRS list, as provided by EDR, and dated 07/02/2013 has revealed that there is 1 MN AIRS site within the searched area.

Site	Address	Map ID	Page
<i>CENTERPOINT ENERGY - GOLDEN VA</i>	<i>6161 GOLDEN VALLEY RD</i>	<i>13</i>	<i>64</i>

MN TIER 2: A listing of facilities which store or manufacture hazardous materials that submit a chemical inventory report.

A review of the MN TIER 2 list, as provided by EDR, and dated 12/31/2012 has revealed that there are 3 MN TIER 2 sites within the searched area.

Site	Address	Map ID	Page
CENTERPOINT ENERGY - GV PROPAN	6161 GOLDEN VALLEY RD	13	59
<i>CENTERPOINT ENERGY - GOLDEN VA</i>	<i>6161 GOLDEN VALLEY RD</i>	<i>13</i>	<i>64</i>
CENTERPOINT ENERGY - GV PROPAN	6161 GOLDEN VALLEY RD	13	78

TC3792338.1s EXECUTIVE SUMMARY 7

## EXECUTIVE SUMMARY

MN WIMN: Since 2003, the PCA's "What's in My Neighborhood?" database provides information about air quality, hazardous waste, remediation, solid waste, tanks and leaks, and water quality around Minnesota.

A review of the MN WIMN list, as provided by EDR, and dated 10/13/2013 has revealed that there are 25 MN WIMN sites within the searched area.

Site	Address	Map ID	Page
<i>KING OF GRACE LUTHERAN CHURCH</i>	<i>6000 DULUTH ST</i>	<i>1</i>	<i>4</i>
BYERLY'S GOLDEN VALLEY	5725 DULUTH ST	2	9
LOGIS OFFICE ADDITION - CSW	5750 DULUTH ST	2	9
EAR NOSE & THROAT SPECIALTY CA	5851 DULUTH ST STE 204	3	10
CENTENNIAL LAKES DENTAL NORTH	5851 DULUTH ST STE 219	3	10
<i>GOLDEN VALLEY DENTAL XRAY</i>	<i>5851 DULUTH ST STE 314</i>	<i>3</i>	<i>11</i>
DANIEL E SMOLEROFF DDS	5851 DULUTH ST STE 315	3	13
<i>MIDWEST FOOT &amp; ANKLE SPECIALIS</i>	<i>5851 DULUTH ST STE 101</i>	<i>3</i>	<i>16</i>
<i>KNUDSON DOUGLAS J DDS</i>	<i>5851 DULUTH ST STE 313</i>	<i>3</i>	<i>21</i>
<i>IMPLANT PERIODONTICS LTD</i>	<i>5851 DULUTH ST STE 313B</i>	<i>3</i>	<i>23</i>
<i>GERALD N WINTHEISER DDS</i>	<i>5851 DULUTH ST STE 211</i>	<i>3</i>	<i>24</i>
<i>BASSETT CREEK DENTAL</i>	<i>5851 DULUTH ST STE 100</i>	<i>3</i>	<i>26</i>
<i>KUSHINO NORMAN T DDS</i>	<i>5851 DULUTH ST STE 301B</i>	<i>3</i>	<i>28</i>
GIEBENHAIN DENTAL ASSOCIATES P	5851 DULUTH ST STE 103	3	31
<i>DANIEL G RAETHER DDS</i>	<i>5851 DULUTH ST STE 304</i>	<i>3</i>	<i>32</i>
WEST METRO OPHTHALMOLOGY	5851 DULUTH ST STE 215	3	33
<i>INSPEC INC.</i>	<i>5801 DULUTH STREET</i>	<i>4</i>	<i>34</i>
PAUL BRINK ASSOCIATES INC	5801 DULUTH ST STE 300	4	36
COLONIAL ACRES HOME INC	5825 SAINT CROIX AVE N	5	39
<i>COVENANT MANOR</i>	<i>5800 SAINT CROIX AVE</i>	<i>5</i>	<i>41</i>
2012 BASSETT CREEK RESTORATION	ADDRESS UNKNOWN	6	45
<i>CONRAD MAUERSBERGER PROPERTY</i>	<i>1620 E CONSTANCE DR</i>	<i>7</i>	<i>46</i>
<i>BELLBOY CORPORATION</i>	<i>6009 GOLDEN VALLEY RD</i>	<i>10</i>	<i>49</i>
<i>CENTERPOINT ENERGY - GOLDEN VA</i>	<i>6161 GOLDEN VALLEY RD</i>	<i>13</i>	<i>64</i>
VALLEY CREEK OFFICE PARK	GOLDEN VALLEY RD	14	84

TC3792338.1s EXECUTIVE SUMMARY 8

## EXECUTIVE SUMMARY

Please refer to the end of the findings report for unmapped orphan sites due to poor or inadequate address information.

## MAP FINDINGS SUMMARY

Database	Total Plotted
<b>FEDERAL RECORDS</b>	
NPL	0
Proposed NPL	0
Delisted NPL	0
NPL LIENS	0
CERCLIS	0
CERC-NFRAP	0
LIENS 2	0
CORRACTS	0
RCRA-TSDF	0
RCRA-LQG	0
RCRA-SQG	0
RCRA-GEISG	13
RCRA NonGen / NLR	4
US ENG CONTROLS	0
US INST CONTROL	0
ERNS	0
HMIRS	3
DOT OPS	0
US CDL	0
US BROWNFIELDS	0
DOD	0
FUDS	0
LUCIS	0
CONSENT	0
ROD	0
UNITRA	0
DEBRIS REGION 9	0
ODI	0
US MINES	0
TRIS	0
TSCA	0
FTTS	0
HIST FTTS	0
SSTS	0
ICIS	1
PADS	0
MLTS	1
RADINFO	0
FINDS	19
RAATS	0
RMP	0
COAL ASH EPA	0
SCRD DRYCLEANERS	0
US HIST CDL	0
POB TRANSFORMER	0
FEDERAL FACILITY	0
US FIN ASSUR	0
EPA WATCH LIST	0

TC3792338.1s EXECUTIVE SUMMARY 9

TC3792338.1s Page 1 of 85

MAP FINDINGS SUMMARY

Database	Total Plotted
PRP	0
2020 COR ACTION	0
COAL ASH DOE	0
FEMA UST	0
LEAD SMELTERS	0
US AIRS	0

STATE AND LOCAL RECORDS

MN SHWS	0
MN SRS	1
MN PLP	0
MN DEL PLP	0
MN SWF/LF	0
MN LS	1
MN LCP	0
MN SWRCY	0
MN LUST	4
MN UST	3
MN LAST	1
MN LIENS	0
MN AST	0
MN BULK	0
MN MANIFEST	0
WI MANIFEST	1
MN SPILLS	8
MN AGSPILLS	0
MN INST CONTROL	0
MN VIC	1
MN DRYCLEANERS	0
MN BROWNFIELDS	0
MN CDL	0
MN ENF	0
MN HWS Permit	0
MN AIRS	1
MN TIER 2	3
MN MDA LIS	0
MN COAL ASH	0
MN UNPERM LF	0
MN AGVIC	0
MN WIMM	25

TRIBAL RECORDS

INDIAN RESERV	0
INDIAN ODI	0
INDIAN LUST	0
INDIAN UST	0
INDIAN VCP	0

EDR PROPRIETARY RECORDS

EDR MGP	0
---------	---

MAP FINDINGS SUMMARY

Database	Total Plotted
EDR US Hist Auto Stat	0
EDR US Hist Cleaners	0

NOTES:

Sites may be listed in more than one database

MAP FINDINGS

Map ID: KING OF GRACE LUTHERAN CHURCH  
 Direction: 6000 DULUTH ST  
 Distance: GOLDEN VALLEY, MN 55422  
 Database(s): MN LUST, MN UST, MN SPILLS, MN WIMM  
 EDR ID Number: U000885241  
 EPA ID Number: N/A

1 KING OF GRACE LUTHERAN CHURCH  
 6000 DULUTH ST  
 GOLDEN VALLEY, MN 55422

LUST:  
 Leak ID: 2047  
 MNPCA ID: 214872  
 Site ID: 215482  
 Source: CORE  
 Interest Type: Leak Site  
 Interest Phone: NO CORE PI PH.  
 Interest Start Date: 08/23/1994 12:17:33  
 Interest End Date: Not reported  
 Release Discovered Date: 08/20/1989  
 Leak Reported Date: 12/01/1989  
 Leak Site: Leak Site - Tank and Petroleum Contamination  
 File Archive Box: 39  
 File Archive Lot: 94372  
 Soil Digout Date: 08/30/1989  
 Cubic Yards Excavated: 4  
 Conditional Closure Date: Not reported  
**Complete Site Closure Date: 12/27/1989 00:00:00**  
 Contaminated Soils Remaining: No  
 Enforcement Action Begin Date: Not reported  
 LUST Trust Eligible: Yes  
 Offsite Contamination: Unknown  
 Reimbursement Awarded: No  
 Std Letter Response Date: Not reported  
 Surface Water Impact: Unknown  
 Utility Project Flag: No  
 TMSPP Added: 12/04/1999 14:03:44  
 TMSPP Last Update: 07/12/2010 14:36:19  
 Staff Id Last Update: JDIEZT  
 Release From AST: No  
 Release From UST: No  
 Tank Registration Status Code: F  
 VPIC Application Date: Not reported  
 VPIC Acres: Not reported  
 Addr Id: 239685  
 Township Name: Fort Snelling  
 Active Flag: No  
 Country Code: USA  
 Foreign State: Not reported  
 Foreign Zone: Not reported  
 State County Code: MN  
 Vapor Intrusion Checked Flag: Not reported  
 Soil Gas Data Collected Flag: Not reported  
 Soil Gas Action Level Flag: Not reported  
 Sub Slab Sample Collected Flag: Not reported  
 Indoor Air Collected Flag: Not reported  
 Vapor Intrusion Action Flag: Not reported  
 Vapor Intrusion Comments: Not reported  
 Soil Gas Data Comments: Not reported  
 Comments: Not reported

LEAK CLEANUP ACTIONS:  
 MN PCA ID: Not reported  
 Leak Action Approval Date: Not reported  
 Leak Action Begin Date: Not reported

MAP FINDINGS

Map ID: KING OF GRACE LUTHERAN CHURCH (Continued)  
 Direction: 6000 DULUTH ST  
 Distance: GOLDEN VALLEY, MN 55422  
 Database(s): MN LUST, MN UST, MN SPILLS, MN WIMM  
 EDR ID Number: U000885241  
 EPA ID Number: N/A

KING OF GRACE LUTHERAN CHURCH (Continued)  
 U000885241

Leak Action End Date: Not reported  
 TMSPP Added: Not reported  
 TMSPP Last Update: Not reported  
 Staff Id Last Update: Not reported

LEAK GW INFO:  
 MN PCA ID: 214872  
 Dw Supply Contam: Not reported  
 Free Product Observed: No  
 Free Product Thickness: Not reported  
 Ground Water Contam: No  
 GW Cleanup Goal: 0  
 Gw Exceeds Cleanup Goal: Not reported  
 Cleanup Goal Achieved: Not reported  
 Water Supply Exceeds Rat: Not reported  
 Well Type Code: Not reported  
 Impacted Aquifer Code: Not reported  
 TMSPP Added: 12/04/1999 14:07:28  
 TMSPP Last Update: 11/04/2003 12:57:06  
 Staff Id Last Update: RSUCHAN  
 Mtb Present Now: Not reported  
 Mtb Present Historically: Not reported  
 Mtb High Ug Per Liter Char: Not reported  
 Mtb High Ug Per Liter Numb: Not reported  
 Mtb High Level Date: Not reported  
 Free Product At Close: Not reported  
 Staff Id Ass: Not reported  
 PWS Well: Not reported  
 Prod Flag: Not reported  
 Sens Flag: Not reported

LEAK PRODUCT RELEASED:  
 MN PCA ID: 214872  
 Prod Released Sequence Id: 320482  
 Leak Product: Fuel Oil 1 and 2  
 Tmspp Added: 12/04/1999 14:04:32  
 Tmspp Last updt: 05/04/2002 09:06:15  
 Staff Id Last Updt: TANKS

UST:  
 TANK:  
 MPCA Tank Number: 001  
 Tank Registration Date: 05/19/1986 00:00:00  
 Tank Storage Capacity: 2000  
 Tank Dual Use: N  
**Tank Status: Removed**  
 Tank Stored Product: Fuel Oil  
 Tank Construction Material: Bare/Paint/Asph Coat Steel  
 Tank Cathodic Protection: None  
 Piping Cathodic Protection: None  
 Piping Material: Copper  
 Second Contain Tank: Copper  
 Second Contain Pipe: Not reported  
 Tank Dispenser: Sudon  
 Above/ Under Ground: Under Ground  
 AST Base Material: Not reported  
 Piping Material Description: Not reported

**KING OF GRACE LUTHERAN CHURCH (Continued)**

U00085241

Unregulated Tank Registration Date: Not reported  
Compartmental Tank Flag: Not reported  
Heating Product Flag: Yes  
Haz Waste Generator Id: Not reported  
Product Replaced Date: Not reported  
Sludge Disposal Facility: Not reported  
Comments: Not reported  
Date Added: 10/10/1999 10:58:31  
Date Last Updated: 01/07/2013 10:37:12  
Staff Id Who Did The Last Update: RSUCHAN  
In Compliance: Yes  
Serial Number: Not reported

**TANK ACTION:**

MPCA Tank Number: 001  
Above Or Underground: Under Ground  
Tank Action ID: 247471  
Contractor Number: 267  
Supervisor Number: Not reported  
Tank Action: Remove Tank  
Action Date: 08/30/1989 00:00:00  
Action Date Unknown: Not reported  
Corrosion Expert Name: Not reported  
Lab Flag: N  
Date Added: 05/05/2000 08:31:49  
Date Last Updated: 05/04/2002 07:47:22  
Staff Id Who Did The Last Update: TANKS

MPCA Tank Number: 001  
Above Or Underground: Under Ground  
Tank Action ID: 283804  
Contractor Number: Not reported  
Supervisor Number: Not reported  
Tank Action: Install Tank  
Action Date: 01/01/1969 00:00:00  
Action Date Unknown: Not reported  
Corrosion Expert Name: Not reported  
Lab Flag: Not reported  
Date Added: 05/05/2000 08:31:49  
Date Last Updated: 05/04/2002 07:47:22  
Staff Id Who Did The Last Update: TANKS

**TANK COMPARTMENT:**

MPCA Tank Number: 001  
Above Or Underground: Under Ground  
Compartment Number: 1  
Tank Stored Product Code: 13  
Tank Stored Product Desc: FUEL OIL  
Compartment Cap: 2000  
Heating: Unknown  
Other Desc: Not reported  
Date Added: 10/10/1999 10:58:00  
Date Last Updated: 05/04/2002 07:47:22  
Staff Id Who Did The Last Update: TANKS

**KING OF GRACE LUTHERAN CHURCH (Continued)**

U00085241

**TABSLITE:**  
Program Interest Id: 191694  
Above Or Underground: Under Ground  
Facility Code: 43  
Indian Reservation: No  
UST Registration Date: 05/19/1986 00:00:00  
AST Registration Date: Not reported  
Date Added: 07/23/1992 19:11:05  
Date Last Updated: 05/23/2003 09:21:00  
Staff Id Who Did The Last Update: SYS  
Max Monthly Gallons: Not reported  
Vapor Recovery Installed: Unknown  
Vapor Notify Required: Unknown

**LATLONG:**

Program Id: 191694  
Latlong ID: 168472  
Latitude Degrees: 44  
Latitude Minutes: 59  
Latitude Seconds: 59.7  
Longitude Degrees: -93  
Longitude Minutes: 21  
Longitude Seconds: 21.01  
Collection Date: 03/29/2010 17:52:56  
Lattlong Description: Not reported  
TMSP Added: 03/29/2010 18:51:13  
Date Last Updated: 03/29/2010 18:51:13  
Staff Id Last Updated: MAPT\_NC  
Coord Source Type: Not reported  
Org Name Source: Not reported

**MN SPILL:**

Program Id: 171286  
Spill Date: 08/30/1989  
Site ID: 0  
Public Safety Spill ID: Not reported  
Interest Type: Not reported  
Interest Phone: Not reported  
Preferred Id: 12845  
Interest Start Date: 03/21/1996  
Interest End Date: Not reported  
Active: Not reported  
Tmsp Added: 03/21/1996  
Tmsp Last Updt: 04/11/2007 08:22:51  
Staff Id Last Updt: RSUCHAN  
Foreign Zone: Not reported  
**Spill Closure Desc:** Not reported  
Sp Rep Code: Not reported  
Report Taken By: 3236  
MPCA Project Manager: 3236  
MPCA Involvement: Not reported  
Spill Site Closure Date: 01/01/1996  
Spill Rep Desc: ERIC FORGAED  
Spill Reported Date: 12/01/1989  
Init Cause Code: Spill  
Init Cause Desc: OVERFILL

**KING OF GRACE LUTHERAN CHURCH (Continued)**

U00085241

Initial Source Code: Not reported  
Priority: 4  
Rep Phone: Not reported  
Rep Name: Not reported  
Rpt Taken By Duty Officer: Not reported  
Duty Officer Report No: Not reported  
Comments: Not reported

**Product:**

Program Id: 171286  
Spill Incident Accuracy Id: Not reported  
Spill Product Code: Petroleum, Unspecified  
Spill Qty Units Code: Unknown  
Spill Incident Accuracy Code: Unknown  
Spill Released Qty: 0

**MN SPILL:**

Program Id: 171255  
Spill Date: 08/30/1989  
Site ID: 0  
Public Safety Spill ID: Not reported  
Interest Type: Spill site  
Interest Phone: Not reported  
Preferred Id: 12811  
Interest Start Date: 03/21/1996  
Interest End Date: Not reported  
Active: Not reported  
Tmsp Added: 03/21/1996  
Tmsp Last Updt: 04/11/2007 08:22:51  
Staff Id Last Updt: RSUCHAN  
Foreign Zone: Not reported  
**Spill Closure Desc:** Not reported  
Sp Rep Code: Not reported  
Report Taken By: 3258  
MPCA Project Manager: 4143  
MPCA Involvement: Not reported  
Spill Site Closure Date: 01/01/1996  
Spill Rep Desc: LEONARD HEALY  
Spill Reported Date: 12/01/1989  
Init Cause Code: Not reported  
Init Cause Desc: UST  
Initial Source Code: Not reported  
Priority: 4  
Rep Phone: Not reported  
Rep Name: Not reported  
Rpt Taken By Duty Officer: Not reported  
Duty Officer Report No: Not reported  
Comments: Not reported

**Product:**

Program Id: 171255  
Spill Incident Accuracy Id: Not reported  
Spill Product Code: Petroleum, Unspecified  
Spill Qty Units Code: Unknown  
Spill Incident Accuracy Code: Unknown  
Spill Released Qty: 0

**KING OF GRACE LUTHERAN CHURCH (Continued)**

U00085241

**WIMN:**  
Legislative District: 45B  
Latitude: 44.99991839  
Longitude: -93.35583876  
Activity: Multiple Activities  
MPCA Id: Multiple Activities  
Major Watershed: Mississippi River - Twin Cities  
Coordinate Collection: Address Matching House Number  
Status: Inactive

Click here to access Minnesota Pollution Control Agency:

2 **BYERLY'S GOLDEN VALLEY** FINDS 101489482  
5725 DULUTH ST N/A  
GOLDEN VALLEY, MN

**FINDS:**

Registry ID: 110043836926

Environmental Interest/Information System  
MN-DELTA (Minnesota - Permitting, Compliance, And Enforcement Information Management System) facilitates the issuance of permits and manages compliance.

2 **BYERLY'S GOLDEN VALLEY** MN WIMN S110427703  
5725 DULUTH ST N/A  
GOLDEN VALLEY, MN 55422

**WIMN:**

Legislative District: 45B  
Latitude: 44.99870929  
Longitude: -93.35260005  
Activity: Hazardous Waste, Small to Minimal OG  
MPCA Id: MNS000155507  
Major Watershed: Mississippi River - Twin Cities  
Coordinate Collection: Digitized - Map Tool  
Status: Active

Click here to access Minnesota Pollution Control Agency:

2 **LOGIS OFFICE ADDITION - CSW** MN WIMN S110435515  
5750 DULUTH ST N/A  
GOLDEN VALLEY, MN 55422

**WIMN:**

Legislative District: 45B  
Latitude: 44.99930137  
Longitude: -93.35269508  
Activity: Construction Stormwater Permit  
MPCA Id: C00021699  
Major Watershed: Mississippi River - Twin Cities  
Coordinate Collection: Address Matching House Number

MAP FINDINGS

**LOGIS OFFICE ADDITION - CSW (Continued)** S11043515  
 Status: Inactive

[Click here to access Minnesota Pollution Control Agency:](#)

3 **EAR NOSE & THROAT SPECIALTY CARE GV** MN WIMM S110194355  
 5851 DULUTH ST STE 204 GOLDEN VALLEY, MN 55422  
 WIMM:  
 Legislative District: 45B  
 Latitude: 44.99922291  
 Longitude: -93.35402274  
 Activity: Hazardous Waste, Small to Minimal OG  
 MPCA Id: MND116904046  
 Major Watershed: Mississippi River - Twin Cities  
 Coordinate Collection: Address Matching House Number  
 Status: Active

[Click here to access Minnesota Pollution Control Agency:](#)

3 **CENTENNIAL LAKES DENTAL NORTH** FINDS 1010706277  
 5851 DULUTH ST STE 218 GOLDEN VALLEY, MN  
 FINDS: N/A

Registry ID: 110032968518

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MN-DELTA (Minnesota - Permitting, Compliance, And Enforcement Information Management System) facilitates the issuance of permits and manages compliance.

3 **CENTENNIAL LAKES DENTAL NORTH** MN WIMM S110428102  
 5851 DULUTH ST STE 218 GOLDEN VALLEY, MN 55422  
 FINDS: N/A

WIMM:  
 Legislative District: 45B  
 Latitude: 44.99922291  
 Longitude: -93.35402274  
 Activity: Hazardous Waste, Small to Minimal OG  
 MPCA Id: MNS000130294  
 Major Watershed: Mississippi River - Twin Cities  
 Coordinate Collection: Address Matching House Number  
 Status: Active

MAP FINDINGS

**CENTENNIAL LAKES DENTAL NORTH (Continued)** S110428102

[Click here to access Minnesota Pollution Control Agency:](#)

3 **GOLDEN VALLEY DENTAL XRAY** RCRA NonGen / NLR 1000186700  
 5851 DULUTH ST STE 314 GOLDEN VALLEY, MN 55422  
 FINDS MND985678358 MN WIMM

RCRA NonGen / NLR:

Date form received by agency: 09/18/2007  
 Facility name: GOLDEN VALLEY DENTAL XRAY  
 Facility address: 5851 DULUTH ST STE 314 GOLDEN VALLEY, MN 55422  
 EPA ID: MND985678358  
 Contact: JACKIE MUELLEN  
 Contact address: 5851 DULUTH ST STE 314 GOLDEN VALLEY, MN 55422  
 Contact country: US  
 Contact telephone: (612) 331-4622  
 Contact email: Not reported  
 EPA Region: 05  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NAME NOT REPORTED  
 Owner/operator address: ADDRESS NOT REPORTED CITY NOT REPORTED, AK 99998  
 Owner/operator country: Not reported  
 Owner/operator telephone: (312) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported  
 Owner/operator name: GOLDEN VALLEY DENTAL XRAY  
 Owner/operator address: 5851 DULUTH ST STE 314 GOLDEN VALLEY, MN 55422  
 Owner/operator country: US  
 Owner/operator telephone: (612) 331-4622  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 07/26/1999  
 Owner/Op end date: 09/20/2007

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No

MAP FINDINGS

**GOLDEN VALLEY DENTAL XRAY (Continued)** 1000186700

Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D000  
 Waste name: Not Defined  
 Waste code: D002  
 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Violation Status: No violations found

FINDS:

Registry ID: 110008764088

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MN-DELTA (Minnesota - Permitting, Compliance, And Enforcement Information Management System) facilitates the issuance of permits and manages compliance.

WIMM:  
 Legislative District: 45B  
 Latitude: 44.99922291  
 Longitude: -93.35402274  
 Activity: Hazardous Waste, Small to Minimal OG  
 MPCA Id: MND985678358  
 Major Watershed: Mississippi River - Twin Cities  
 Coordinate Collection: Address Matching House Number  
 Status: Inactive

[Click here to access Minnesota Pollution Control Agency:](#)

MAP FINDINGS

3 **DANIEL E SMOLEROFF DDS** MN WIMM S110429729  
 5851 DULUTH ST STE 315 GOLDEN VALLEY, MN 55422  
 FINDS N/A

WIMM:

Legislative District: 45B  
 Latitude: 44.99922291  
 Longitude: -93.35402274  
 Activity: Hazardous Waste, Small to Minimal OG  
 MPCA Id: MND985685601  
 Major Watershed: Mississippi River - Twin Cities  
 Coordinate Collection: Address Matching House Number  
 Status: Active

[Click here to access Minnesota Pollution Control Agency:](#)

3 **CENTENNIAL LAKES DENTAL NORTH** RCRA-CESQG 1010564877  
 5851 DULUTH ST STE 218 GOLDEN VALLEY, MN 55422  
 FINDS MNS000130294

RCRA-CESQG:

Date form received by agency: 11/08/2007  
 Facility name: CENTENNIAL LAKES DENTAL NORTH  
 Facility address: 5851 DULUTH ST STE 218 GOLDEN VALLEY, MN 55422  
 EPA ID: MNS000130294  
 Contact: ALISSA DAHL  
 Contact address: 5851 DULUTH ST STE 218 GOLDEN VALLEY, MN 55422  
 Contact country: US  
 Contact telephone: (763) 544-0121  
 Contact email: Not reported  
 EPA Region: 05  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: CENTENNIAL LAKES NORTH DENTAL  
 Owner/operator address: 5851 DULUTH ST STE 218 GOLDEN VALLEY, MN 55422  
 Owner/operator country: US  
 Owner/operator telephone: (763) 544-0121  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 11/08/2007  
 Owner/Op end date: Not reported

Map ID		MAP FINDINGS		EDR ID Number	
Direction	Distance	Database(s)	EPA ID Number	Direction	Distance
Distance (ft./Site)		Database(s)		EPA ID Number	
<b>CENTENNIAL LAKES DENTAL NORTH (Continued)</b>			<b>1010564877</b>		
<p>Handler Activities Summary:</p> <p>U.S. importer of hazardous waste: No</p> <p>Mixed waste (haz. and radioactive): No</p> <p>Recycler of hazardous waste: No</p> <p>Transporter of hazardous waste: No</p> <p>Treater, storer or disposer of HW: No</p> <p>Underground injection activity: No</p> <p>On-site burner exemption: No</p> <p>Furnace exemption: No</p> <p>Used oil fuel burner: No</p> <p>Used oil processor: No</p> <p>User oil refiner: No</p> <p>Used oil fuel marketer to burner: No</p> <p>Used oil Specification marketer: No</p> <p>Used oil transfer facility: No</p> <p>Used oil transporter: No</p> <p>Violation Status: No violations found</p>					
<b>3</b>	<b>WEST METRO OPHTHALMOLOGY</b> <b>5851 DULUTH ST STE 215</b> <b>GOLDEN VALLEY, MN 55422</b>	<b>RCRA-CESQG</b>	<b>1012182314</b> <b>MNS000149294</b>		
<p>RCRA-CESQG:</p> <p>Date form received by agency: 09/21/2009</p> <p>Facility name: WEST METRO OPHTHALMOLOGY</p> <p>Facility address: 5851 DULUTH ST STE 215 GOLDEN VALLEY, MN 55422</p> <p>EPA ID: MNS000149294</p> <p>Contact: DOROTHY ALSETH</p> <p>Contact address: 5851 DULUTH ST STE 215 GOLDEN VALLEY, MN 55422</p> <p>Contact country: US</p> <p>Contact telephone: (763) 546-8422</p> <p>Contact email: Not reported</p> <p>EPA Region: 05</p> <p>Classification: Conditionally Exempt Small Quantity Generator</p> <p>Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste</p> <p>Owner/Operator Summary:</p> <p>Owner/operator name: WEST METRO OPHTHALMOLOGY</p> <p>Owner/operator address: 5851 DULUTH ST STE 215 GOLDEN VALLEY, MN 55422</p> <p>Owner/operator country: US</p> <p>Owner/operator telephone: (763) 546-8422</p>					
			TC3792338.1s Page 14 of 86		

Map ID		MAP FINDINGS		EDR ID Number	
Direction	Distance	Database(s)	EPA ID Number	Direction	Distance
Distance (ft./Site)		Database(s)		EPA ID Number	
<b>WEST METRO OPHTHALMOLOGY (Continued)</b>			<b>1012182314</b>		
<p>Legal status: Private</p> <p>Owner/Operator Type: Operator</p> <p>Owner/Op start date: 09/23/2009</p> <p>Owner/Op end date: Not reported</p> <p>Handler Activities Summary:</p> <p>U.S. importer of hazardous waste: No</p> <p>Mixed waste (haz. and radioactive): No</p> <p>Recycler of hazardous waste: No</p> <p>Transporter of hazardous waste: No</p> <p>Treater, storer or disposer of HW: No</p> <p>Underground injection activity: No</p> <p>On-site burner exemption: No</p> <p>Furnace exemption: No</p> <p>Used oil fuel burner: No</p> <p>Used oil processor: No</p> <p>User oil refiner: No</p> <p>Used oil fuel marketer to burner: No</p> <p>Used oil Specification marketer: No</p> <p>Used oil transfer facility: No</p> <p>Used oil transporter: No</p> <p>Violation Status: No violations found</p>					
<b>3</b>	<b>WEST METRO OPHTHALMOLOGY</b> <b>5851 DULUTH ST STE 215</b> <b>GOLDEN VALLEY, MN</b>	<b>FINDS</b>	<b>1012130543</b> <b>N/A</b>		
<p>FINDS:</p> <p>Registry ID: 110039502936</p> <p>Environmental Interest/Information System</p> <p>RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.</p> <p>MN-DELTA (Minnesota - Permitting, Compliance, And Enforcement Information Management System) facilitates the issuance of permits and manages compliance.</p>					
<b>3</b>	<b>EAR NOSE &amp; THROAT SPECIALTY CARE GV</b> <b>5851 DULUTH ST STE 204</b> <b>GOLDEN VALLEY, MN</b>	<b>FINDS</b>	<b>1016051057</b> <b>N/A</b>		
<p>FINDS:</p> <p>Registry ID: 110009399775</p> <p>Environmental Interest/Information System</p> <p>RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport,</p>					
			TC3792338.1s Page 15 of 86		

Map ID		MAP FINDINGS		EDR ID Number	
Direction	Distance	Database(s)	EPA ID Number	Direction	Distance
Distance (ft./Site)		Database(s)		EPA ID Number	
<b>EAR NOSE &amp; THROAT SPECIALTY CARE GV (Continued)</b>			<b>1016051057</b>		
<p>and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.</p> <p>MN-DELTA (Minnesota - Permitting, Compliance, And Enforcement Information Management System) facilitates the issuance of permits and manages compliance.</p>					
<b>3</b>	<b>MIDWEST FOOT &amp; ANKLE SPECIALISTS - GV</b> <b>5851 DULUTH ST STE 101</b> <b>GOLDEN VALLEY, MN 55422</b>	<b>RCRA-CESQG</b> <b>FINDS</b>	<b>1004737114</b> <b>MNR000032102</b> <b>MN WIMN</b>		
<p>RCRA-CESQG:</p> <p>Date form received by agency: 03/03/1997</p> <p>Facility name: MIDWEST FOOT &amp; ANKLE SPECIALISTS - GV</p> <p>Facility address: 5851 DULUTH ST STE 101 GOLDEN VALLEY, MN 554223955</p> <p>EPA ID: MNR000032102</p> <p>Contact: Not reported</p> <p>Contact address: Not reported</p> <p>Contact country: Not reported</p> <p>Contact telephone: Not reported</p> <p>Contact email: Not reported</p> <p>EPA Region: 05</p> <p>Classification: Conditionally Exempt Small Quantity Generator</p> <p>Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste</p> <p>Owner/Operator Summary:</p> <p>Owner/operator name: ACTIVE FLEET</p> <p>Owner/operator address: 98 W 66TH ST STE 204 RICHFIELD, MN 55423</p> <p>Owner/operator country: US</p> <p>Owner/operator telephone: NCNE</p> <p>Legal status: Private</p> <p>Owner/Operator Type: Owner</p> <p>Owner/Op start date: 07/26/1999</p> <p>Owner/Op end date: Not reported</p> <p>Handler Activities Summary:</p> <p>U.S. importer of hazardous waste: No</p> <p>Mixed waste (haz. and radioactive): No</p> <p>Recycler of hazardous waste: No</p>					
			TC3792338.1s Page 16 of 86		

Map ID		MAP FINDINGS		EDR ID Number	
Direction	Distance	Database(s)	EPA ID Number	Direction	Distance
Distance (ft./Site)		Database(s)		EPA ID Number	
<b>MIDWEST FOOT &amp; ANKLE SPECIALISTS - GV (Continued)</b>			<b>1004737114</b>		
<p>Transporter of hazardous waste: No</p> <p>Treater, storer or disposer of HW: No</p> <p>Underground injection activity: No</p> <p>On-site burner exemption: No</p> <p>Furnace exemption: No</p> <p>Used oil fuel burner: No</p> <p>Used oil processor: No</p> <p>User oil refiner: No</p> <p>Used oil fuel marketer to burner: No</p> <p>Used oil Specification marketer: No</p> <p>Used oil transfer facility: No</p> <p>Used oil transporter: No</p> <p>Hazardous Waste Summary:</p> <p>Waste code: D000</p> <p>Waste name: Not Defined</p> <p>Waste code: D011</p> <p>Waste name: SILVER</p> <p>Violation Status: No violations found</p> <p>FINDS:</p> <p>Registry ID: 110008764168</p> <p>Environmental Interest/Information System</p> <p>RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.</p> <p>MN-DELTA (Minnesota - Permitting, Compliance, And Enforcement Information Management System) facilitates the issuance of permits and manages compliance.</p> <p>WIMN:</p> <p>Legislative District: 45B</p> <p>Latitude: 44.99022291</p> <p>Longitude: -93.35402274</p> <p>Activity: Hazardous Waste, Small to Minimal QG</p> <p>MPCA id: MNR000032102</p> <p>Major Watershed: Mississippi River - Twin Cities</p> <p>Coordinate Collection: Address Matching House Number</p> <p>Status: Active</p> <p>Click here to access Minnesota Pollution Control Agency:</p>					
			TC3792338.1s Page 17 of 86		

Map ID		MAP FINDINGS		EDR ID Number	
Direction	Distance	Database(s)	EPA ID Number	Direction	Distance
Distance (ft.)	Site			Distance (ft.)	Site
3	<b>DANIEL E SMOLEROFF DDS</b> 5851 DULUTH ST STE 315 GOLDEN VALLEY, MN	FINDS	1012101020 N/A		
<p><b>FINDS:</b></p> <p>Registry ID: 110038506701</p> <p>Environmental Interest/Information System RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.</p> <p>MN-DELTA (Minnesota - Permitting, Compliance, And Enforcement Information Management System) facilitates the issuance of permits and manages compliance.</p>					
3	<b>GIEBHAIN DENTAL ASSOCIATES PA</b> 5851 DULUTH ST STE 303 GOLDEN VALLEY, MN	RCRA-CESQG FINDS	1000162460 MND982609448		
<p><b>RCRA-CESQG:</b></p> <p>Date form received by agency: 06/17/1988</p> <p>Facility name: GIEBHAIN DENTAL ASSOCIATES PA Facility address: 5851 DULUTH ST STE 103 GOLDEN VALLEY, MN 554223957</p> <p>EPA ID: MND982609448 Contact: JOHN N GIEBHAIN Contact address: 5851 DULUTH ST STE 103 GOLDEN VALLEY, MN 554223957</p> <p>Contact country: US Contact telephone: (612) 545-0330 Contact email: Not reported EPA Region: 05 Classification: Conditionally Exempt Small Quantity Generator Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste</p> <p><b>Owner/Operator Summary:</b> Owner/operator name: NAME NOT REPORTED Owner/operator address: ADDRESS NOT REPORTED CITY NOT REPORTED, AK 99998 Owner/operator country: Not reported</p>					
TC3792338.1s Page 18 of 86					

Map ID		MAP FINDINGS		EDR ID Number	
Direction	Distance	Database(s)	EPA ID Number	Direction	Distance
Distance (ft.)	Site			Distance (ft.)	Site
	<b>GIEBHAIN DENTAL ASSOCIATES PA (Continued)</b>				1000162460
<p>Owner/operator telephone: (312) 555-1212 Legal status: Private Owner/Operator Type: Operator Owner/Op start date: Not reported Owner/Op end date: Not reported</p> <p>Owner/operator name: GIEBHAIN DENTAL ASSOCIATES PA Owner/operator address: 5851 DULUTH ST STE 103 GOLDEN VALLEY, MN 55422</p> <p>Owner/operator country: US Owner/operator telephone: (612) 545-0330 Legal status: Private Owner/Operator Type: Operator Owner/Op start date: 07/26/1999 Owner/Op end date: Not reported</p> <p><b>Handler Activities Summary:</b> U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No</p> <p><b>Hazardous Waste Summary:</b> Waste code: D000 Waste name: Not Defined</p> <p>Violation Status: No violations found</p> <p><b>FINDS:</b></p> <p>Registry ID: 110008791218</p> <p>Environmental Interest/Information System RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.</p> <p>MN-DELTA (Minnesota - Permitting, Compliance, And Enforcement Information Management System) facilitates the issuance of permits and manages compliance.</p>					
TC3792338.1s Page 19 of 86					

Map ID		MAP FINDINGS		EDR ID Number	
Direction	Distance	Database(s)	EPA ID Number	Direction	Distance
Distance (ft.)	Site			Distance (ft.)	Site
3	<b>DANIEL E SMOLEROFF DDS</b> 5851 DULUTH ST STE 315 GOLDEN VALLEY, MN 55422	RCRA-CESQG FINDS	1004731113 MND985685601		
<p><b>RCRA-CESQG:</b></p> <p>Date form received by agency: 11/02/2009</p> <p>Facility name: DANIEL E SMOLEROFF DDS Facility address: 5851 DULUTH ST STE 315 GOLDEN VALLEY, MN 55422</p> <p>EPA ID: MND985685601 Contact: DANIEL E SMOLEROFF Contact address: 5851 DULUTH ST STE 315 GOLDEN VALLEY, MN 55422</p> <p>Contact country: US Contact telephone: (763) 544-1626 Contact email: Not reported EPA Region: 05 Classification: Conditionally Exempt Small Quantity Generator Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste</p> <p><b>Owner/Operator Summary:</b> Owner/operator name: DANIEL E SMOLEROFF DDS Owner/operator address: 5851 DULUTH ST STE 315 GOLDEN VALLEY, MN 55422 Owner/operator country: US Owner/operator telephone: (763) 544-1626 Legal status: Private Owner/Operator Type: Owner Owner/Op start date: 05/28/2009 Owner/Op end date: Not reported</p> <p><b>Handler Activities Summary:</b> U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No</p>					
TC3792338.1s Page 20 of 86					

Map ID		MAP FINDINGS		EDR ID Number	
Direction	Distance	Database(s)	EPA ID Number	Direction	Distance
Distance (ft.)	Site			Distance (ft.)	Site
	<b>DANIEL E SMOLEROFF DDS (Continued)</b>				1004731113
<p>Used oil transfer facility: No Used oil transporter: No</p> <p><b>Historical Generators:</b> Date form received by agency: 05/28/2009 Facility name: DANIEL E SMOLEROFF DDS Classification: Conditionally Exempt Small Quantity Generator</p> <p>Violation Status: No violations found</p>					
3	<b>KNUDSON DOUGLAS J DDS</b> 5851 DULUTH ST STE 313 GOLDEN VALLEY, MN 55422	RCRA-CESQG FINDS MN WIMN	1004726993 MN0000486860		
<p><b>RCRA-CESQG:</b></p> <p>Date form received by agency: 07/25/1994</p> <p>Facility name: KNUDSON DOUGLAS J DDS Facility address: 5851 DULUTH ST STE 313 GOLDEN VALLEY, MN 554223957</p> <p>EPA ID: MN0000486860 Contact: DOUGLAS J KNUDSON Contact address: 5851 DULUTH ST STE 313 GOLDEN VALLEY, MN 554223957</p> <p>Contact country: US Contact telephone: (763) 542-8723 Contact email: Not reported EPA Region: 05 Classification: Conditionally Exempt Small Quantity Generator Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste</p> <p><b>Owner/Operator Summary:</b> Owner/operator name: KNUDSON DOUGLAS J DDS Owner/operator address: 5851 DULUTH ST STE 313 GOLDEN VALLEY, MN 55422 Owner/operator country: US Owner/operator telephone: (763) 542-8723 Legal status: Private Owner/Operator Type: Operator Owner/Op start date: 07/26/1999 Owner/Op end date: Not reported</p> <p><b>Handler Activities Summary:</b> U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No</p>					
TC3792338.1s Page 21 of 86					

MAP FINDINGS		EDR ID Number
Map ID	Direction	Distance
Distance (ft.)	Site	Database(s)
<b>1004726993</b>	<b>KNUDSON DOUGLAS J DDS (Continued)</b>	
Recycler of hazardous waste:	No	
Transporter of hazardous waste:	No	
Treater, storer or disposer of HW:	No	
Underground injection activity:	No	
On-site burner exemption:	No	
Furnace exemption:	No	
Used oil fuel burner:	No	
Used oil processor:	No	
User oil refiner:	No	
Used oil fuel marketer to burner:	No	
Used oil Specification marketer:	No	
Used oil transfer facility:	No	
Used oil transporter:	No	
<b>Hazardous Waste Summary:</b>		
Waste code:	D008	
Waste name:	LEAD	
Waste code:	D009	
Waste name:	MERCURY	
Waste code:	D011	
Waste name:	SILVER	
Violation Status:	No violations found	
<b>FINDS:</b>		
Registry ID:	110008764248	
<b>Environmental Interest/Information System</b>		
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.		
MN-DELTA (Minnesota - Permitting, Compliance, And Enforcement Information Management System) facilitates the issuance of permits and manages compliance.		
<b>WIMN:</b>		
Legislative District:	45B	
Latitude:	44.99922291	
Longitude:	-93.35402274	
Activity:	Hazardous Waste, Small to Minimal QG	
MPCA Id:	MN0000486860	
Major Watershed:	Mississippi River - Twin Cities	
Coordinate Collection:	Address Matching House Number	
Status:	Active	
<a href="#">Click here to access Minnesota Pollution Control Agency:</a>		
TC3792338.1s Page 22 of 86		

MAP FINDINGS		EDR ID Number
Map ID	Direction	Distance
Distance (ft.)	Site	Database(s)
<b>1004726994</b>	<b>IMPLANT PERIODONTICS LTD (Continued)</b>	
RCRA-CESQG		
Date form received by agency:	07/25/1994	
Facility name:	IMPLANT PERIODONTICS LTD	
Facility address:	5851 DULUTH ST STE 313B GOLDEN VALLEY, MN 554223957	
EPA ID:	MN0000486878	
Contact:	Not reported	
Contact address:	Not reported	
Contact country:	Not reported	
Contact telephone:	Not reported	
Contact email:	Not reported	
EPA Region:	05	
Classification:	Conditionally Exempt Small Quantity Generator	
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste	
<b>Owner/Operator Summary:</b>		
Owner/operator name:	IMPLANT PERIODONTICS LTD	
Owner/operator address:	5851 DULUTH ST STE 313B GOLDEN VALLEY, MN 55422	
Owner/operator country:	US	
Owner/operator telephone:	NONE	
Legal status:	Private	
Owner/Operator Type:	Owner	
Owner/Op start date:	07/26/1999	
Owner/Op end date:	Not reported	
<b>Handler Activities Summary:</b>		
U.S. importer of hazardous waste:	No	
Mixed waste (haz. and radioactive):	No	
Recycler of hazardous waste:	No	
Transporter of hazardous waste:	No	
Treater, storer or disposer of HW:	No	
Underground injection activity:	No	
On-site burner exemption:	No	
Furnace exemption:	No	
Used oil fuel burner:	No	
Used oil processor:	No	
User oil refiner:	No	
Used oil fuel marketer to burner:	No	
Used oil Specification marketer:	No	
<b>Owner/Operator Summary:</b>		
Owner/operator name:	IMPLANT PERIODONTICS LTD	
Owner/operator address:	5851 DULUTH ST STE 313B GOLDEN VALLEY, MN 55422	
Owner/operator country:	US	
Owner/operator telephone:	NONE	
Legal status:	Private	
Owner/Operator Type:	Owner	
Owner/Op start date:	07/26/1999	
Owner/Op end date:	Not reported	
<b>Handler Activities Summary:</b>		
U.S. importer of hazardous waste:	No	
Mixed waste (haz. and radioactive):	No	
Recycler of hazardous waste:	No	
Transporter of hazardous waste:	No	
Treater, storer or disposer of HW:	No	
Underground injection activity:	No	
On-site burner exemption:	No	
Furnace exemption:	No	
Used oil fuel burner:	No	
Used oil processor:	No	
User oil refiner:	No	
Used oil fuel marketer to burner:	No	
Used oil Specification marketer:	No	
<b>Historical Generators:</b>		
Date form received by agency:	07/25/1994	
Facility name:	WINTHEISER GERALD DDS	
Classification:	Conditionally Exempt Small Quantity Generator	
Violation Status:	No violations found	
TC3792338.1s Page 23 of 86		

MAP FINDINGS		EDR ID Number
Map ID	Direction	Distance
Distance (ft.)	Site	Database(s)
<b>1004726994</b>	<b>IMPLANT PERIODONTICS LTD (Continued)</b>	
Used oil transfer facility:	No	
Used oil transporter:	No	
<b>Hazardous Waste Summary:</b>		
Waste code:	D000	
Waste name:	Not Defined	
Waste code:	D008	
Waste name:	LEAD	
Waste code:	D011	
Waste name:	SILVER	
Violation Status:	No violations found	
<b>FINDS:</b>		
Registry ID:	110008764015	
<b>Environmental Interest/Information System</b>		
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.		
MN-DELTA (Minnesota - Permitting, Compliance, And Enforcement Information Management System) facilitates the issuance of permits and manages compliance.		
<b>WIMN:</b>		
Legislative District:	45B	
Latitude:	44.99922291	
Longitude:	-93.35402274	
Activity:	Hazardous Waste, Small to Minimal QG	
MPCA Id:	MN0000486878	
Major Watershed:	Mississippi River - Twin Cities	
Coordinate Collection:	Address Matching House Number	
Status:	Active	
<a href="#">Click here to access Minnesota Pollution Control Agency:</a>		
<b>3</b>	<b>GERALD N WINTHEISER DDS</b>	<b>RCRA-CESQG 1004726992</b>
<b>5851 DULUTH ST STE 211</b>	<b>GOLDEN VALLEY, MN</b>	<b>FINDS MN0000486852</b>
<b>MN WIMN</b>		
<b>RCRA-CESQG:</b>		
Date form received by agency:	12/15/2009	
Facility name:	WINTHEISER GERALD DDS	
Site name:	GERALD N WINTHEISER DDS	
Facility address:	5851 DULUTH ST STE 211 GOLDEN VALLEY, MN 55422	
EPA ID:	MN0000486852	
Contact:	JEANINE RICHTER	
Contact address:	5851 DULUTH ST STE 211	
TC3792338.1s Page 24 of 86		

MAP FINDINGS		EDR ID Number
Map ID	Direction	Distance
Distance (ft.)	Site	Database(s)
<b>1004726992</b>	<b>GERALD N WINTHEISER DDS (Continued)</b>	
GOLDEN VALLEY, MN 55422		
Contact country:	US	
Contact telephone:	(612) 546-4101	
Contact email:	Not reported	
EPA Region:	05	
Classification:	Conditionally Exempt Small Quantity Generator	
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste	
<b>Owner/Operator Summary:</b>		
Owner/operator name:	GERALD N WINTHEISER DDS	
Owner/operator address:	5851 DULUTH ST STE 211 GOLDEN VALLEY, MN 55422	
Owner/operator country:	US	
Owner/operator telephone:	(612) 546-4101	
Legal status:	Private	
Owner/Operator Type:	Owner	
Owner/Op start date:	07/26/1999	
Owner/Op end date:	12/16/2009	
<b>Handler Activities Summary:</b>		
U.S. importer of hazardous waste:	No	
Mixed waste (haz. and radioactive):	No	
Recycler of hazardous waste:	No	
Transporter of hazardous waste:	No	
Treater, storer or disposer of HW:	No	
Underground injection activity:	No	
On-site burner exemption:	No	
Furnace exemption:	No	
Used oil fuel burner:	No	
Used oil processor:	No	
User oil refiner:	No	
Used oil fuel marketer to burner:	No	
Used oil Specification marketer:	No	
Used oil transfer facility:	No	
Used oil transporter:	No	
<b>Historical Generators:</b>		
Date form received by agency:	07/25/1994	
Facility name:	WINTHEISER GERALD DDS	
Classification:	Conditionally Exempt Small Quantity Generator	
Violation Status:	No violations found	
TC3792338.1s Page 25 of 86		

Map ID		MAP FINDINGS		EDR ID Number	
Direction	Distance	Database(s)	EPA ID Number	Direction	Distance
Distance (ft.)Site		Database(s)		EPA ID Number	
<b>GERALD N WINTHEISER DDS (Continued)</b>		<b>1004726992</b>			
<p><b>FINDS:</b></p> <p>Registry ID: 110003732211</p> <p>Environmental Interest/Information System RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.</p> <p>MN-DELTA (Minnesota - Permitting, Compliance, And Enforcement Information Management System) facilitates the issuance of permits and manages compliance.</p> <p>WIMN: Legislative District: 45B Latitude: 44.99922291 Longitude: -93.35402274 Activity: Hazardous Waste, Small to Minimal QG MPCA Id: MN0000486852 Major Watershed: Mississippi River - Twin Cities Coordinate Collection: Address Matching House Number Status: Inactive</p> <p>Click here to access Minnesota Pollution Control Agency:</p>					
<b>3 BASSETT CREEK DENTAL</b>		<b>RCRA-CESQG</b>		<b>1004731018</b>	
<b>5851 DULUTH ST STE 100</b>		<b>FINDS</b>		<b>MND985682558</b>	
<b>GOLDEN VALLEY, MN</b>		<b>MN WIMN</b>			
<p>RCRA-CESQG: Date form received by agency: 05/30/1990 Facility name: BASSETT CREEK DENTAL Facility address: 5851 DULUTH ST STE 100 GOLDEN VALLEY, MN 554223975 EPA ID: MND985682558 Contact: RAY LEHN Contact address: 5851 DULUTH ST STE 100 GOLDEN VALLEY, MN 554223975 Contact country: US Contact telephone: (320) 358-3124 Contact email: Not reported EPA Region: 05 Classification: Conditionally Exempt Small Quantity Generator Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any</p>					
		TC3792338.1s		Page 26 of 86	

Map ID		MAP FINDINGS		EDR ID Number	
Direction	Distance	Database(s)	EPA ID Number	Direction	Distance
Distance (ft.)Site		Database(s)		EPA ID Number	
<b>BASSETT CREEK DENTAL (Continued)</b>		<b>1004731018</b>			
<p>time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste</p> <p>Owner/Operator Summary: Owner/operator name: BASSETT CREEK DENTAL Owner/operator address: 5851 DULUTH ST STE 100 GOLDEN VALLEY, MN 55422 Owner/operator country: US Owner/operator telephone: (320) 358-3124 Legal status: Private Owner/Operator Type: Owner Owner/Op start date: 07/26/1999 Owner/Op end date: Not reported</p> <p>Handler Activities Summary: U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No</p> <p>Hazardous Waste Summary: Waste code: D000 Waste name: Not Defined Waste code: D008 Waste name: LEAD Waste code: D009 Waste name: MERCURY Waste code: D011 Waste name: SILVER Violation Status: No violations found</p> <p><b>FINDS:</b></p> <p>Registry ID: 110008791030</p> <p>Environmental Interest/Information System RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport,</p>					
		TC3792338.1s		Page 27 of 86	

Map ID		MAP FINDINGS		EDR ID Number	
Direction	Distance	Database(s)	EPA ID Number	Direction	Distance
Distance (ft.)Site		Database(s)		EPA ID Number	
<b>BASSETT CREEK DENTAL (Continued)</b>		<b>1004731018</b>			
<p>and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.</p> <p>MN-DELTA (Minnesota - Permitting, Compliance, And Enforcement Information Management System) facilitates the issuance of permits and manages compliance.</p> <p>WIMN: Legislative District: 45B Latitude: 44.99922291 Longitude: -93.35402274 Activity: Hazardous Waste, Small to Minimal QG MPCA Id: MND985682558 Major Watershed: Mississippi River - Twin Cities Coordinate Collection: Address Matching House Number Status: Active</p> <p>Click here to access Minnesota Pollution Control Agency:</p>					
<b>3 KUSHINO NORMAN T DDS</b>		<b>RCRA NonGen / NLR</b>		<b>1000241922</b>	
<b>5851 DULUTH ST STE 301B</b>		<b>FINDS</b>		<b>MND982619850</b>	
<b>GOLDEN VALLEY, MN</b>		<b>MN WIMN</b>			
<p>RCRA NonGen / NLR: Date form received by agency: 02/09/1989 Facility name: KUSHINO NORMAN T DDS Facility address: 5851 DULUTH ST STE 301B GOLDEN VALLEY, MN 554223957 EPA ID: MND982619850 Contact: Not reported Contact address: Not reported Contact country: Not reported Contact telephone: Not reported Contact email: Not reported EPA Region: 05 Classification: Non-Generator Description: Handler: Non-Generators do not presently generate hazardous waste</p> <p>Owner/Operator Summary: Owner/operator name: NAME NOT REPORTED Owner/operator address: ADDRESS NOT REPORTED CITY NOT REPORTED, AK 99998 Owner/operator country: Not reported Owner/operator telephone: (312) 555-1212 Legal status: Private Owner/Operator Type: Operator Owner/Op start date: Not reported Owner/Op end date: Not reported</p> <p>Owner/operator name: KUSHINO NORMAN T DDS Owner/operator address: 5851 DULUTH ST STE 301B GOLDEN VALLEY, MN 55422 Owner/operator country: US Owner/operator telephone: NONE</p>					
		TC3792338.1s		Page 28 of 86	

Map ID		MAP FINDINGS		EDR ID Number	
Direction	Distance	Database(s)	EPA ID Number	Direction	Distance
Distance (ft.)Site		Database(s)		EPA ID Number	
<b>KUSHINO NORMAN T DDS (Continued)</b>		<b>1000241922</b>			
<p>Legal status: Private Owner/Operator Type: Owner Owner/Op start date: 07/26/1999 Owner/Op end date: 07/08/2003</p> <p>Handler Activities Summary: U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No</p> <p>Hazardous Waste Summary: Waste code: D000 Waste name: Not Defined Violation Status: No violations found</p> <p><b>FINDS:</b></p> <p>Registry ID: 110008764220</p> <p>Environmental Interest/Information System RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.</p> <p>MN-DELTA (Minnesota - Permitting, Compliance, And Enforcement Information Management System) facilitates the issuance of permits and manages compliance.</p> <p>WIMN: Legislative District: 45B Latitude: 44.99922291 Longitude: -93.35402274 Activity: Hazardous Waste, Small to Minimal QG MPCA Id: MND982619850 Major Watershed: Mississippi River - Twin Cities Coordinate Collection: Address Matching House Number Status: Inactive</p>					
		TC3792338.1s		Page 29 of 86	

Map ID		MAP FINDINGS		EDR ID Number	
Direction	Distance	Database(s)	EPA ID Number	Direction	Distance
Distance (ft./Site)		Database(s)		EPA ID Number	
KUSHINO NORMAN T DDS (Continued)			1000241922		
Click here to access Minnesota Pollution Control Agency:					
3	EAR NOSE & THROAT SPECIALTY CARE GV 5851 DULUTH ST STE 204 GOLDEN VALLEY, MN 55422	RCRA-CESQG	100029364 MND116904046		
RCRA-CESQG:					
Date form received by agency: 04/17/2007					
Facility name: EAR NOSE & THROAT SPECIALTY CARE GV					
Facility address: 5851 DULUTH ST STE 204 GOLDEN VALLEY, MN 55422					
EPA ID: MND116904046					
Mailing address: 2211 PARK AVE S MINNEAPOLIS, MN 55404					
Contact: MERRILEE LOTZOW					
Contact address: 2211 PARK AVE S MINNEAPOLIS, MN 55404					
Contact country: US					
Contact telephone: (612) 871-1144					
Contact email: Not reported					
EPA Region: 05					
Classification: Conditionally Exempt Small Quantity Generator					
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste					
Owner/Operator Summary:					
Owner/operator name: MINNEAPOLIS EAR NOSE & THROAT CLINIC					
Owner/operator address: 2211 PARK AVE S MINNEAPOLIS, MN 55404					
Owner/operator country: US					
Owner/operator telephone: (612) 871-1144					
Legal status: Private					
Owner/Operator Type: Owner					
Owner/Op start date: 07/26/1999					
Owner/Op end date: Not reported					
Owner/operator name: NAME NOT REPORTED					
Owner/operator address: ADDRESS NOT REPORTED CITY NOT REPORTED, AK 99998					
Owner/operator country: Not reported					
Owner/operator telephone: (312) 555-1212					
Legal status: Private					
Owner/Operator Type: Operator					
Owner/Op start date: Not reported					
TC3792338.1s Page 30 of 86					

Map ID		MAP FINDINGS		EDR ID Number	
Direction	Distance	Database(s)	EPA ID Number	Direction	Distance
Distance (ft./Site)		Database(s)		EPA ID Number	
EAR NOSE & THROAT SPECIALTY CARE GV (Continued)			100029364		
Owner/Op end date: Not reported					
Handler Activities Summary:					
U.S. importer of hazardous waste: No					
Mixed waste (haz. and radioactive): No					
Recycler of hazardous waste: No					
Transporter of hazardous waste: No					
Treater, storer or disposer of HW: No					
Underground injection activity: No					
On-site burner exemption: No					
Furnace exemption: No					
Used oil fuel burner: No					
Used oil processor: No					
User oil refiner: No					
Used oil fuel marketer to burner: No					
Used oil Specification marketer: No					
Used oil transfer facility: No					
Used oil transporter: No					
Historical Generators:					
Date form received by agency: 08/12/1994					
Facility name: EAR NOSE & THROAT SPECIALTY CARE GV					
Site name: GARFIN LAURENCE A DDS LTD					
Classification: Not a generator, verified					
Hazardous Waste Summary:					
Waste code: D000					
Waste name: Not Defined					
Waste code: D002					
Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.					
Violation Status: No violations found					
3	GIEBHAIN DENTAL ASSOCIATES PA 5851 DULUTH ST STE 103 GOLDEN VALLEY, MN 55422	MN WIMN	S110199534 N/A		
WIMN:					
Legislative District: 45B					
Latitude: 44.99922291					
Longitude: -93.35402274					
Activity: Hazardous Waste, Small to Minimal QG					
MPCA Id: MND982609448					
Major Watershed: Mississippi River - Twin Cities					
Coordinate Collection: Address Matching House Number					
Status: Active					
Click here to access Minnesota Pollution Control Agency:					
TC3792338.1s Page 31 of 86					

Map ID		MAP FINDINGS		EDR ID Number	
Direction	Distance	Database(s)	EPA ID Number	Direction	Distance
Distance (ft./Site)		Database(s)		EPA ID Number	
3	DANIEL G RAETHER DDS 5851 DULUTH ST STE 304 GOLDEN VALLEY, MN	RCRA NonGen / NLR MNS000560870 MN WIMN	1004727035 MN000560870		
RCRA NonGen / NLR:					
Date form received by agency: 09/18/2007					
Facility name: DANIEL G RAETHER DDS					
Facility address: 5851 DULUTH ST STE 304 GOLDEN VALLEY, MN 55422					
EPA ID: MNS000560870					
Mailing address: 2855 CAMPUS DR STE 360 PLYMOUTH, MN 55441					
Contact: DANIEL G RAETHER					
Contact address: 2855 CAMPUS DR STE 360 PLYMOUTH, MN 55441					
Contact country: US					
Contact telephone: (763) 383-1788					
Contact email: Not reported					
EPA Region: 05					
Classification: Non-Generator					
Description: Handler: Non-Generators do not presently generate hazardous waste					
Owner/Operator Summary:					
Owner/operator name: DANIEL G RAETHER DDS					
Owner/operator address: 5851 DULUTH ST STE 304 GOLDEN VALLEY, MN 55422					
Owner/operator country: US					
Owner/operator telephone: (763) 383-1788					
Legal status: Private					
Owner/Operator Type: Owner					
Owner/Op start date: 07/26/1999					
Owner/Op end date: 09/20/2007					
Handler Activities Summary:					
U.S. importer of hazardous waste: No					
Mixed waste (haz. and radioactive): No					
Recycler of hazardous waste: No					
Transporter of hazardous waste: No					
Treater, storer or disposer of HW: No					
Underground injection activity: No					
On-site burner exemption: No					
Furnace exemption: No					
Used oil fuel burner: No					
Used oil processor: No					
User oil refiner: No					
Used oil fuel marketer to burner: No					
Used oil Specification marketer: No					
Used oil transfer facility: No					
Used oil transporter: No					
Historical Generators:					
Date form received by agency: 08/08/1994					
Facility name: DANIEL G RAETHER DDS					
Classification: Not a generator, verified					
Violation Status: No violations found					
FINDS:					
TC3792338.1s Page 32 of 86					

Map ID		MAP FINDINGS		EDR ID Number	
Direction	Distance	Database(s)	EPA ID Number	Direction	Distance
Distance (ft./Site)		Database(s)		EPA ID Number	
DANIEL G RAETHER DDS (Continued)			1004727035		
Registry ID: 110009396956					
Environmental Interest/Information System					
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.					
MN-DELTA (Minnesota - Permitting, Compliance, And Enforcement Information Management System) facilitates the issuance of permits and manages compliance.					
WIMN:					
Legislative District: 45B					
Latitude: 44.99922291					
Longitude: -93.35402274					
Activity: Hazardous Waste, Small to Minimal QG					
MPCA Id: MN000560870					
Major Watershed: Mississippi River - Twin Cities					
Coordinate Collection: Address Matching House Number					
Status: Inactive					
Click here to access Minnesota Pollution Control Agency:					
3	WEST METRO OPHTHALMOLOGY 5851 DULUTH ST STE 215 GOLDEN VALLEY, MN 55422	MN WIMN	S110444184 N/A		
WIMN:					
Legislative District: 45B					
Latitude: 44.99922291					
Longitude: -93.35402274					
Activity: Hazardous Waste, Small to Minimal QG					
MPCA Id: MNS000149294					
Major Watershed: Mississippi River - Twin Cities					
Coordinate Collection: Address Matching House Number					
Status: Active					
Click here to access Minnesota Pollution Control Agency:					
4	E & V CONSULTANTS AND CONST MANAGERS 5801 DULUTH STREET, #345 MINNEAPOLIS, MN	FINDS	1005642080 N/A		
FINDS:					
Registry ID: 110010742358					
Environmental Interest/Information System					
ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to					
TC3792338.1s Page 33 of 86					

MAP FINDINGS

E & V CONSULTANTS AND CONST MANAGERS (Continued) 1005642080

replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and at Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include: Incident Tracking, Compliance Assistance, and Compliance Monitoring.

4 INSPEC INC. RCRA-CESQG 1000345817  
5801 DULUTH STREET MLTS MND985681881  
MINNEAPOLIS, MN 55422 FINDS MN WIMN

RCRA-CESQG:

Date form received by agency: 05/14/1990  
 Facility name: INSPEC INC  
 Facility address: 5801 DULUTH ST  
 GOLDEN VALLEY, MN 55422  
 EPA ID: MND985681881  
 Contact: ERNEST PADGETT  
 Contact address: 5801 DULUTH ST  
 MINNEAPOLIS, MN 554223958  
 Contact country: US  
 Contact telephone: (763) 546-3434  
 Contact email: Not reported  
 EPA Region: 05  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: INSPEC INC  
 Owner/operator address: 5801 DULUTH ST  
 MINNEAPOLIS, MN 55422  
 Owner/operator country: US  
 Owner/operator telephone: (763) 546-3434  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 07/26/1999  
 Owner/Op end date: Not reported

MAP FINDINGS

INSPEC INC. (Continued) 1000345817

Handler Activities Summary:  
 U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: F001  
 Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

MLTS:

License Number: 22-24809-01  
 First License Date: 12/15/86  
 License Date: 04/17/97  
 Lic. Expiration Date: 01/31/02  
 Contact Name: ROGER POCTA  
 Contact Phone: 612-546-3434  
 Institution Code: 34021  
 Department/Bldg: Not reported  
 States Allowing Use: Not reported  
 Store Material Use: No  
 Redistribution Use: No  
 Incinerate Use: No  
 Burial Use: No  
 Last Inspection Date: 01/01/97  
 Next Inspection Date: 01/01/02  
 License Contact: Not reported  
 Inspector Name: POCTA

MAP FINDINGS

INSPEC INC. (Continued) 1000345817

FINDS:

Registry ID: 110003839482

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MN-DELTA (Minnesota - Permitting, Compliance, And Enforcement Information Management System) facilitates the issuance of permits and manages compliance.

WIMN:

Legislative District: 45B  
 Latitude: 44.99913239  
 Longitude: -93.35351389  
 Activity: Hazardous Waste, Small to Minimal QG  
 MPCA Id: MND985681881  
 Major Watershed: Mississippi River - Twin Cities  
 Coordinate Collection: Address Matching House Number  
 Status: Active

Click here to access Minnesota Pollution Control Agency:

4 PAUL BRINK ASSOCIATES INC MN WIMN S11022181  
5801 DULUTH ST STE 300 N/A  
GOLDEN VALLEY, MN 55422

WIMN:

Legislative District: 45B  
 Latitude: 44.99913239  
 Longitude: -93.35351389  
 Activity: Hazardous Waste, Small to Minimal QG  
 MPCA Id: MND062820428  
 Major Watershed: Mississippi River - Twin Cities  
 Coordinate Collection: Address Matching House Number  
 Status: Active

Click here to access Minnesota Pollution Control Agency:

4 BRINK PAUL ASSOCIATES INC RCRA NonGen / NLR 1000316666  
5801 DULUTH ST FINDS MND062820428  
GOLDEN VALLEY, MN 55422

RCRA NonGen / NLR:

Date form received by agency: 10/01/1996  
 Facility name: BRINK PAUL ASSOCIATES INC  
 Facility address: 5801 DULUTH ST  
 GOLDEN VALLEY, MN 55422  
 EPA ID: MND062820428

MAP FINDINGS

BRINK PAUL ASSOCIATES INC (Continued) 1000316666

Mailing address: 5801 DULUTH ST STE 300  
 GOLDEN VALLEY, MN 55422  
 Contact: Not reported  
 Contact address: Not reported  
 Contact country: Not reported  
 Contact telephone: Not reported  
 Contact email: Not reported  
 EPA Region: 05  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NAME NOT REPORTED  
 Owner/operator address: ADDRESS NOT REPORTED  
 CITY NOT REPORTED, AK 99998  
 Owner/operator country: Not reported  
 Owner/operator telephone: (312) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 06/16/1987  
 Facility name: BRINK PAUL ASSOCIATES INC  
 Site name: PAUL BRINK ASSOCIATES INC  
 Classification: Conditionally Exempt Small Quantity Generator

MAP FINDINGS		EDR ID Number
Map ID	Direction	Distance
Distance (ft.)	Site	Database(s)
<b>BRINK PAUL ASSOCIATES INC (Continued)</b>		<b>1000316666</b>
<p><b>Hazardous Waste Summary:</b></p> <p>Waste code: D000 Waste name: Not Defined</p> <p>Waste code: D002 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.</p> <p>Violation Status: No violations found</p> <p><b>FINDS:</b></p> <p>Registry ID: 110003770296</p> <p><b>Environmental Interest/Information System</b> RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.</p> <p><b>MN-DELTA (Minnesota - Permitting, Compliance, And Enforcement Information Management System)</b> facilitates the issuance of permits and manages compliance.</p>		
<b>4 E &amp; V CONSULTANTS AND CONST MANAGERS</b>		<b>ICIS 1011601483</b>
<b>5801 DULUTH STREET, #345 MINNEAPOLIS MN 55422</b>		<b>N/A</b>
<p><b>ICIS:</b></p> <p>Enforcement Action ID: 05-1999-0207 FRS ID: 110010742358 Program ID: FRS 110010742358 Action Name: E &amp; V CONSULTANTS AND CONSTRUCTION MANAGERS Facility Name: E &amp; V CONSULTANTS AND CONST MANAGERS Facility Address: 5801 DULUTH STREET, #345 MINNEAPOLIS MN 55422 Enforcement Action Type: CAA 113A Admin Compliance Order (Non-Penalty) Facility County: Hennepin EPA Region #: 5</p> <p>Program ID: FRS 110010742358 Facility Name: E &amp; V CONSULTANTS AND CONST MANAGERS Address: 5801 DULUTH STREET, #345 Tribal Indicator: N Fed Facility: Not reported NAIC Code: Not reported SIC Code: 8742 Latitude: 44.99912 Longitude: -93.352722</p>		
TC3792338.1s Page 38 of 86		

MAP FINDINGS		EDR ID Number
Map ID	Direction	Distance
Distance (ft.)	Site	Database(s)
<b>5 COLONIAL ACRES HOME INC</b>		<b>RCRA-CESQG 1001220600</b>
<b>5825 SAINT CROIX AVE N</b>		<b>FINDS MNR000056879</b>
<b>MINNEAPOLIS, MN</b>		<b>MN WIMM</b>
<p><b>RCRA-CESQG:</b> Date form received by agency: 12/01/1997 Facility name: COLONIAL ACRES HOME INC Facility address: 5825 ST CROIX AVE N MINNEAPOLIS, MN 554224484 MNR000056879 EPA ID: JOHN HAUGEN Contact: 5825 ST CROIX AVE N Contact address: MINNEAPOLIS, MN 554224484 Contact country: US Contact telephone: (763) 546-6125 Contact email: Not reported EPA Region: 05 Classification: Conditionally Exempt Small Quantity Generator Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste</p> <p><b>Owner/Operator Summary:</b> Owner/operator name: COLONIAL ACRES HOME INC Owner/operator address: 5825 ST CROIX AVE N MINNEAPOLIS, MN 55422 Owner/operator country: US Owner/operator telephone: (763) 546-6125 Legal status: Private Owner/Operator Type: Operator Owner/Op start date: 07/26/1999 Owner/Op end date: Not reported</p> <p><b>Handler Activities Summary:</b> U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No Used oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No</p>		
TC3792338.1s Page 39 of 86		

MAP FINDINGS		EDR ID Number
Map ID	Direction	Distance
Distance (ft.)	Site	Database(s)
<b>COLONIAL ACRES HOME INC (Continued)</b>		<b>1001220600</b>
<p>Used oil transfer facility: No Used oil transporter: No</p> <p><b>Hazardous Waste Summary:</b></p> <p>Waste code: D001 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CLIP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.</p> <p>Waste code: D002 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.</p> <p>Waste code: X002 Waste name: POLYCHLORINATED BIPHENOLS (PCBs)</p> <p>Violation Status: No violations found</p> <p><b>FINDS:</b></p> <p>Registry ID: 110008656105</p> <p><b>Environmental Interest/Information System</b> RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.</p> <p><b>MN-DELTA (Minnesota - Permitting, Compliance, And Enforcement Information Management System)</b> facilitates the issuance of permits and manages compliance.</p> <p><b>WIMM:</b> Legislative District: 458 Latitude: 44.99638611 Longitude: -93.35373024 Activity: Hazardous Waste, Small to Minimal OG MPCA id: MNR000056879 Major Watershed: Mississippi River - Twin Cities Coordinate Collection: Address Matching House Number Status: Active</p> <p>Click here to access Minnesota Pollution Control Agency:</p>		
TC3792338.1s Page 40 of 86		

MAP FINDINGS		EDR ID Number
Map ID	Direction	Distance
Distance (ft.)	Site	Database(s)
<b>5 COVENANT MANOR</b>		<b>MN LUST U001322449</b>
<b>5800 SAINT CROIX AVE</b>		<b>MN LUST N/A</b>
<b>GOLDEN VALLEY, MN 55422</b>		<b>MN SPILLS MN WIMM</b>
<p><b>LUST:</b> Leak ID: 6090 MNPCL ID: 218735 Site ID: 53889901 Source: CORE Interest Type: Leak Site Interest Phone: NO CORE PI PH. Interest Start Date: 06/30/1997 00:00:00 Interest End Date: Not reported Release Discovered Date: 01/07/1993 Leak Reported Date: 01/22/1993 Leak Site: Leak Site - Tank and Petroleum Contamination File Archive Box: 15 File Archive Lot: 97/296 Soil Digout Date: 03/04/1993 Cubic Yards Excavated: 11 Conditional Closure Date: Not reported <b>Complete Site Closure Date: 03/24/1995 00:00:00</b> Contaminated Soils Remaining: Yes Enforcement Action Begin Date: 01/27/1993 Lust Trust Eligible: No Offsite Contamination: Unknown Reimbursement Awarded: No Std Letter Response Date: Not reported Surface Water Impact: Unknown Utility Project Flag: No TMSP Added: 12/04/1999 14:03:47 TMSP Last Update: 05/04/2002 09:20:22 Staff Id Last Update: TANKS Release From AST: No Release From UST: No Tank Registration Status Code: U VFC Application Date: Not reported VFC Acres: Not reported Addr Id: 277316 Township Name: Fort Snelling Active Flag: No Country Code: USA Foreign State: Not reported Foreign Zone: Not reported State County Code: MN Vapor Intrusion Checked Flag: Not reported Soil Gas Data Collected Flag: Not reported Soil Gas Action Level Flag: Not reported Sub Slab Sample Collected Flag: Not reported Indoor Air Collected Flag: Not reported Vapor Intrusion Action Flag: Not reported Vapor Intrusion Comments: Not reported Soil Gas Data Comments: Not reported Comments: Not reported</p> <p><b>LEAK CLEANUP ACTIONS:</b> MN PCA ID: 218735 Leak Action Approval Date: Not reported Leak Action Begin Date: 03/04/1993 00:00:00</p>		
TC3792338.1s Page 41 of 86		

MAP FINDINGS

**COVENANT MANOR (Continued)** U001322449

Leak Action End Date: 05/17/1993 00:00:00  
 TMSP Added: 12/04/1999 14:05:11  
 TMSP Last Update: 05/04/2002 09:20:22  
 Staff Id Last Update: TANKS  
 MN PCA ID: 218735  
 Leak Action Approval Date: Not reported  
 Leak Action Begin Date: 03/04/1993 00:00:00  
 Leak Action End Date: 05/17/1993 00:00:00  
 TMSP Added: 12/04/1999 14:05:13  
 TMSP Last Update: 05/04/2002 09:20:22  
 Staff Id Last Update: TANKS

**LEAK GW INFO:**  
 MN PCA ID: 218735  
 Dv Supply Contam: Not reported  
 Free Product Observed: Not reported  
 Free Product Thickness: Not reported  
 Ground Water Contam: Yes  
 GW Cleanup Goal: 100  
 Gw Exceeds Cleanup Goal: Not reported  
 Cleanup Goal Achieved: Yes  
 Water Supply Exceeds Rat: Not reported  
 Well Type Code: Not reported  
 Impacted Aquifer Code: 3  
 TMSP Added: 12/04/1999 14:07:31  
 TMSP Last Update: 11/04/2003 12:57:07  
 Staff Id Last Update: RSUCHAN  
 Mibe Present Now: Not reported  
 Mibe Present Historically: Not reported  
 Mibe High Ug Per Liter Char: Not reported  
 Mibe High Ug Per Liter Num: Not reported  
 Mibe High Level Date: Not reported  
 Free Product At Close: Not reported  
 Staff Id Asis: Not reported  
 PWS Well: Not reported  
 Prot Flag: Not reported  
 Sens Flag: Not reported

**LEAK PRODUCT RELEASED:**  
 MN PCA ID: 218735  
 Prod Released Sequence Id: 321350  
 Leak Product: Diesel  
 Tmp Added: 12/04/1999 14:04:33  
 Tmp Last Updt: 05/04/2002 09:20:22  
 Staff Id Last Updt: TANKS

**UST:**

**TANK:**  
 MPCA Tank Number: 020  
 Tank Registration Date: 03/20/1993 00:00:00  
 Tank Storage Capacity: 300  
 Tank Dual Use: N  
**Tank Status:** **Removed**  
 Tank Stored Product: Diesel  
 Tank Construction Material: Bare/Paint/Asph Coat Steel  
 Tank Cathodic Protection: None  
 Piping Cathodic Protection: None

MAP FINDINGS

**COVENANT MANOR (Continued)** U001322449

Piping Material: Copper  
 Second Contain Tank: Copper  
 Second Contain Pipe: Not reported  
 Tank Dispenser: Submersible  
 Above/ Under Ground: Under Ground  
 AST Base Material: Not reported  
 Piping Material Description: Not reported  
 Unregulated Tank Registration Date: Not reported  
 Compartmental Tank Flag: Not reported  
 Heating Product Flag: No  
 Haz Waste Generator Id: Not reported  
 Product Replaced Date: Not reported  
 Sludge Disposal Facility: Not reported  
 Comments: Not reported  
 Date Added: 10/10/1999 10:57:21  
 Date Last Updated: 09/24/2008 14:07:03  
 Staff Id Who Did The Last Update: RSUCHAN  
 In Compliance: No  
 Serial Number: Not reported

**TANK ACTION:**  
 MPCA Tank Number: 020  
 Above Or Underground: Under Ground  
 Tank Action ID: 848593  
 Contractor Number: 15  
 Supervisor Number: 1447  
 Tank Action: Remove Tank  
 Action Date: 03/04/1993 00:00:00  
 Action Date Unknown: Not reported  
 Corrosion Expert Name: Not reported  
 Lab Flag: Not reported  
 Date Added: 05/05/2000 08:30:55  
 Date Last Updated: 05/04/2002 08:32:50  
 Staff Id Who Did The Last Update: TANKS

MPCA Tank Number: 020  
 Above Or Underground: Under Ground  
 Tank Action ID: 837909  
 Contractor Number: Not reported  
 Supervisor Number: Not reported  
 Tank Action: Install Tank  
 Action Date: 01/01/1900 00:00:00  
 Action Date Unknown: Not reported  
 Corrosion Expert Name: Not reported  
 Lab Flag: Not reported  
 Date Added: 05/05/2000 08:30:20  
 Date Last Updated: 05/04/2002 08:32:50  
 Staff Id Who Did The Last Update: TANKS

**TANK COMPARTMENT:**  
 MPCA Tank Number: 020  
 Above Or Underground: Under Ground  
 Compartment Number: 1  
 Tank Stored Product Code: 10  
 Tank Stored Product Desc: DIESEL  
 Compartment Cap: 300  
 Heating: No

MAP FINDINGS

**COVENANT MANOR (Continued)** U001322449

Other Desc: Not reported  
 Date Added: 10/10/1999 10:58:47  
 Date Last Updated: 05/04/2002 08:32:50  
 Staff Id Who Did The Last Update: TANKS

**TABSITE:**  
 Program Interest Id: 205003  
 Above Or Underground: Under Ground  
 Facility Code: 17  
 Indian Reservation: No  
 UST Registration Date: 03/20/1993 00:00:00  
 AST Registration Date: Not reported  
 Date Added: 03/31/1993 16:29:52  
 Date Last Updated: 05/23/2003 09:21:03  
 Staff Id Who Did The Last Update: SYS  
 Max Monthly Gallons: Not reported  
 Vapor Recovery Installed: Unknown  
 Vapor Notify Required: Unknown

**LATLONG:**  
 Program Id: 205003  
 Latlong ID: 137871  
 Latitude Degrees: 44  
 Latitude Minutes: 59  
 Latitude Seconds: 47.71  
 Longitude Degrees: -93  
 Longitude Minutes: 21  
 Longitude Seconds: 12.81  
 Collection Date: 08/03/2004 12:34:08  
 Latlong Description: Not reported  
 TMSP Added: 12/03/2007 15:28:00  
 Date Last Updated: 03/30/2010 18:37:09  
 Staff Id Last Updated: MAPT\_NC  
 Coord Source Type: Not reported  
 Org Name Source: Not reported

**MN SPILL:**  
 Program Id: 180637  
 Spill Date: 02/08/1996  
 Site ID: 0  
 Public Safety Spill ID: Not reported  
 Interest Type: Spill site  
 Interest Phone: Not reported  
 Preferred Id: 22972  
 Interest Start Date: 02/08/1996  
 Interest End Date: Not reported  
 Active: Not reported  
 Tmp Added: 02/08/1996  
 Tmp Last Updt: 04/11/2007 08:22:56  
 Staff Id Last Updt: RSUCHAN  
 Foreign Zone: Not reported  
**Spill Closure Desc:** **Not reported**  
 Sp Rep Code: Nonsignificant, No Followup  
 Report Taken By: 3257  
 MPCA Project Manager: 3257

MAP FINDINGS

**COVENANT MANOR (Continued)** U001322449

MPCA Involvement: Not reported  
 Spill Site Closure Date: 02/08/1996  
 Spill Rep Desc: GOLDEN VALLEY DISPATCHER  
 Spill Reported Date: 02/08/1996  
 Init Cause Code: Equipment Failure  
 Init Cause Desc: EQUIPMENT FAILURE  
 Initial Source Code: 11  
 Priority: 3  
 Rep Phone: Not reported  
 Rep Name: Not reported  
 Rpt Taken By Duty Officer: Not reported  
 Duty Officer Report No: Not reported  
 Comments: SEWER BROKE AND FILLED UNDERGROUND GARAGE

**Action:**  
 Spill Action Code: 3  
 Spill Action Person: Not reported  
 Spill Action Date: Not reported  
 Tmp Added: 02/08/1996 08:44:54  
 Tmp Last Updt: 05/04/2002 07:11:39  
 Staff Id Last Updt: TANKS

**Affected Description:**  
 Spill Inc. Affect Code: Business  
 Spill Inc. Affect Code: Street, Parking Lot

**Product:**  
 Program ID: 180637  
 Spill Incident Accuracy Id: Not reported  
 Spill Product Code: Gasoline, Type Unknown  
 Spill Qty Units Code: Unknown  
 Spill Incident Accuracy Code: Estimated  
 Spill Released Qty: 0

**WIMN:**  
 Legislative District: 45B  
 Latitude: 44.99558855  
 Longitude: -93.35359903  
 Activity: Multiple Activities  
 MPCA Id: Multiple Activities  
 Major Watershed: Mississippi River - Twin Cities  
 Coordinate Collection: Address Matching House Number  
 Status: Inactive

Click here to access Minnesota Pollution Control Agency:

6 2012 BASSETT CREEK RESTORATION PROJECT  
 ADDRESS UNKNOWN MN WIMN S111872615  
 GOLDEN VALLEY, MN 55427 N/A

**WIMN:**  
 Legislative District: 45B  
 Latitude: 44.99559599  
 Longitude: -93.35479999  
 Activity: Construction Stormwater Permit  
 MPCA Id: C00033730  
 Major Watershed: Mississippi River - Twin Cities  
 Coordinate Collection: Digitized - Permit Application Map

**2012 BASSETT CREEK RESTORATION PROJECT (Continued)** **S111872615**  
 Status: Inactive

[Click here to access Minnesota Pollution Control Agency:](#)

**7 CONRAD MAUERSBERGER PROPERTY** **MN LUST S106549368**  
**1620 E CONSTANCE DR** **MN WIMM N/A**  
**GOLDEN VALLEY, MN**

**LUST:**  
 Leak ID: 7300  
 MNPCA ID: 219919  
 Site ID: 243818  
 Source: CORE  
 Interest Type: Leak Site  
 Interest Phone: NO CORE PI PH.  
 Interest Start Date: 06/13/1997 00:00:00  
 Interest End Date: Not reported  
 Release Discovered Date: 04/21/1994  
 Leak Reported Date: 04/22/1994  
 Leak Site: Leak Site - Tank and Petroleum Contamination  
 File Archive Box: 07  
 File Archive Lot: 97/296  
 Soil Digout Date: Not reported  
 Cubic Yards Excavated: 10  
 Conditional Closure Date: Not reported  
**Complete Site Closure Date: 03/15/1995 00:00:00**  
 Contaminated Soils Remaining: Unknown  
 Enforcement Action Begin Date: 04/27/1994  
 Lust Trust Eligible: No  
 Offsite Contamination: Unknown  
 Reimbursement Awarded: No  
 Std Letter Response Date: Not reported  
 Surface Water Impact: Unknown  
 Utility Project Flag: No  
 TMSF Added: 12/04/1999 14:03:48  
 TMSF Last Update: 05/04/2002 09:24:43  
 Staff Id Last Update: TANKS  
 Release From AST: No  
 Release From UST: No  
 Tank Registration Status Code: U  
 VPIC Application Date: Not reported  
 VPIC Acres: Not reported  
 Addr Id: 278472  
 Township Name: Fort Snelling  
 Active Flag: No  
 Country Code: USA  
 Foreign State: Not reported  
 Foreign Zone: Not reported  
 State County Code: MN  
 Vapor Intrusion Checked Flag: Not reported  
 Soil Gas Data Collected Flag: Not reported  
 Soil Gas Action Level Flag: Not reported  
 Sub Slab Sample Collected Flag: Not reported  
 Indoor Air Collected Flag: Not reported  
 Vapor Intrusion Action Flag: Not reported  
 Vapor Intrusion Comments: Not reported  
 Soil Gas Data Comments: Not reported  
 Comments: Not reported

**CONRAD MAUERSBERGER PROPERTY (Continued)** **S106549368**

**LEAK CLEANUP ACTIONS:**  
 MN PCA ID: Not reported  
 Leak Action Approval Date: Not reported  
 Leak Action Begin Date: Not reported  
 Leak Action End Date: Not reported  
 TMSF Added: Not reported  
 TMSF Last Update: Not reported  
 Staff Id Last Update: Not reported

**LEAK GW INFO:**  
 MN PCA ID: 219919  
 Dv Supply Contam: Not reported  
 Free Product Observed: Not reported  
 Free Product Thickness: Not reported  
 Ground Water Contam: S  
 GW Cleanup Goal: 0  
 Gw Exceeds Cleanup Goal: Not reported  
 Cleanup Goal Achieved: Not reported  
 Water Supply Exceeds Rat: Not reported  
 Well Type Code: Not reported  
 Impacted Aquifer Code: Not reported  
 TMSF Added: 12/04/1999 14:07:32  
 TMSF Last Update: 11/04/2003 12:57:07  
 Staff Id Last Update: RSUCHAN  
 Mtb Present Now: Not reported  
 Mtb Present Historically: Not reported  
 Mtb High Ug Per Liter Char: Not reported  
 Mtb High Ug Per Liter Num: Not reported  
 Mtb High Level Date: Not reported  
 Free Product At Close: Not reported  
 Staff Id Ass: Not reported  
 PWS Well: Not reported  
 Prot Flag: Not reported  
 Sens Flag: Not reported

**LEAK PRODUCT RELEASED:**  
 MN PCA ID: 219919  
 Prod Released Sequence Id: 322052  
 Leak Product: Fuel Oil 1 and 2  
 Tmsf Added: 12/04/1999 14:04:33  
 Tmsf Last, updt: 05/04/2002 09:24:43  
 Staff Id Last Updt: TANKS

**WIMM:**  
 Legislative District: 45B  
 Latitude: 44.99565537  
 Longitude: -93.35663891  
 Activity: Leak Site  
 MPCA Id: 7300  
 Major Watershed: Mississippi River - Twin Cities  
 Coordinate Collection: Address Matching House Number  
 Status: Inactive

[Click here to access Minnesota Pollution Control Agency:](#)

**8 NA** **MN SPILLS S106693813**  
**6014 GOLDEN VALLEY RD** **N/A**  
**GOLDEN VALLEY, MN**

**MN SPILL:**  
 Program Id: 231540  
 Spill Date: 07/11/2001  
 Site ID: 0  
 Public Safety Spill ID: 6793  
 Interest Type: Spill site  
 Interest Phone: Not reported  
 Preferred Id: 55017  
 Interest Start Date: 07/12/2001  
 Interest End Date: Not reported  
 Active: Not reported  
 Tmsf Added: 07/12/2001  
 Tmsf Last Updt: 04/11/2007 08:23:05  
 Staff Id Last Updt: RSUCHAN  
 Foreign Zone: Not reported  
**Spill Closure Desc: Response Completed**  
 Sp Rep Code: Not reported  
 Report Taken By: 3297  
 MPCA Project Manager: 3297  
 MPCA Involvement: None  
 Spill Site Closure Date: 07/12/2001  
 Spill Rep Desc: Bruce Denny  
 Spill Reported Date: 07/11/2001  
 Init Cause Code: Equipment Failure  
 Init Cause Desc: Not reported  
 Initial Source Code: 13  
 Priority: Not reported  
 Rep Phone: 6123372085  
 Rep Name: Bruce Denny  
 Rpt Taken By Duty Officer: Not reported  
 Duty Officer Report No: 29209  
 Comments: **\*\*No file\*\* Per MR Denny ,A bushing leaked in transformer.**

**Affected Description:**  
 Spill Inc. Affect Code: Paved, Not Street

**Product:**  
 Program ID: 231540  
 Spill Incident Accuracy Id: Not reported  
 Spill Product Code: Mineral Oil  
 Spill Qty Units Code: Gallons  
 Spill Incident Accuracy Code: Known  
 Spill Released Qty: 2

**9 FURNITURE PLACEMENT SERVICES** **MN SPILLS S106693106**  
**6100 GOLDEN VALLEY RD** **N/A**  
**GOLDEN VALLEY, MN**

**MN SPILL:**  
 Program Id: 178882  
 Spill Date: 03/31/1995  
 Site ID: 0  
 Public Safety Spill ID: Not reported  
 Interest Type: Spill site  
 Interest Phone: Not reported  
 Preferred Id: 21086

**FURNITURE PLACEMENT SERVICES (Continued)** **S106693106**

Interest Start Date: 03/21/1996  
 Interest End Date: Not reported  
 Active: Not reported  
 Tmsf Added: 03/21/1996  
 Tmsf Last Updt: 04/11/2007 08:23:03  
 Staff Id Last Updt: RSUCHAN  
 Foreign Zone: Not reported  
**Spill Closure Desc: Not reported**  
 Sp Rep Code: Not reported  
 Report Taken By: 3236  
 MPCA Project Manager: 3236  
 MPCA Involvement: Not reported  
 Spill Site Closure Date: 03/31/1995  
 Spill Rep Desc: MARK CLKNLN  
 Spill Reported Date: 03/31/1995  
 Init Cause Code: Truck/Vehicle Cargo  
 Init Cause Desc: SEMI WENT OVER CLIFF  
 Initial Source Code: Not reported  
 Priority: 4  
 Rep Phone: Not reported  
 Rep Name: Not reported  
 Rpt Taken By Duty Officer: Not reported  
 Duty Officer Report No: Not reported  
 Comments: **\*NO FILE\***

**Product:**  
 Program ID: 178882  
 Spill Incident Accuracy Id: Not reported  
 Spill Product Code: Light Fuel Oil and Diesel  
 Spill Qty Units Code: Unknown  
 Spill Incident Accuracy Code: Unknown  
 Spill Released Qty: 0

**10 BELLBOY CORPORATION** **MN LUST U000883694**  
**6005 GOLDEN VALLEY RD** **MN LUST N/A**  
**GOLDEN VALLEY, MN 55422** **MN WIMM**

**LUST:**  
 Leak ID: 3615  
 MNPCA ID: 216372  
 Site ID: 224090  
 Source: CORE  
 Interest Type: Leak Site  
 Interest Phone: NO CORE PI PH.  
 Interest Start Date: 08/17/1995 11:31:26  
 Interest End Date: Not reported  
 Release Discovered Date: Not reported  
 Leak Reported Date: 12/03/1990  
 Leak Site: Leak Site - Tank and Petroleum Contamination  
 File Archive Box: 26  
 File Archive Lot: 96/53  
 Soil Digout Date: 12/03/1990  
 Cubic Yards Excavated: 521  
 Conditional Closure Date: 10/31/1991  
**Complete Site Closure Date: 10/16/1992 00:00:00**  
 Contaminated Soils Remaining: Yes  
 Enforcement Action Begin Date: 12/10/1990

Map ID  
Direction  
Distance  
Distance (ft.)Site

MAP FINDINGS

EDR ID Number  
Database(s)  
EPA ID Number

BELLBOY CORPORATION (Continued)

U000883694

Lust Trust Eligible: No  
Offsite Contamination: Unknown  
Reimbursement Awarded: No  
Sit Letter Response Date: 01/15/1991  
Surface Water Impact: Unknown  
Utility Project Flag: No  
TMSP Added: 12/04/1999 14:03:45  
TMSP Last Update: 07/24/2006 13:52:50  
Staff Id Last Update: JDIEZ  
Release From AST: No  
Release From UST: No  
Tank Registration Status Code: U  
VPC Application Date: Not reported  
VPC Acres: Not reported  
Addr Id: 275011  
Township Name: Fort Snelling  
Active Flag: No  
Country Code: USA  
Foreign State: Not reported  
Foreign Zone: Not reported  
State County Code: MN  
Vapor Intrusion Checked Flag: Not reported  
Soil Gas Data Collected Flag: Not reported  
Soil Gas Action Level Flag: Not reported  
Sub Slab Sample Collected Flag: Not reported  
Indoor Air Collected Flag: Not reported  
Vapor Intrusion Action Flag: Not reported  
Vapor Intrusion Comments: Not reported  
Soil Gas Data Comments: Not reported  
Comments: Not reported

LEAK CLEANUP ACTIONS:

MN PCA ID: Not reported  
Leak Action Approval Date: Not reported  
Leak Action Begin Date: Not reported  
Leak Action End Date: Not reported  
TMSP Added: Not reported  
TMSP Last Update: Not reported  
Staff Id Last Update: Not reported

LEAK GW INFO:

MN PCA ID: 216372  
Dw Supply Contam: Not reported  
Free Product Observed: No  
Free Product Thickness: Not reported  
Ground Water Contam: No  
GW Cleanup Goal: 0  
Gw Exceeds Cleanup Goal: Not reported  
Cleanup Goal Achieved: Not reported  
Water Supply Exceeds Rat: Not reported  
Well Type Code: Not reported  
Impacted Aquifer Code: Not reported  
TMSP Added: 12/04/1999 14:07:29  
TMSP Last Update: 11/04/2003 12:57:06  
Staff Id Last Update: RSUCHAN  
Mibe Present Now: Not reported  
Mibe Present Historically: Not reported  
Mibe High Ug Per Liter Char: Not reported

Map ID  
Direction  
Distance  
Distance (ft.)Site

MAP FINDINGS

EDR ID Number  
Database(s)  
EPA ID Number

BELLBOY CORPORATION (Continued)

U000883694

Mibe High Ug Per Liter Num: Not reported  
Mibe High Level Date: Not reported  
Free Product At Close: Not reported  
Staff Id Ass: Not reported  
PWS Well: Not reported  
Prot Flag: Not reported  
Sens Flag: Not reported

LEAK PRODUCT RELEASED:

MN PCA ID: 216372  
Prod Released Sequence Id: 34604  
Leak Product: Fuel Oil 1 and 2  
Tmsp Added: 03/13/2003 14:10:27  
Tmsp Last\_updt: 03/13/2003 14:10:27  
Staff Id Last Updt: AMUSCH

UST:

TANK:

MPCA Tank Number: 001  
Tank Registration Date: 01/03/1991 00:00:00  
Tank Storage Capacity: 2000  
Tank Dual Use: N  
Tank Status: Removed  
Tank Stored Product: Fuel Oil  
Tank Construction Material: ST1-P3  
Tank Cathodic Protection: Anode  
Piping Cathodic Protection: None  
Piping Material: Wrapped Steel  
Second Contain Tank: Wrapped Steel  
Second Contain Pipe: Not reported  
Tank Dispenser: Suction  
Above/ Under Ground: Under Ground  
AST Base Material: Not reported  
Piping Material Description: Not reported  
Unregulated Tank Registration Date: Not reported  
Compartmental Tank Flag: Not reported  
Heating Product Flag: Yes  
Haz Waste Generator Id: Not reported  
Product Replaced Date: Not reported  
Sludge Disposal Facility: Not reported  
Comments: Not reported  
Date Added: 10/10/1999 10:56:58  
Date Last Updated: 09/24/2008 14:05:40  
Staff Id Who Did The Last Update: RSUCHAN  
In Compliance: Yes  
Serial Number: Not reported

TANK ACTION:

MPCA Tank Number: 001  
Above Or Underground: Under Ground  
Tank Action ID: 842193  
Contractor Number: 604  
Supervisor Number: Not reported  
Tank Action: Install Tank  
Action Date: 12/18/1990 00:00:00  
Action Date Unknown: Not reported  
Corrosion Expert Name: Not reported

Map ID  
Direction  
Distance  
Distance (ft.)Site

MAP FINDINGS

EDR ID Number  
Database(s)  
EPA ID Number

BELLBOY CORPORATION (Continued)

U000883694

Lab Flag: Not reported  
Date Added: 05/05/2000 08:31:37  
Date Last Updated: 05/04/2002 08:26:04  
Staff Id Who Did The Last Update: TANKS

TANK COMPARTMENT:

MPCA Tank Number: 001  
Above Or Underground: Under Ground  
Compartment Number: 1  
Tank Stored Product Code: 13  
Tank Stored Product Desc: FUEL OIL  
Compartment Cap: 2000  
Heating: Unknown  
Other Desc: Not reported  
Date Added: 10/10/1999 10:58:25  
Date Last Updated: 05/04/2002 08:26:04  
Staff Id Who Did The Last Update: TANKS

INSTALL REMOVE:

MPCA Tank Number: 001  
Number of Dispenses: Not reported  
Tank Construction Material Code: Not reported  
Piping Material: Not reported  
Piping Material Desc: Not reported  
Total Tank Capacity Quantity: 2000  
Staff Id Who Did The Last Update: JHENRY  
INSREM Product: Fuel Oil  
INSREM Product Description: Not reported  
INSREM Action ID: 904593  
INSREM Action: Remove Tank  
Action Completed Date: Not reported  
Date Added: 07/11/2006 10:36:41  
Date Last Updated: 07/11/2006 10:36:41

TANK:

MPCA Tank Number: 002  
Tank Registration Date: 01/03/1991 00:00:00  
Tank Storage Capacity: 4000  
Tank Dual Use: N  
Tank Status: Removed  
Tank Stored Product: Fuel Oil  
Tank Construction Material: Bare/Paint/Asph Coat Steel  
Tank Cathodic Protection: None  
Piping Cathodic Protection: None  
Piping Material: Steel/Iron  
Second Contain Tank: Steel/Iron  
Second Contain Pipe: Not reported  
Tank Dispenser: Suction  
Above/ Under Ground: Under Ground  
AST Base Material: Not reported  
Piping Material Description: Not reported  
Unregulated Tank Registration Date: Not reported  
Compartmental Tank Flag: Not reported  
Heating Product Flag: Yes  
Haz Waste Generator Id: Not reported  
Product Replaced Date: Not reported

Map ID  
Direction  
Distance  
Distance (ft.)Site

MAP FINDINGS

EDR ID Number  
Database(s)  
EPA ID Number

BELLBOY CORPORATION (Continued)

U000883694

Sludge Disposal Facility: Not reported  
Comments: Not reported  
Date Added: 10/10/1999 10:57:05  
Date Last Updated: 09/24/2008 14:05:40  
Staff Id Who Did The Last Update: RSUCHAN  
In Compliance: Yes  
Serial Number: Not reported

TANK ACTION:

MPCA Tank Number: 002  
Above Or Underground: Under Ground  
Tank Action ID: 851233  
Contractor Number: 604  
Supervisor Number: Not reported  
Tank Action: Remove Tank  
Action Date: 12/03/1990 00:00:00  
Action Date Unknown: Not reported  
Corrosion Expert Name: Not reported  
Lab Flag: N  
Date Added: 05/05/2000 08:31:01  
Date Last Updated: 05/04/2002 08:26:04  
Staff Id Who Did The Last Update: TANKS

MPCA Tank Number: 002  
Above Or Underground: Under Ground  
Tank Action ID: 842194  
Contractor Number: Not reported  
Supervisor Number: Not reported  
Tank Action: Install Tank  
Action Date: 01/01/1963 00:00:00  
Action Date Unknown: Not reported  
Corrosion Expert Name: Not reported  
Lab Flag: Not reported  
Date Added: 05/05/2000 08:31:37  
Date Last Updated: 05/04/2002 08:26:04  
Staff Id Who Did The Last Update: TANKS

TANK COMPARTMENT:

MPCA Tank Number: 002  
Above Or Underground: Under Ground  
Compartment Number: 1  
Tank Stored Product Code: 13  
Tank Stored Product Desc: FUEL OIL  
Compartment Cap: 4000  
Heating: Unknown  
Other Desc: Not reported  
Date Added: 10/10/1999 10:58:31  
Date Last Updated: 05/04/2002 08:26:04  
Staff Id Who Did The Last Update: TANKS

TABSITE:

Program Interest Id: 202996  
Above Or Underground: Under Ground  
Facility Code: 19  
Indian Reservation: No  
UST Registration Date: 01/03/1991 00:00:00

**BELBOY CORPORATION (Continued)** **U000883694**

AST Registration Date: Not reported  
 Date Added: 07/23/1992 19:11:05  
 Date Last Updated: 05/23/2003 09:21:03  
 Staff Id Who Did The Last Update: SVS  
 Max Monthly Gallons: Not reported  
 Vapor Recovery Installed: Unknown  
 Vapor Notify Required: Unknown

**LATLONG:**  
 Program Id: 202996  
 Latlong ID: 139743  
 Latitude Degrees: 44  
 Latitude Minutes: 59  
 Latitude Seconds: 30.69  
 Longitude Degrees: -93  
 Longitude Minutes: 21  
 Longitude Seconds: 24.04  
 Collection Date: 05/22/2008 13:18:20  
 Latlong Description: Not reported  
 TMSF Added: 05/22/2008 13:18:15  
 Date Last Updated: 05/22/2008 13:18:31  
 Staff Id Last Updated: MAPTOOL  
 Coord Source Type: Not reported  
 Org Name Source: Not reported

**WIMN:**  
 Legislative District: 45B  
 Latitude: 44.99185897  
 Longitude: -93.35667913  
 Activity: Multiple Activities  
 MPCA Id: Multiple Activities  
 Major Watershed: Mississippi River - Twin Cities  
 Coordinate Collection: Digitized - Map Tool  
 Status: Active

[Click here to access Minnesota Pollution Control Agency:](#)

**10 DEBOER INC** **MN SPILLS S107558253**  
**GOLDEN VALLEY RD AND ZANE AVE** **N/A**  
**GOLDEN VALLEY, MN**

**MN SPILL:**  
 Program Id: 176369  
 Spill Date: 08/24/1993  
 Site ID: 0  
 Public Safety Spill ID: Not reported  
 Interest Type: Spill site  
 Interest Phone: Not reported  
 Preferred Id: 16357  
 Interest Start Date: 03/21/1996  
 Interest End Date: Not reported  
 Active: Not reported  
 Tmsf Added: 03/21/1996  
 Tmsf Last Updt: 04/11/2007 08:22:55  
 Staff Id Last Updt: RSLUCHAN  
 Foreign Zone: Not reported  
**Spill Closure Desc:** Not reported

**DEBOER INC (Continued)** **S107558253**

Sp Rep Code: Not reported  
 Report Taken By: 3297  
 MPCA Project Manager: 3297  
 MPCA Involvement: Not reported  
 Spill Site Closure Date: 01/01/1996  
 Spill Rep Desc: GOLDEN VALLEY PD  
 Spill Reported Date: 08/24/1993  
 Init Cause Code: Truck/Vehicle Cargo  
 Init Cause Desc: TRUCK HIT BRIDGE  
 Initial Source Code: Not reported  
 Priority: 4  
 Rep Phone: Not reported  
 Rep Name: Not reported  
 Rpt Taken By Duty Officer: Not reported  
 Duty Officer Report No: Not reported  
 Comments: Not reported

**Product:**  
 Program ID: 176369  
 Spill Incident Accuracy Id: Not reported  
 Spill Product Code: Other (Described In Remarks)  
 Spill Qty Units Code: Unknown  
 Spill Incident Accuracy Code: Unknown  
 Spill Released Qty: 0

**11 RANDAL POOL AND SPA** **MN SPILLS S106691166**  
**6200 GOLDEN VALLEY RD** **N/A**  
**GOLDEN VALLEY, MN**

**MN SPILL:**  
 Program Id: 174446  
 Spill Date: 05/20/1992  
 Site ID: 0  
 Public Safety Spill ID: Not reported  
 Interest Type: Spill site  
 Interest Phone: Not reported  
 Preferred Id: 16287  
 Interest Start Date: 03/21/1996  
 Interest End Date: Not reported  
 Active: Not reported  
 Tmsf Added: 03/21/1996  
 Tmsf Last Updt: 04/11/2007 08:22:53  
 Staff Id Last Updt: RSLUCHAN  
 Foreign Zone: Not reported  
**Spill Closure Desc:** Not reported  
 Sp Rep Code: Not reported  
 Report Taken By: 4106  
 MPCA Project Manager: 4106  
 MPCA Involvement: Not reported  
 Spill Site Closure Date: 05/20/1992  
 Spill Rep Desc: MARK KLJHNEY  
 Spill Reported Date: 05/20/1992  
 Init Cause Code: Other  
 Init Cause Desc: ACID USED TO REMOVE  
 Initial Source Code: Not reported  
 Priority: 4  
 Rep Phone: Not reported

**RANDAL POOL AND SPA (Continued)** **S106691166**

Rep Name: Not reported  
 Rpt Taken By Duty Officer: Not reported  
 Duty Officer Report No: Not reported  
 Comments: HCL used to strip paint from swimming pools was drained into the storm sewer which enters a creek.

**Product:**  
 Program ID: 174446  
 Spill Incident Accuracy Id: Not reported  
 Spill Product Code: Chemical Acidic  
 Spill Qty Units Code: Unknown  
 Spill Incident Accuracy Code: Unknown  
 Spill Released Qty: 0

**12 VALLEY CREEK OFFICE PARK** **MN LAST S102357077**  
**GOLDEN VALLEY RD** **MN SPILLS N/A**  
**GOLDEN VALLEY, MN 55122**

**LAST:**  
 Site ID: 246476  
 Leak Id: 10963  
 MN PCA ID: 223387  
 Leak Site: Both Leak and Property Transfer Site  
 File Archive Box: Not reported  
 File Archive Lot: Not reported  
 Soil Digout Date: Not reported  
 Cubic Yards Excavated: Not reported  
 Cond Closure Date: Not reported  
**Complete Site Closure Date: 05/11/2007 00:00:00**  
 Contaminated Soils Remaining: Yes  
 Enforcement Action Begin Dt: Not reported  
 Last Trust Eligible: No  
 Offsite Contamination: No  
 Reimbursement Awarded: No  
 Release Discovered Date: 10/09/1997  
 Leak Reported Date: 11/19/1997  
 Std Letter Response Date: Not reported  
 Surface Water Impact: No  
 Utility Project Flag: No  
 TMSF Added: 12/04/1999 14:03:51  
 TMSF Last Update: 06/20/2007 16:31:12  
 Staff Id Last Update: MKOPLIT  
 Release From LUST: Yes  
 Release From LUST: No  
 Tank Registration Status Code: FS  
 VPIC Application Date: Not reported  
 VPIC Acres: 2  
 Addr Id: 249792  
 Township Name: Fort Snelling  
 Active Flag: No  
 Country Code: USA  
 Foreign State: Not reported  
 Foreign Zone: Not reported  
 State County Code: MN  
 Interest Type: Leak Site  
 Interest Phone: NO CORE PI PH  
 Interest Start Date: 03/26/1999 00:00:00

**VALLEY CREEK OFFICE PARK (Continued)** **S102357077**

Interest End Date: Not reported  
 Vapor Intrusion Checked Flag: No  
 Soil Gas Data Collected Flag: No  
 Soil Gas Action Level Flag: Not reported  
 Sub Slab Sample Collected Flag: Not reported  
 Indoor Air Collected Flag: Not reported  
 Vapor Intrusion Action Flag: Not reported  
 Vapor Intrusion Comments: Not reported  
 Soil Gas Data Comments: Not reported  
 Source: CORE  
 Comments: Not reported

**LEAK CLEANUP ACTIONS:**  
 MN PCA ID: Not reported  
 Leak Action Approval Date: Not reported  
 Leak Action Begin Date: Not reported  
 Leak Action End Date: Not reported  
 TMSF Added: Not reported  
 TMSF Last Update: Not reported  
 Staff Id Last Update: Not reported

**LEAK GW INFO:**  
 MN PCA ID: 223387  
 Dw Supply Contam: No  
 Free Product Observed: No  
 Free Product Thickness: Not reported  
 Ground Water Contam: Yes  
 GW Cleanup Goal: 0  
 Gw Exceeds Cleanup Goal: Not reported  
 Cleanup Goal Achieved: Not reported  
 Water Supply Exceeds Rat: No  
 Well Type Code: Not reported  
 Impacted Aquifer Code: 3  
 TMSF Added: 12/04/1999 14:07:34  
 TMSF Last Update: 05/15/2007 11:04:51  
 Staff Id Last Update: MKOPLIT  
 Mtb Present Now: Not reported  
 Mtb Present Historically: Not reported  
 Mtb High Ug Per Liter Char: Not reported  
 Mtb High Ug Per Liter Numbr: Not reported  
 Mtb High Level Date: Not reported  
 Free Product At Close: No  
 Staff Id Ass: 3369  
 PWS Well: N  
 Prot Flag: No  
 Sens Flag: No

**LEAK PRODUCT RELEASED:**  
 MN PCA ID: 223387  
 Prod Released Sequence Id: 325201  
 Leak Product: Fuel Oil 1 and 2  
 Tmsf Added: 12/04/1999 14:04:37  
 Tmsf Last Updt: 05/04/2002 09:37:15  
 Staff Id Last Updt: TANKS  
 MN PCA ID: 223387  
 Prod Released Sequence Id: 323848  
 Leak Product: Gasoline, Type Unknown  
 Tmsf Added: 12/04/1999 14:04:35  
 Tmsf Last Updt: 05/04/2002 09:37:15

**VALLEY CREEK OFFICE PARK (Continued)** **S102357077**  
Staff Id Last Updt: TANKS

**MN SPILL:**  
Program Id: 181780  
Spill Date: 08/22/1996  
Site ID: 0  
Public Safety Spill ID: Not reported  
Interest Type: Spill site  
Interest Phone: Not reported  
Preferred Id: 24238  
Interest Start Date: 08/22/1996  
Interest End Date: Not reported  
Active: Not reported  
Tmsp Added: 08/22/1996  
Tmsp Last Updt: 04/11/2007 08:22:57  
Staff Id Last Updt: RSLUCHAN  
Foreign Zone: Not reported  
**Spill Closure Desc:** Refer To Water Quality  
Sp Rep Code: Refer To Local/County Gov.  
Report Taken By: 3297  
MPCA Project Manager: Not reported  
MPCA Involvement: Not reported  
Spill Site Closure Date: 08/22/1996  
Spill Rep Desc: MICS  
Spill Reported Date: 08/22/1996  
Init Cause Code: Equipment Failure  
Init Cause Desc: EQUIPMENT FAILURE  
Initial Source Code: 6  
Priority: 1  
Rep Phone: Not reported  
Rep Name: Not reported  
Rpt Taken By Duty Officer: Not reported  
Duty Officer Report No: Not reported  
Comments: BROKEN INTERCEPTOR PIPE

**Action:**  
Spill Action Code: 3  
Spill Action Person: Not reported  
Spill Action Date: Not reported  
Tmsp Added: 08/22/1996 15:35:35  
Tmsp Last Updt: 08/04/2002 07:15:15  
Staff Id Last Updt: TANKS

**Affected Description:**  
Spill Inc. Affect Code: Wetland

**Product:**  
Program ID: 181780  
Spill Incident Accuracy Id: Not reported  
Spill Product Code: Sewage Or Wastewater  
Spill Qty Units Code: Unknown  
Spill Incident Accuracy Code: Unknown  
Spill Released Qty: 0

**13 CENTERPOINT ENERGY - GV PROPANE** **MN TIER 2 S107727749**  
**6161 GOLDEN VALLEY RD**  
**GOLDEN VALLEY, MN 55422** **N/A**

**TIER 2:**  
ERC Number: 270700019  
Year: 2004  
Facility Status: Not reported  
Facility Phone: Not reported  
Facility Email: Not reported  
Facility Web: Not reported  
Facility MNCP: Not reported  
SIC: Not reported  
NAICS: Not reported  
Dunn Brad Num: Not reported  
Time Created: Not reported  
Signed By: Not reported  
Title: Not reported  
Signed Date: Not reported  
Attach Site Plan: Not reported  
Attach Coord Abbr: Not reported  
Attach Safeguard Info: Not reported  
Attach ERP: Not reported  
Hardcopy Attachments: Not reported  
Extension Site Plan: Not reported  
Extension Coord Abbr: Not reported  
Extension Safeguard Info: Not reported  
Extension ERP: Not reported  
Last Updated ERP: Not reported  
Last Tested ERP: Not reported  
Last Reviewed ERP: Not reported  
VZone Primary: Not reported  
VZone Secondary: Not reported  
Modified Date: Not reported  
FIPS County: Not reported  
Latitude/Longitude: /  
User Name: Not reported  
TRIFID: Not reported  
CMFCL Record ID: Not reported  
SEPC Approved Date ERP: Not reported  
Client System ID: Not reported  
Own Country: Not reported  
Site Plan: No  
Confidential Location: No  
Status 302: Not reported  
Status 312: Not reported  
Emergency Contact Name1: Not reported  
Emergency Contact Name2: Not reported  
Emergency Contact Name3: Not reported  
Emergency Contact Name4: Not reported  
Emergency Contact 24hr Phone1: Not reported  
Emergency Contact 24hr Phone2: Not reported  
Emergency Contact 24hr Phone3: Not reported  
Emergency Contact 24hr Phone4: Not reported

Facility Id: 270700019  
CAS Number: 74-98-6  
Chemical Id: Not reported  
Chemical Name: PROPANE (LIQUIFIED PETROLEUM GAS)

**CENTERPOINT ENERGY - GV PROPANE (Continued)** **S107727749**

EHS Name: Not reported  
Is EHS: Not reported  
Is EHS More than TPC: Not reported  
Is Containing EHS: Not reported  
How Chemical Is Stored: A24  
Max Daily Amt Code: Not reported  
Avg Daily Amt Code: Not reported  
Storage Container Type: Not reported  
Storage Pressure Class: Not reported  
Storage Temperature Class: Not reported  
Storage Location: Not reported  
Is Storage Confidential Location: Not reported  
Remark: site plan 98

**13 CENTERPOINT ENERGY - GOLDEN VALLEY** **RCRA-CESQG 1000312486**  
**6161 GOLDEN VALLEY RD** **FINDS MND980701205**  
**MINNEAPOLIS, MN** **WI MANIFEST**

**RCRA-CESQG:**  
Date form received by agency: 12/08/2004  
Facility name: CENTERPOINT ENERGY - GOLDEN VALLEY  
Facility address: 6161 GOLDEN VALLEY RD  
MINNEAPOLIS, MN 55422  
EPA ID: MND980701205  
Mailing address: 501 W 61ST ST  
MINNEAPOLIS, MN 55419  
Contact: MARILEE DOHERTY  
Contact address: 501 W 61ST ST  
MINNEAPOLIS, MN 55419  
US  
Contact country: US  
Contact telephone: (612) 861-8671  
Contact email: Not reported  
EPA Region: 05  
Classification: Conditionally Exempt Small Quantity Generator  
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

**Owner/Operator Summary:**  
Owner/operator name: NAME NOT REPORTED  
Owner/operator address: ADDRESS NOT REPORTED  
CITY NOT REPORTED, AK 99998  
Owner/operator country: Not reported  
Owner/operator telephone: (312) 555-1212

**CENTERPOINT ENERGY - GOLDEN VALLEY (Continued)** **1000312486**

Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: CENTERPOINT ENERGY  
Owner/operator address: PO BOX 59038  
MINNEAPOLIS, MN 55459  
Owner/operator country: US  
Owner/operator telephone: (612) 861-8671  
Legal status: Other  
Owner/Operator Type: Operator  
Owner/Op start date: 07/28/1999  
Owner/Op end date: Not reported

**Handler Activities Summary:**  
U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
Used oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

**Historical Generators:**  
Date form received by agency: 12/08/2004  
Facility name: CENTERPOINT ENERGY - GOLDEN VALLEY  
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 11/30/2004  
Facility name: CENTERPOINT ENERGY - GOLDEN VALLEY  
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 11/30/2004  
Facility name: CENTERPOINT ENERGY - GOLDEN VALLEY  
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 10/23/2002  
Facility name: CENTERPOINT ENERGY - GOLDEN VALLEY  
Classification: Conditionally Exempt Small Quantity Generator

**Hazardous Waste Summary:**  
Waste code: D000  
Waste name: Not Defined

Waste code: D001  
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS

MAP FINDINGS

CENTERPOINT ENERGY - GOLDEN VALLEY (Continued) 1000312486

CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002  
Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Waste code: D003  
Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

Waste code: F002  
Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROETHYLENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F003  
Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F005  
Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

FINDS:

MAP FINDINGS

CENTERPOINT ENERGY - GOLDEN VALLEY (Continued) 1000312486

Registry ID: 110008821178

Environmental Interest/Information System  
The NEI (National Emissions Inventory) database contains information on stationary and mobile sources that emit criteria air pollutants and their precursors, as well as hazardous air pollutants (HAPs).  
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.  
CRITERIA AND HAZARDOUS AIR POLLUTANT INVENTORY  
MN-DELTA (Minnesota - Permitting, Compliance, and Enforcement Information Management System) facilitates the issuance of permits and manages compliance.

WI MANIFEST:  
Year: 04  
EPA ID: MND980701205  
FID: 0  
ACT Code: 201  
ACT Status: A  
ACT Code 1: 201  
ACT Name: HW Generator - Large  
Contact First Name: Not reported  
Contact Last Name: Not reported  
Contact Title: Not reported  
Contact Address: Not reported  
Contact State: Not reported  
Contact City: Not reported  
Contact Zip: Not reported  
Contact Telephone: Not reported  
Contact Extension: Not reported  
Contact Email Address: Not reported  
Shipped: -  
Year: Not reported  
Manifest DOC ID: Not reported  
Copy Type: Not reported  
Gen EPA ID: Not reported  
Gen Date: Not reported  
TSD Date: Not reported  
TSD EPA ID: Not reported  
GEN Copy Revd Date: Not reported  
TSG Copy Revd Date: Not reported

Transport: -  
Year: Not reported  
Manifest Doc ID: Not reported  
Transporter EPA ID: Not reported  
Transport Order Num: Not reported  
Transport Date: Not reported

MAP FINDINGS

CENTERPOINT ENERGY - GOLDEN VALLEY (Continued) 1000312486

Waste:  
Year: Not reported  
Manifest DOC ID: Not reported  
Waste Page No: Not reported  
Waste Line No: Not reported  
Waste Code: Not reported  
Waste Amount: Not reported  
Unit of Measure: Not reported  
Waste LBS: Not reported

13 CENTERPOINT ENERGY - GOLDEN VALLEY MN SRS S107733997  
6161 GOLDEN VALLEY RD MN LS N/A  
MINNEAPOLIS, MN 55422 MN VIC  
MN AIRS  
MN TIER 2  
MN WIMN

MN SRS:  
Facility ID: VP6902R  
SEC Address: Not reported  
Link Id: 5313  
Facility Type: Other  
Active: False  
Pay Complete: False  
MPCA Region: Metro  
Size Acres: 1  
HRS Score: 0  
Enforcement Lead Agency: MPCA  
Federal Deferral Plot: False  
Petroleum Brownfields Prog?: False  
Emergency: False  
Site Classification: False  
RD/RA: False  
RL/FS: False  
Fund financed: False  
Npl: False  
Pip: False  
District: Metro  
Program Referred from: Not reported  
Program Interest: VIC  
Physical Location: none  
Natural Source damage: False  
Clean up Cost: Not reported  
Indian Reservation: False  
Reserve Name: Not reported  
MPCA Owned Wells at site: False  
Created By: P.Jensen  
Date Created: 07/26/2000  
Date Last Updated: 08/02/2000  
Federal Facility: False  
Primary Funding Source: Not reported  
EPA Id: Not reported  
MPCA Id: Not reported  
Alpha Sort: Not reported  
Legal Dist: 48B  
Congressional Dist: 5

MAP FINDINGS

CENTERPOINT ENERGY - GOLDEN VALLEY (Continued) S107733997

Public Land Survey Method: Not reported  
Map Scale For PLS Locational Data: Not reported  
Township 2: Not reported  
Range: Not reported  
PLS Township Suffix: Not reported  
section: Not reported  
PLS Qtr Section (160 Acres): Not reported  
PLS Qtr-Qtr Section (40 Acres): Not reported  
Pls Qtr-Qtr Section (10 Acres): Not reported  
Pls Qtr-Qtr-Qtr Secion (2.5 Acres): Not reported  
Quad: Not reported  
NAD Number: 83  
Desc Of UTM Coord Pt: Not reported  
UTM Coord Pt Data Source: Not reported  
Org Providing UTM Coord Point Data: Not reported  
mpcagpmac: Not reported  
Utm Coord Pt Data Collection Method: Not reported  
Date Of Utm Coord Pt Data Collection: Not reported  
COL Date Qual: Not reported  
Map Scale: Not reported  
verifmeth: Not reported  
horizref: Not reported  
Utm Source: 2  
Utm Method: 11  
Utm Scale: A  
Utm Accuracy: Not reported  
Utm East: 471789.8125  
Utm North: 4982143.5  
Utm Zone: 15  
Basin Code: 2  
Major Watershed: 20  
Minor Watershed: Not reported  
Public Land Survey Method 2: Not reported  
Map Scale For PLS Locational Data 2: Not reported  
Township 2: Not reported  
Range 2: Not reported  
PLS Township Suffix 2: Not reported  
Section 2: Not reported  
PLS Qtr Section (160 Acres) 2: Not reported  
PLS Qtr-Qtr Section (40 Acres) 2: Not reported  
PLS Qtr-Qtr Section (10 Acres) 2: Not reported  
PLS Qtr-Qtr Section (2.5 Acres) 2: Not reported  
Quad 2: Not reported  
File Location: Archival Storage  
VIC Application CIS: False  
Notes: This site is comprised of 18 flow meter stations along a natural gas pipe line.  
Contact Type: Former Staff TA  
Company Name: MPCA  
Contact Address: Lafayette Rd  
Contact Address 2: Not reported  
Contact City,St,Zip: St. Paul, MN 551554194  
Contact Province: Not reported  
Contact Country: Not reported  
Contact Postal code: Not reported  
Contact Phone: (651) 757-7827  
Contact Phone Ext: Not reported

Map ID  
Direction  
Distance  
Distance (ft.)Site

MAP FINDINGS

EDR ID Number  
Database(s) EPA ID Number

CENTERPOINT ENERGY - GOLDEN VALLEY (Continued)

S107733997

Contact Fax: Not reported  
Contact E-mail: Not reported  
Contact Cell Phone: Not reported  
Contact Information Last Updated: 2001-04-03 00:00:00  
Misc Contact Info: Not reported  
Receive Invoice: F  
Staff Id Num: 3209

Contact Type: Staff PL/PM (Project Leader/Project Manager)s  
Company Name: MPCA  
Contact Address: 520 Lafayette Rd  
Contact Address 2: Not reported  
Contact City, St, Zip: St. Paul, MN 551554194  
Contact Province: Not reported  
Contact Country: Not reported  
Contact Postal code: Not reported  
Contact Phone: 6522967207  
Contact Phone Ext: Not reported  
Contact Fax: Not reported  
Contact E-mail: Not reported  
Contact Cell Phone: Not reported  
Contact Information Last Updated: 2000-07-27 00:00:00  
Misc Contact Info: Not reported  
Receive Invoice: F  
Staff Id Num: 3387

Contact Type: Other  
Company Name: Not reported  
Contact Address: Not reported  
Contact Address 2: Not reported  
Contact City, St, Zip: MN  
Contact Province: Not reported  
Contact Country: Not reported  
Contact Postal code: Not reported  
Contact Phone: Not reported  
Contact Phone Ext: Not reported  
Contact Fax: Not reported  
Contact E-mail: Not reported  
Contact Cell Phone: Not reported  
Contact Information Last Updated: 2000-07-27 00:00:00  
Misc Contact Info: Not reported  
Receive Invoice: F  
Staff Id Num: Not reported

Contact Type: Staff TA (Technical Analyst)  
Company Name: MPCA  
Contact Address: 520 Lafayette Rd.  
Contact Address 2: Not reported  
Contact City, St, Zip: St. Paul, MN 551554194  
Contact Province: Not reported  
Contact Country: Not reported  
Contact Postal code: Not reported  
Contact Phone: (651) 757-7715  
Contact Phone Ext: Not reported  
Contact Fax: 651-296-9707  
Contact E-mail: hans.neve@state.mn.us  
Contact Cell Phone: Not reported

Map ID  
Direction  
Distance  
Distance (ft.)Site

MAP FINDINGS

EDR ID Number  
Database(s) EPA ID Number

CENTERPOINT ENERGY - GOLDEN VALLEY (Continued)

S107733997

Contact Information Last Updated: 2001-04-03 00:00:00  
Misc Contact Info: Not reported  
Receive Invoice: F  
Staff Id Num: 3357

Contaminant id: Mercury  
Contaminated Media: Soil  
Req Cleanup Concluded: 0.69999999  
Cleanup Lvl Measure Units: ug/L (Soil Leaching Value)  
Basis For Req Cleanup Lvl: 0  
Max Residual Contamination: SLV (Soil Leaching Value)  
Date Info Last Updated: 2001-07-30 00:00:00

Facid: VP6902R  
Event: Remedial Action  
Additional Information: by Minnegasco for soil contaminated with hg  
Start Date: 2000-07-28 00:00:00  
End Date: 2000-08-05 00:00:00  
Planned Start Date: Not reported  
Planned End Date: Not reported  
Date Info Last Updated: Not reported  
Record Number: 12248

Facid: VP6902R  
Event: VIC Program Participation Dates (Start/End)  
Additional Information: None Entered  
Start Date: 2000-07-26 00:00:00  
End Date: 2001-08-19 00:00:00  
Planned Start Date: Not reported  
Planned End Date: Not reported  
Date Info Last Updated: 2000-07-27 00:00:00  
Record Number: 9335

Facid: VP6902R  
Event: Limited No Action Letter Sent  
Additional Information: for hg contaminated soil inside meter building  
Start Date: Not reported  
End Date: 2001-07-25 00:00:00  
Planned Start Date: Not reported  
Planned End Date: Not reported  
Date Info Last Updated: 2001-07-30 00:00:00  
Record Number: 11663

Facid: VP6902R  
Event: Not reported  
Additional Information: Not reported  
Ecological receptors present: False  
Type of ecological receptors: Not reported  
Acres of contaminated soil: Not reported  
Volume of contaminated soil: 7  
Acres of surface water impacted: Not reported  
Acres of wetland impacted: Not reported  
Acres of sediment impacted: Not reported  
GW Plume Area Acres: Not reported  
Cleanup Conducted: True  
Acres of Contam Soil Remediate: Not reported  
Volume of Soil Cleaned: 7  
# Municipal wells contam: Not reported

Map ID  
Direction  
Distance  
Distance (ft.)Site

MAP FINDINGS

EDR ID Number  
Database(s) EPA ID Number

CENTERPOINT ENERGY - GOLDEN VALLEY (Continued)

S107733997

# Dom wells contam: Not reported  
# People Impact SW intake contam: Not reported  
# Drums Revolved from site: Not reported  
Yr Soil Remediated: Not reported  
Acres of Soil w/ Restrict Access: Not reported  
Yr IC remedy complete: Not reported  
Yr GW remedy complete: Not reported  
Year GWIC completed: Not reported  
Acres of wetland of sediment remediated: Not reported  
Public financing: False  
Assurance help: True  
Land use Classm At Site: Industrial  
Land use Vicinity Of Site: Residential  
Deed notil Present On Site: False  
Restrictive Covenant Present: False  
Restrictions: Not reported  
GW Pump and Treat Used at site: False  
Quaternary Perched: False  
Quaternary Water Table: False  
Quaternary Confined: False  
Cretaceous: False  
Plattville: False  
St. peter: False  
Prairie Duchien: False  
Jordan: False  
Ironton/Galesville: False  
Mt Simon Hinckley: False  
Precambrian Undifferentiated: False  
Other/Unknown Aquifer: False  
Date Info Last Updated: Not reported  
Inst Control Info Updated: Not reported  
Inst Control Filed Location: Not reported  
SW Classification (Primary): Not reported  
SW Classification (Secondary): Not reported  
Miscellaneous: remediation of mercury contaminated soil in side building only.  
SW Comments: Not reported

MN LS:  
Link ID: 5313  
EPA ID: Not reported  
MPCA ID: VP6902R  
Method: I1  
CERCLIS: No  
National Priorities List: No  
PLP: No  
Voluntary Cleanup & Investigation: Yes  
RCRA Treatment Storage & Disposal: No  
RCRA Generator: No  
Solid Waste Permit: No  
Dumps: No  
No Further Remedial Action Planned: No  
Delisted From PLP By MPCA: No  
LCP: No  
Brownfield: No  
Entity Type: VIC

Map ID  
Direction  
Distance  
Distance (ft.)Site

MAP FINDINGS

EDR ID Number  
Database(s) EPA ID Number

CENTERPOINT ENERGY - GOLDEN VALLEY (Continued)

S107733997

MN Voluntary Investigation Cleanup Program:  
Facility ID: VP6902R  
Facility Type: Other  
Facility Address 2: Not reported  
Core Program Interest Id: 336746  
Link Id: 5313  
Active: False  
Pay Complete: False  
MPCA Region: Metro  
Site Acres: 1  
HRS Score: 0  
Enforcement Lead Agency: MPCA  
Federal Defferal Plot: False  
Petroleum Brownfields Prog: False  
Emergency: False  
Site Classification: False  
RD/RA: False  
RLFS: False  
Fund financed: False  
Npl: False  
Pip: False  
District: Metro  
Program Referred from: Not reported  
Program Interest: VIC  
Physical Location: none  
Natural Source damage: False  
Clean up Cost: Not reported  
Indian Reservation: False  
Reservation Name: Not reported  
MPCA Owned Wells at site: False  
Created By: PJensen  
Date Created: 07/26/2000  
Date Last Updated: 08/02/2000  
Federal Facility: False  
Primary Funding Source: Not reported  
EPA ID: Not reported  
MPCA ID: Not reported  
Alpha Sort: Not reported  
Legal Dist: 45B  
Congressional Dist: 5  
Scale Of Map Used Pls Loc Data: Not reported  
Township: Not reported  
Range: Not reported  
Range East West: Not reported  
Section: Not reported  
Pls Qtr Section (160 Acres): Not reported  
Pls Qtr-Qtr Section (40 Acres): Not reported  
Pls Qtr-Qtr-Qtr Section (10 Acres): Not reported  
Pls Qtr-Qtr-Qtr-Qtr Section (2.5 Acres): Not reported  
Quad: Not reported  
NAD Number: 83  
Desc Of UTM Coord Pt: Not reported  
UTM Coord Pt Data Source: Not reported  
Org Providing The UTM Coord Point Data: Not reported  
Method For Loc Public Land Survey: Not reported  
Method Of Utm Coord Pt Data Collection: Not reported  
Date Of Utm Coord Pt Data Collection: Not reported

Map ID  
Direction  
Distance  
Distance (ft.)Site

MAP FINDINGS

EDR ID Number  
EPA ID Number

CENTERPOINT ENERGY - GOLDEN VALLEY (Continued)

S107733997

COL Date Qual: Not reported  
Map Scale: Not reported  
Verification Method: Not reported  
horizref: Not reported  
Utm Source: 2  
Utm Method: 11  
Utm Scale: A  
Utm Accuracy: Not reported  
Utm East: 471789.8125  
Utm North: 4982143.5  
Utm Zone: 15  
Basin Code: 2  
Major Watershed: 20  
Major Watershed: Not reported  
Method For Loc Public Land Survey: Not reported  
Scale Of Map Used Pls Loc Data: Not reported  
Township 2: Not reported  
Range 2: Not reported  
Range East West: Not reported  
Section 2: Not reported  
Pls Qtr Section (160 Acres) 2: Not reported  
Pls Qtr Qtr Section (40 Acres)2: Not reported  
Pls Qtr Qtr Section (10 Acres)2: Not reported  
Pls Qtr Qtr Section (2.5 Acres) 2: Not reported  
Quad 2: Not reported  
File Location: Archival Storage  
GIS Application GIS: False  
Notes: This site is comprised of 18 flow meter stations along a natural gas pipe line.  
Contact Type: Former Staff TA  
Company Name: MPCA  
Contact Address: Lafayette Rd  
Contact Address 2: Not reported  
Contact City,St,Zip: St. Paul, MN 551554194  
Contact Province: Not reported  
Contact Country: Not reported  
Contact Postal code: Not reported  
Contact Phone: (651) 757-7827  
Contact Phone Ext: Not reported  
Contact Fax: Not reported  
Contact E-mail: Not reported  
Contact Cell Phone: Not reported  
Contact Information Last Updated: 2001-04-03 00:00:00  
Misc Contact Info: F  
Receive Invoice: F  
Staff Id Num: 3209  
Contact Type: Staff PL/PM (Project Leader/Project Manager)s  
Company Name: MPCA  
Contact Address: 520 Lafayette Rd  
Contact Address 2: Not reported  
Contact City,St,Zip: St. Paul, MN 551554194  
Contact Province: Not reported  
Contact Country: Not reported  
Contact Postal code: Not reported  
Contact Phone: 6522967287  
Contact Phone Ext: Not reported

Map ID  
Direction  
Distance  
Distance (ft.)Site

MAP FINDINGS

EDR ID Number  
EPA ID Number

CENTERPOINT ENERGY - GOLDEN VALLEY (Continued)

S107733997

Contact Fax: Not reported  
Contact E-mail: Not reported  
Contact Cell Phone: Not reported  
Contact Information Last Updated: 2000-07-27 00:00:00  
Misc Contact Info: Not reported  
Receive Invoice: F  
Staff Id Num: 3387  
Contact Type: Other  
Company Name: Not reported  
Contact Address: Not reported  
Contact Address 2: Not reported  
Contact City,St,Zip: MN  
Contact Province: Not reported  
Contact Country: Not reported  
Contact Postal code: Not reported  
Contact Phone: Not reported  
Contact Phone Ext: Not reported  
Contact Fax: Not reported  
Contact E-mail: Not reported  
Contact Cell Phone: Not reported  
Contact Information Last Updated: 2000-07-27 00:00:00  
Misc Contact Info: Not reported  
Receive Invoice: F  
Staff Id Num: Not reported  
Contact Type: Staff TA (Technical Analyst)  
Company Name: MPCA  
Contact Address: 520 Lafayette Rd.  
Contact Address 2: Not reported  
Contact City,St,Zip: St. Paul, MN 551554194  
Contact Province: Not reported  
Contact Country: Not reported  
Contact Postal code: Not reported  
Contact Phone: (651) 757-7715  
Contact Phone Ext: Not reported  
Contact Fax: 651-296-9707  
Contact E-mail: hans.neve@state.mn.us  
Contact Cell Phone: Not reported  
Contact Information Last Updated: 2001-04-03 00:00:00  
Misc Contact Info: Not reported  
Receive Invoice: F  
Staff Id Num: 3357  
Contaminant Id: Mercury  
Contaminated Media: Soil  
Req Cleanup Concluded: 0.69999999  
Cleanup Lvl Measure Units: ug/L  
Basis For Req Cleanup Lvl: SLV (Soil Leaching Value)  
Max Residual Contamination: 0  
Date Info Last Updated: 2001-07-30 00:00:00  
Facid: VP6902R  
Event: Remedial Action  
Additional Information: by Minnegasco for soil contaminated with hg  
Start Date: 2000-07-28 00:00:00  
End Date: 2000-08-05 00:00:00

Map ID  
Direction  
Distance  
Distance (ft.)Site

MAP FINDINGS

EDR ID Number  
EPA ID Number

CENTERPOINT ENERGY - GOLDEN VALLEY (Continued)

S107733997

Planned Start Date: Not reported  
Planned End Date: Not reported  
Date Info Last Updated: Not reported  
Record Number: 12248  
Facid: VP6902R  
Event: VIC Program Participation Dates (Start/End)  
Additional Information: None Entered  
Start Date: 2000-07-26 00:00:00  
End Date: 2001-08-19 00:00:00  
Planned Start Date: Not reported  
Planned End Date: Not reported  
Date Info Last Updated: 2000-07-27 00:00:00  
Record Number: 9335  
Facid: VP6902R  
Event: Limited No Action Letter Sent  
Additional Information: for hg contaminated soil inside meter building  
Start Date: Not reported  
End Date: 2001-07-25 00:00:00  
Planned Start Date: Not reported  
Planned End Date: Not reported  
Date Info Last Updated: 2001-07-30 00:00:00  
Record Number: 11663  
Facid: VP6902R  
GW Receipts Prot by Rem Actn: Not reported  
Ecological receptors present: False  
Type of ecological receptors: Not reported  
Acres of contaminated soil: Not reported  
Volume of contaminated soil: 7  
Acres of surface water impacted: Not reported  
Acres of wetland impacted: Not reported  
Acres of sediment impacted: Not reported  
GW Plume Area Acres: Not reported  
Cleanup Conducted: True  
Acres of Contam Soil remediate: Not reported  
Volume of Soil Cleaned: 7  
# Municipal wells contam: Not reported  
# Dom wells contam: Not reported  
# People Impact SW intake contam: Not reported  
# Drums Revolved from site: Not reported  
Yr Soil Remediated: Not reported  
Acres of Soil w/ Restrict Access: Not reported  
Yr IC remedy complete: Not reported  
Yr GW remedy complete: Not reported  
Year GWIC completed: Not reported  
Acres of wetland of sediment remediated: Not reported  
Public financing: False  
Assurance help: True  
Land use Classfn At Site: Industrial  
Land use Vicinity Of Site: Residential  
Dead notfl Present On Site: False  
Restrictive Covenant Present: False  
Restrictions: Not reported  
GW Pump and Treat Used at site: False  
Quaternary Perched: False

Map ID  
Direction  
Distance  
Distance (ft.)Site

MAP FINDINGS

EDR ID Number  
EPA ID Number

CENTERPOINT ENERGY - GOLDEN VALLEY (Continued)

S107733997

Quaternary Water Table: False  
Quaternary Confined: False  
Cretaceous: False  
Platville: False  
St. peter: False  
Prairie Duchien: False  
Jordan: False  
Ironton/Galesville: False  
Mt Simon Hincley: False  
Precambrian Undifferentiated: False  
Other/Unknown Aquifer: False  
Date Info Last Updated: Not reported  
Inst Control Info Updated: Not reported  
Inst Control Filed Location: Not reported  
SW Classification (Primary): Not reported  
SW Classification (Secondary): Not reported  
Miscellaneous: remediation of mercury contaminated soil in side building only.  
SW Comments: Not reported  
MN AIRS:  
Facility ID: 05300887  
File Number: 2509C  
Federal/State: Not reported  
Mail Address: 501 W 61st St  
Mail City,St,Zip: Minneapolis, MN 55419  
Contact Name: Ms. Marilee Doherty  
Contact Phone: (612) 861-8671  
Contact Fax: (612) 861-8699  
Latitude: 44 Deg 59 Min 31.8322 Sec  
Longitude: -93 Deg 21 Min 28.3648 Sec  
SIC Code: 4923  
SIC Code 2: Not reported  
NAICS: 22121  
Carbon Monoxide Tons/Yr: 1  
Nitrogen Oxides Tons/Yr: 2  
Lead Tons/Yr: 0  
Particulate Matter Tons/Yr: 0  
PM10 Tons/Yr: 0  
Sulfur Dioxide Tons/Yr: 0  
Volatile Organic Compounds Amount: 0  
Permp Program Type: Registration  
Action ID: 1  
Effective Start: 11/03/1995  
Expiration Date: Not reported  
REG PMT Option: C  
Emissions Year: 2009  
Facility ID: 05300887  
File Number: 2509C  
Federal/State: Not reported  
Mail Address: 501 W 61st St  
Mail City,St,Zip: Minneapolis, MN 55419  
Contact Name: Ms. Marilee Doherty  
Contact Phone: (612) 861-8671  
Contact Fax: (612) 861-8699  
Latitude: 44 Deg 59 Min 31.8322 Sec

**CENTERPOINT ENERGY - GOLDEN VALLEY (Continued)** **S107733997**

Longitude: -93 Deg 21 Min 28.3648 Sec  
 SIC Code: 4923  
 SIC Code 2: Not reported  
 NAICS: 22121  
 Carbon Monoxide Tons/Yr: 1  
 Nitrogen Oxides Tons/Yr: 2  
 Lead Tons/Yr: 0  
 Particulate Matter Tons/Yr: 0  
 PM10 Tons/Yr: 0  
 Sulfur Dioxide Tons/Yr: 0  
 Volatile Organic Compounds Amount: 0  
 Permp Program Type: Registration  
 Action ID: 1  
 Effective Start: 11/03/1995  
 Expiration Date: Not reported  
 REG PMT Option: C  
 Emissions Year: 2008

Facility ID: 05300887  
 File Number: 2509C  
 Federal/State: Not reported  
 Mail Address: 501 W 61st St  
 Mail City,St,Zip: Minneapolis, MN 55419  
 Contact Name: Ms. Marilee Doherty  
 Contact Phone: (612) 861-8671  
 Contact Fax: (612) 861-8699  
 Latitude: 44 Deg 59 Min 31.8322 Sec  
 Longitude: -93 Deg 21 Min 28.3648 Sec  
 SIC Code: 4923  
 SIC Code 2: Not reported  
 NAICS: 22121  
 Carbon Monoxide Tons/Yr: 1  
 Nitrogen Oxides Tons/Yr: 2  
 Lead Tons/Yr: 0  
 Particulate Matter Tons/Yr: 0  
 PM10 Tons/Yr: 0  
 Sulfur Dioxide Tons/Yr: 0  
 Volatile Organic Compounds Amount: 0  
 Permp Program Type: Registration  
 Action ID: 1  
 Effective Start: 11/03/1995  
 Expiration Date: Not reported  
 REG PMT Option: C  
 Emissions Year: 2007

TIER 2:  
 ERC Number: 4258  
 Year: 2011  
 Facility Status: ACTIVE  
 Facility Phone: Not reported  
 Facility Email: Not reported  
 Facility Web: Not reported  
 Facility MNCP: Not reported  
 SIC: 4924  
 NAICS: 221210  
 Dunn Brad Num: Not reported  
 Time Created: Not reported

**CENTERPOINT ENERGY - GOLDEN VALLEY (Continued)** **S107733997**

Signed By: Not reported  
 Title: Not reported  
 Signed Date: Not reported  
 Attach Site Plan: Not reported  
 Attach Coord Abbr: Not reported  
 Attach Safeguard Info: Not reported  
 Attach ERP: Not reported  
 Hardcopy Attachments: Not reported  
 Extension Site Plan: Not reported  
 Extension Coord Abbr: Not reported  
 Extension Safeguard Info: Not reported  
 Extension ERP: Not reported  
 Last Updated ERP: Not reported  
 Last Tested ERP: Not reported  
 Last Reviewed ERP: Not reported  
 VZone Primary: Not reported  
 VZone Secondary: Not reported  
 Modified Date: Not reported  
 FIPS County: Not reported  
 Latitude/Longitude: /  
 User Name: Not reported  
 TRIFID: Not reported  
 CMFCL Record ID: Not reported  
 SEPC Approved Date ERP: Not reported  
 Client System ID: 270700019  
 Own Country: Not reported  
 Site Plan: Not reported  
 Confidential Location: Not reported  
 Status 302: UNKNOWN  
 Status 312: UNKNOWN  
 Emergency Contact Name1: ANDREW ROCKWELL  
 Emergency Contact Name2: THROUGHPUT MGMT  
 Emergency Contact Name3: Not reported  
 Emergency Contact Name4: Not reported  
 Emergency Contact 24hr Phone1: 6123215404  
 Emergency Contact 24hr Phone2: 6123215404  
 Emergency Contact 24hr Phone3: Not reported  
 Emergency Contact 24hr Phone4: Not reported

Facility Id: 4258  
 CAS Number: 74986  
 Chemical Id: 2132  
 Chemical Name: PROPANE (LIQUIFIED PETROLEUM GAS)  
 EHS Name: Not reported  
 Is EHS: No  
 Is EHS More than TPQ: No  
 Is Containing EHS: No  
 How Chemical Is Stored: Not reported  
 Max Daily Amt Code: 6  
 Avg Daily Amt Code: 6  
 Storage Container Type: A  
 Storage Pressure Class: 2  
 Storage Temperature Class: 4  
 Storage Location: 40 ABOVE GROUND TANKS  
 Is Storage Confidential Location: No  
 Remark: Not reported

**CENTERPOINT ENERGY - GOLDEN VALLEY (Continued)** **S107733997**

Chemicals:  
 Facility Id: 4258  
 Chemical Desc ID: 2132  
 CAS No: 74986  
 Chemical Name: PROPANE (LIQUIFIED PETROLEUM GAS)  
 EHS Name: Not reported  
 Trade Secret: No  
 Pure: Yes  
 Mixture: No  
 Solid: No  
 Liquid: Yes  
 Gas: Yes  
 Extremely Haz Substance: No  
 Fire: Yes  
 Pressure: Yes  
 Reactivity: No  
 Delayed Health Affects: No  
 Immediate Health Affects: Yes  
 Max Daily Amt: 06  
 Avg Daily Amt: 06  
 Onsite Days: 365  
 Max Daily Amt Exact: 1919720  
 Avg Daily Amt Exact: 1866561  
 Modified Date: Not reported  
 VZone Primary: No  
 VZone Secondary: No  
 EHS More Than TPQ: No  
 MSDS Attachment ID: No

Storage:  
 Storage Chem Desc ID: 2132  
 Storage Container Type: A  
 Storage Pressure: 2  
 Storage Temp: 4  
 Storage Location: 40 ABOVE GROUND TANKS  
 Storage ID: 10666  
 Storage Confidential: No

Facility Id: 4258  
 CAS Number: 74986  
 Chemical Id: 2132  
 Chemical Name: PROPANE (LIQUIFIED PETROLEUM GAS)  
 EHS Name: Not reported  
 Is EHS: No  
 Is EHS More than TPQ: No  
 Is Containing EHS: No  
 How Chemical Is Stored: Not reported  
 Max Daily Amt Code: 6  
 Avg Daily Amt Code: 6  
 Storage Container Type: A  
 Storage Pressure Class: 2  
 Storage Temperature Class: 4  
 Storage Location: Not reported  
 Is Storage Confidential Location: No  
 Remark: Not reported

**CENTERPOINT ENERGY - GOLDEN VALLEY (Continued)** **S107733997**

Chemicals:  
 Facility Id: 4258  
 Chemical Desc ID: 2132  
 CAS No: 74986  
 Chemical Name: PROPANE (LIQUIFIED PETROLEUM GAS)  
 EHS Name: Not reported  
 Trade Secret: No  
 Pure: Yes  
 Mixture: No  
 Solid: No  
 Liquid: Yes  
 Gas: Yes  
 Extremely Haz Substance: No  
 Fire: Yes  
 Pressure: Yes  
 Reactivity: No  
 Delayed Health Affects: No  
 Immediate Health Affects: Yes  
 Max Daily Amt: 06  
 Avg Daily Amt: 06  
 Onsite Days: 365  
 Max Daily Amt Exact: 1919720  
 Avg Daily Amt Exact: 1866561  
 Modified Date: Not reported  
 VZone Primary: No  
 VZone Secondary: No  
 EHS More Than TPQ: No  
 MSDS Attachment ID: No

Storage:  
 Storage Chem Desc ID: 2132  
 Storage Container Type: A  
 Storage Pressure: 2  
 Storage Temp: 4  
 Storage Location: 40 ABOVE GROUND TANKS  
 Storage ID: 10666  
 Storage Confidential: No

Contact:  
 Contact ID: 8516  
 Contact Type: T2EC  
 Contact Name: ANDREW ROC  
 Contact Title: SUPERVISOR  
 Sort Order: 1

Contact:  
 Contact ID: 8517  
 Contact Type: T2EC  
 Contact Name: THROUGHPUT  
 Contact Title: NONE  
 Sort Order: 2

**CENTERPOINT ENERGY - GOLDEN VALLEY (Continued)** **S10773997**

WIMN:  
 Legislative District: 45B  
 Latitude: 44.99217605  
 Longitude: -93.35787963  
 Activity: Multiple Activities  
 MPCA Id: Multiple Activities  
 Major Watershed: Mississippi River - Twin Cities  
 Coordinate Collection: Digitized-DRG  
 Status: Active

[Click here to access Minnesota Pollution Control Agency:](#)

**13 CENTERPOINT ENERGY - GV PROPANE MN TIER 2 S10807229**  
**6161 GOLDEN VALLEY RD N/A**  
**GOLDEN VALLEY, MN 55422**

TIER 2:  
 ERC Number: 4258  
 Year: 2006  
 Facility Status: ACTIVE  
 Facility Phone: 6129618671  
 Facility Email: marilee.doherty@centerpointenergy.com  
 Facility Web: Not reported  
 Facility MNCIP: Not reported  
 SIC Code: 4924  
 NAICS: Not reported  
 Dunn Brad Num: Not reported  
 Owner Name: CENTERPOINT ENERGY  
 Owner Phone: 6129618671  
 Owner Address: 501 W 61ST ST  
 Owner City: MINNEAPOLIS  
 Owner State: MN  
 Owner Zip: 55419  
 Mailing Name: CENTERPOINT ENERGY - GV PROPANE  
 Mailing Street: 501 WEST 61ST ST  
 Mailing PO BOX: Not reported  
 Mailing City/State/Zip: MINNEAPOLIS, MN 55419  
 Mailing Attn: MARILEE DOHERTY  
 Time Created: Not reported  
 Signed By: MARILEE DOHERTY  
 Title: ENVIRONMENTAL SPECIALIST  
 Signed Date: 2006-02-10  
 Attach Site Plan: No  
 Attach Coord Abbr: Yes  
 Attach Safeguard Info: No  
 Attach ERP: No  
 Hardcopy Attachments: No  
 Extension Site Plan: Not reported  
 Extension Coord Abbr: Not reported  
 Extension Safeguard Info: Not reported  
 Extension ERP: Not reported  
 Last Updated ERP: Not reported  
 Last Tested ERP: Not reported  
 Last Reviewed ERP: Not reported  
 VZone Primary: Not reported  
 VZone Secondary: Not reported  
 Modified Date: 2006-02-10

**CENTERPOINT ENERGY - GV PROPANE (Continued)** **S10807229**

FIPS County: 27027  
 Latitude/Longitude: 44.992000579834/93.3590017089844  
 User Name: rjdoherty  
 TRIFID: Not reported  
 CMFCL Record ID: Not reported  
 SEPC Approved Date ERP: Not reported  
 Client System ID: 270700019  
 Own Country: US  
 Site Plan: Not reported  
 Confidential Location: Not reported  
 Status 302: Not reported  
 Status 312: Not reported  
 Emergency Contact Name1: Not reported  
 Emergency Contact Name2: Not reported  
 Emergency Contact Name3: Not reported  
 Emergency Contact Name4: Not reported  
 Emergency Contact 24hr Phone1: Not reported  
 Emergency Contact 24hr Phone2: Not reported  
 Emergency Contact 24hr Phone3: Not reported  
 Emergency Contact 24hr Phone4: Not reported

Facility Id: 4258  
 CAS Number: Not reported  
 Chemical Id: Not reported  
 Chemical Name: Not reported  
 EHS Name: Not reported  
 Is EHS: Not reported  
 Is EHS More than TPQ: Not reported  
 Is Containing EHS: Not reported  
 How Chemical Is Stored: Not reported  
 Max Daily Amt Code: Not reported  
 Avg Daily Amt Code: Not reported  
 Storage Container Type: Not reported  
 Storage Pressure Class: Not reported  
 Storage Temperature Class: Not reported  
 Storage Location: Not reported  
 Is Storage Confidential Location: Not reported  
 Remark: Not reported

Facility Id: 4258  
 CAS Number: Not reported  
 Chemical Id: Not reported  
 Chemical Name: Not reported  
 EHS Name: Not reported  
 Is EHS: Not reported  
 Is EHS More than TPQ: Not reported  
 Is Containing EHS: Not reported  
 How Chemical Is Stored: Not reported  
 Max Daily Amt Code: Not reported  
 Avg Daily Amt Code: Not reported  
 Storage Container Type: Not reported  
 Storage Pressure Class: Not reported  
 Storage Temperature Class: Not reported  
 Storage Location: Not reported  
 Is Storage Confidential Location: Not reported  
 Remark: Not reported

**CENTERPOINT ENERGY - GV PROPANE (Continued)** **S10807229**

Facility Id: 4258  
 CAS Number: 74986  
 Chemical Id: 2132  
 Chemical Name: PROPANE (LIQUIFIED PETROLEUM GAS)  
 EHS Name: Not reported  
 Is EHS: No  
 Is EHS More than TPQ: No  
 Is Containing EHS: No  
 How Chemical Is Stored: Not reported  
 Max Daily Amt Code: 06  
 Avg Daily Amt Code: 06  
 Storage Container Type: A  
 Storage Pressure Class: 2  
 Storage Temperature Class: 4  
 Storage Location: 40 ABOVE GROUND TANKS  
 Is Storage Confidential Location: No  
 Remark: Not reported

Chemicals:  
 Facility Id: 4258  
 Chemical Desc ID: 2132  
 CAS No: 74986  
 Chemical Name: PROPANE (LIQUIFIED PETROLEUM GAS)  
 EHS Name: Not reported  
 Trade Secret: No  
 Pure: Yes  
 Mixture: No  
 Solid: No  
 Liquid: Yes  
 Gas: Yes  
 Extremely Haz Substance: No  
 Fire: Yes  
 Pressure: Yes  
 Reactivity: No  
 Delayed Health Affects: No  
 Immediate Health Affects: Yes  
 Max Daily Amt: 06  
 Avg Daily Amt: 06  
 Onsite Days: 365  
 Max Daily Amt Exact: 1919720  
 Avg Daily Amt Exact: 1866561  
 Modified Date: Not reported  
 VZone Primary: No  
 VZone Secondary: No  
 EHS More Than TPQ: No  
 MSDS Attachment ID: No

Storage:  
 Storage Chem Desc ID: 2132  
 Storage Container Type: A  
 Storage Pressure: 2  
 Storage Temp: 4  
 Storage Location: 40 ABOVE GROUND TANKS  
 Storage ID: 10666  
 Storage Confidential: No

**CENTERPOINT ENERGY - GV PROPANE (Continued)** **S10807229**

Facility Id: 4258  
 CAS Number: 74986  
 Chemical Id: 2132  
 Chemical Name: PROPANE (LIQUIFIED PETROLEUM GAS)  
 EHS Name: Not reported  
 Is EHS: No  
 Is EHS More than TPQ: No  
 Is Containing EHS: No  
 How Chemical Is Stored: Not reported  
 Max Daily Amt Code: 6  
 Avg Daily Amt Code: 6  
 Storage Container Type: A  
 Storage Pressure Class: 2  
 Storage Temperature Class: 4  
 Storage Location: 40 ABOVE GROUND TANKS  
 Is Storage Confidential Location: No  
 Remark: Not reported

Chemicals:  
 Facility Id: 4258  
 Chemical Desc ID: 2132  
 CAS No: 74986  
 Chemical Name: PROPANE (LIQUIFIED PETROLEUM GAS)  
 EHS Name: Not reported  
 Trade Secret: No  
 Pure: Yes  
 Mixture: No  
 Solid: No  
 Liquid: Yes  
 Gas: Yes  
 Extremely Haz Substance: No  
 Fire: Yes  
 Pressure: Yes  
 Reactivity: No  
 Delayed Health Affects: No  
 Immediate Health Affects: Yes  
 Max Daily Amt: 06  
 Avg Daily Amt: 06  
 Onsite Days: 365  
 Max Daily Amt Exact: 1919720  
 Avg Daily Amt Exact: 1866561  
 Modified Date: Not reported  
 VZone Primary: No  
 VZone Secondary: No  
 EHS More Than TPQ: No  
 MSDS Attachment ID: No

Storage:  
 Storage Chem Desc ID: 2132  
 Storage Container Type: A  
 Storage Pressure: 2  
 Storage Temp: 4  
 Storage Location: 40 ABOVE GROUND TANKS  
 Storage ID: 10666  
 Storage Confidential: No

**CENTERPOINT ENERGY - GV PROPANE (Continued)**

**S108072229**

Facility Id: 4258  
CAS Number: 74986  
Chemical Id: 2132  
Chemical Name: PROPANE (LIQUIFIED PETROLEUM GAS)  
EHS Name: Not reported  
Is EHS: No  
Is EHS More than TPQ: No  
Is Containing EHS: No  
How Chemical Is Stored: Not reported  
Max Daily Amt Code: 6  
Avg Daily Amt Code: 6  
Storage Container Type: A  
Storage Pressure Class: 2  
Storage Temperature Class: 4  
Storage Location: 40 ABOVE GROUND TANKS  
Is Storage Confidential Location: No  
Remark: Not reported

Chemicals:  
Facility Id: 4258  
Chemical Desc ID: 2132  
CAS No: 74986  
Chemical Name: PROPANE (LIQUIFIED PETROLEUM GAS)  
EHS Name: Not reported  
Trade Secret: No  
Pure: Yes  
Mixture: No  
Solid: No  
Liquid: Yes  
Gas: Yes  
Extremely Haz Substance: No  
Fire: Yes  
Pressure: Yes  
Reactivity: No  
Delayed Health Affects: No  
Immediate Health Affects: Yes  
Max Daily Amt: 06  
Avg Daily Amt: 06  
Onsite Days: 365  
Max Daily Amt Exact: 1919720  
Avg Daily Amt Exact: 1866561  
Modified Date: Not reported  
VZone Primary: No  
VZone Secondary: No  
EHS More Than TPQ: No  
MSDS Attachment ID: No

Storage:  
Storage Chem Desc ID: 2132  
Storage Container Type: A  
Storage Pressure: 2  
Storage Temp: 4  
Storage Location: 40 ABOVE GROUND TANKS  
Storage ID: 10666  
Storage Confidential: No

**CENTERPOINT ENERGY - GV PROPANE (Continued)**

**S108072229**

Facility Id: 4258  
CAS Number: 74986  
Chemical Id: 2132  
Chemical Name: PROPANE (LIQUIFIED PETROLEUM GAS)  
EHS Name: Not reported  
Is EHS: No  
Is EHS More than TPQ: No  
Is Containing EHS: No  
How Chemical Is Stored: Not reported  
Max Daily Amt Code: 6  
Avg Daily Amt Code: 6  
Storage Container Type: A  
Storage Pressure Class: 2  
Storage Temperature Class: 4  
Storage Location: 40 ABOVE GROUND TANKS  
Is Storage Confidential Location: No  
Remark: Not reported

Chemicals:  
Facility Id: 4258  
Chemical Desc ID: 2132  
CAS No: 74986  
Chemical Name: PROPANE (LIQUIFIED PETROLEUM GAS)  
EHS Name: Not reported  
Trade Secret: No  
Pure: Yes  
Mixture: No  
Solid: No  
Liquid: Yes  
Gas: Yes  
Extremely Haz Substance: No  
Fire: Yes  
Pressure: Yes  
Reactivity: No  
Delayed Health Affects: No  
Immediate Health Affects: Yes  
Max Daily Amt: 06  
Avg Daily Amt: 06  
Onsite Days: 365  
Max Daily Amt Exact: 1919720  
Avg Daily Amt Exact: 1866561  
Modified Date: Not reported  
VZone Primary: No  
VZone Secondary: No  
EHS More Than TPQ: No  
MSDS Attachment ID: No

Storage:  
Storage Chem Desc ID: 2132  
Storage Container Type: A  
Storage Pressure: 2  
Storage Temp: 4  
Storage Location: 40 ABOVE GROUND TANKS  
Storage ID: 10666  
Storage Confidential: No

**CENTERPOINT ENERGY - GV PROPANE (Continued)**

**S108072229**

Contact:  
Contact ID: 8516  
Contact Type: T2EC  
Contact Name: ANDREW ROC  
Contact Title: SUPERVISOR  
Sort Order: 1

Contact:  
Contact ID: 8517  
Contact Type: T2EC  
Contact Name: THROUGHPUT  
Contact Title: NONE  
Sort Order: 2

[Click this hyperlink](#) while viewing on your computer to access 1 additional MN\_TIER2; record(s) in the EDR Site Report.

14 VALLEY CREEK OFFICE PARK MN WIMN S110443623  
GOLDEN VALLEY RD GOLDEN VALLEY, MN 55122 N/A

WIMN:  
Legislative District: 45B  
Latitude: 44.99165725  
Longitude: -93.35960387  
Activity: Leak Site  
MPCA Id: 10963  
Major Watershed: Mississippi River - Twin Cities  
Coordinate Collection: Interpolation Unknown  
Status: Inactive

[Click here to access Minnesota Pollution Control Agency:](#)

15 CENTER POINT ENERGY GAS LINE MN SPILLS S108494089  
GOLDEN VALLEY RD AND DOUGLAS DR GOLDEN VALLEY, MN N/A

MN SPILL:  
Program Id: 432518  
Spill Date: 05/01/2007  
Site ID: 0  
Public Safety Spill ID: 21081  
Interest Type: Spill site  
Interest Phone: Not reported  
Preferred Id: 69877  
Interest Start Date: 05/30/2007  
Interest End Date: Not reported  
Active: Not reported  
Trnsq Added: 05/30/2007  
Trnsq Last Updt: 05/30/2007 17:20:12  
Staff Id Last Updt: SLEE  
Foreign Zone: Not reported  
Spill Closure Desc: 27  
Sp Rep Code: Refer To Air Quality

**CENTER POINT ENERGY GAS LINE (Continued)**

**S108494089**

Report Taken By: 3093  
MPCA Project Manager: 3093  
MPCA Involvement: None  
Spill Site Closure Date: 05/30/2007  
Spill Rep Desc: Bill Mord  
Spill Reported Date: 05/01/2007  
Intr Cause Code: Equipment Failure  
Intr Cause Desc: Not reported  
Initial Source Code: 9  
Priority: Not reported  
Rep Phone: 7637544154  
Rep Name: Bill Mord  
Rpt Taken By Duty Officer: Not reported  
Duty Officer Report No: 88561  
Comments: Caller was reporting that they were reenergizing a 175 psi main after construction work with a temporary weld cap 15 feet from the weld cap a style 38 coupling failed separated the pipe and caused release. At the time of the release there was 140 psi of gas in the pipe, crews shut in pipe so there was no more pressure. Currently valves shut off everything back to normal. There was a loud noise and there have been a lot of calls. There was no fire or damage no injuries. This is not a spill this is a pipeline.

Affected Description:  
Spill Inc. Affect Code: Air  
Product:  
Program ID: 432518  
Spill Incident Accuracy Id: Not reported  
Spill Product Code: Nat. Gas, Propane, Other  
Spill Qty Units Code: Unknown  
Spill Incident Accuracy Code: Unknown  
Spill Released Qty: Not reported

16 1100 HAMPSHIRE AVENUE S HMIRS 95100838  
BLOOMINGTON, MN N/A

[Click this hyperlink](#) while viewing on your computer to access additional HMIRS detail in the EDR Site Report.

16 1100 HAMPSHIRE AVENUE S HMIRS 95060832  
BLOOMINGTON, MN N/A

[Click this hyperlink](#) while viewing on your computer to access additional HMIRS detail in the EDR Site Report.

Map ID  
Direction  
Distance  
Distance (ft.) Site

MAP FINDINGS

EDR ID Number

Database(s) EPA ID Number

16  
1111 HAMPSHIRE AVENUE  
BLOOMINGTON, MN

HMIRS 92059389  
N/A

Click this hyperlink while viewing on your computer to access additional HMIRS detail in the EDR Site Report.

Count: 30 records

ORPHAN SUMMARY

Table with columns: City, EDR ID, Site Name, Site Address, Zip, Database(s). Lists various sites in Golden Valley, Minneapolis, and Robbinsdale.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

FEDERAL RECORDS

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority clean up under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 04/26/2013 Source: EPA
Date Data Arrived at EDR: 05/09/2013 Telephone: N/A
Date Made Active in Reports: 07/10/2013 Last EDR Contact: 11/11/2013
Number of Days to Update: 62 Next Scheduled EDR Contact: 01/20/2014
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1 Telephone: 617-918-1143
EPA Region 2 Telephone: 214-655-6659
EPA Region 3 Telephone: 215-814-5418
EPA Region 4 Telephone: 404-562-8033
EPA Region 5 Telephone: 312-886-6686
EPA Region 6 Telephone: 415-947-4246

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 04/26/2013 Source: EPA
Date Data Arrived at EDR: 05/09/2013 Telephone: N/A
Date Made Active in Reports: 07/10/2013 Last EDR Contact: 11/11/2013
Number of Days to Update: 62 Next Scheduled EDR Contact: 01/20/2014
Data Release Frequency: Quarterly

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 04/26/2013 Source: EPA
Date Data Arrived at EDR: 05/09/2013 Telephone: N/A
Date Made Active in Reports: 07/10/2013 Last EDR Contact: 11/11/2013
Number of Days to Update: 62 Next Scheduled EDR Contact: 01/20/2014
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA completes a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991 Source: EPA
Date Data Arrived at EDR: 02/02/1994 Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994 Last EDR Contact: 08/15/2011
Number of Days to Update: 56 Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 04/26/2013 Source: EPA
Date Data Arrived at EDR: 05/29/2013 Telephone: 703-412-9810
Date Made Active in Reports: 08/09/2013 Last EDR Contact: 11/11/2013
Number of Days to Update: 72 Next Scheduled EDR Contact: 12/09/2013
Data Release Frequency: Quarterly

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 04/26/2013 Source: EPA
Date Data Arrived at EDR: 05/29/2013 Telephone: 703-412-9810
Date Made Active in Reports: 08/09/2013 Last EDR Contact: 11/11/2013
Number of Days to Update: 72 Next Scheduled EDR Contact: 12/09/2013
Data Release Frequency: Quarterly

LIENS 2: CERCLA Lien Information

A Federal CERCLA ("Superfund") lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 02/06/2013 Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/25/2013 Telephone: 202-564-6023
Date Made Active in Reports: 05/10/2013 Last EDR Contact: 11/13/2013
Number of Days to Update: 15 Next Scheduled EDR Contact: 02/11/2014
Data Release Frequency: Varies

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 07/11/2013 Source: EPA
Date Data Arrived at EDR: 08/08/2013 Telephone: 800-424-9346
Date Made Active in Reports: 09/13/2013 Last EDR Contact: 10/02/2013
Number of Days to Update: 36 Next Scheduled EDR Contact: 01/13/2014
Data Release Frequency: Quarterly

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 07/11/2013  
 Date Data Arrived at EDR: 08/08/2013  
 Date Made Active in Reports: 09/13/2013  
 Number of Days to Update: 36

Source: Environmental Protection Agency  
 Telephone: 312-886-6186  
 Last EDR Contact: 10/02/2013  
 Next Scheduled EDR Contact: 01/13/2014  
 Data Release Frequency: Quarterly

### RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 07/11/2013  
 Date Data Arrived at EDR: 08/08/2013  
 Date Made Active in Reports: 09/13/2013  
 Number of Days to Update: 36

Source: Environmental Protection Agency  
 Telephone: 312-886-6186  
 Last EDR Contact: 10/02/2013  
 Next Scheduled EDR Contact: 01/13/2014  
 Data Release Frequency: Quarterly

### RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 07/11/2013  
 Date Data Arrived at EDR: 08/08/2013  
 Date Made Active in Reports: 09/13/2013  
 Number of Days to Update: 36

Source: Environmental Protection Agency  
 Telephone: 312-886-6186  
 Last EDR Contact: 10/02/2013  
 Next Scheduled EDR Contact: 01/13/2014  
 Data Release Frequency: Quarterly

### RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 07/11/2013  
 Date Data Arrived at EDR: 08/08/2013  
 Date Made Active in Reports: 09/13/2013  
 Number of Days to Update: 36

Source: Environmental Protection Agency  
 Telephone: 312-886-6186  
 Last EDR Contact: 10/02/2013  
 Next Scheduled EDR Contact: 01/13/2014  
 Data Release Frequency: Varies

### RCRA NonGen / NLR: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 07/11/2013  
 Date Data Arrived at EDR: 08/08/2013  
 Date Made Active in Reports: 09/13/2013  
 Number of Days to Update: 36

Source: Environmental Protection Agency  
 Telephone: 312-886-6186  
 Last EDR Contact: 10/02/2013  
 Next Scheduled EDR Contact: 01/13/2014  
 Data Release Frequency: Varies

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

### US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or affect human health.

Date of Government Version: 06/17/2013  
 Date Data Arrived at EDR: 06/21/2013  
 Date Made Active in Reports: 10/03/2013  
 Number of Days to Update: 104

Source: Environmental Protection Agency  
 Telephone: 703-603-0695  
 Last EDR Contact: 09/10/2013  
 Next Scheduled EDR Contact: 12/23/2013  
 Data Release Frequency: Varies

### US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 06/17/2013  
 Date Data Arrived at EDR: 06/21/2013  
 Date Made Active in Reports: 10/03/2013  
 Number of Days to Update: 104

Source: Environmental Protection Agency  
 Telephone: 703-603-0695  
 Last EDR Contact: 09/10/2013  
 Next Scheduled EDR Contact: 12/23/2013  
 Data Release Frequency: Varies

### ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/2012  
 Date Data Arrived at EDR: 01/17/2013  
 Date Made Active in Reports: 02/15/2013  
 Number of Days to Update: 29

Source: National Response Center, United States Coast Guard  
 Telephone: 202-267-2180  
 Last EDR Contact: 10/01/2013  
 Next Scheduled EDR Contact: 01/13/2014  
 Data Release Frequency: Annually

### HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/31/2012  
 Date Data Arrived at EDR: 01/03/2013  
 Date Made Active in Reports: 02/27/2013  
 Number of Days to Update: 55

Source: U. S. Department of Transportation  
 Telephone: 202-366-4555  
 Last EDR Contact: 01/01/2013  
 Next Scheduled EDR Contact: 01/13/2014  
 Data Release Frequency: Annually

### DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/31/2012  
 Date Data Arrived at EDR: 08/07/2012  
 Date Made Active in Reports: 09/18/2012  
 Number of Days to Update: 42

Source: Department of Transportation, Office of Pipeline Safety  
 Telephone: 202-366-4595  
 Last EDR Contact: 11/06/2013  
 Next Scheduled EDR Contact: 02/17/2014  
 Data Release Frequency: Varies

### US CDL: Clandestine Drug Labs

A web site of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemical or other items that indicated the presence of either clandestine drug laboratories or dumps. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 08/06/2013  
 Date Data Arrived at EDR: 09/11/2013  
 Date Made Active in Reports: 10/03/2013  
 Number of Days to Update: 22

Source: Drug Enforcement Administration  
 Telephone: 202-307-1000  
 Last EDR Contact: 09/04/2013  
 Next Scheduled EDR Contact: 12/16/2013  
 Data Release Frequency: Quarterly

### US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfield grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 06/24/2013  
 Date Data Arrived at EDR: 06/25/2013  
 Date Made Active in Reports: 08/09/2013  
 Number of Days to Update: 45

Source: Environmental Protection Agency  
 Telephone: 202-566-2777  
 Last EDR Contact: 09/24/2013  
 Next Scheduled EDR Contact: 01/08/2014  
 Data Release Frequency: Semi-Annually

### DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005  
 Date Data Arrived at EDR: 11/10/2005  
 Date Made Active in Reports: 01/11/2007  
 Number of Days to Update: 62

Source: USGS  
 Telephone: 888-275-8747  
 Last EDR Contact: 10/18/2013  
 Next Scheduled EDR Contact: 01/27/2014  
 Data Release Frequency: Semi-Annually

### FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2011  
 Date Data Arrived at EDR: 02/26/2013  
 Date Made Active in Reports: 03/13/2013  
 Number of Days to Update: 15

Source: U.S. Army Corps of Engineers  
 Telephone: 202-528-4285  
 Last EDR Contact: 09/10/2013  
 Next Scheduled EDR Contact: 12/23/2013  
 Data Release Frequency: Varies

### LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 08/20/2013  
 Date Data Arrived at EDR: 08/23/2013  
 Date Made Active in Reports: 11/01/2013  
 Number of Days to Update: 70

Source: Department of the Navy  
 Telephone: 843-820-7326  
 Last EDR Contact: 11/18/2013  
 Next Scheduled EDR Contact: 03/03/2014  
 Data Release Frequency: Varies

### CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 06/30/2013  
 Date Data Arrived at EDR: 08/07/2013  
 Date Made Active in Reports: 10/03/2013  
 Number of Days to Update: 57

Source: Department of Justice, Consent Decree Library  
 Telephone: Varies  
 Last EDR Contact: 09/30/2013  
 Next Scheduled EDR Contact: 01/13/2014  
 Data Release Frequency: Varies

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

### ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 04/26/2013  
 Date Data Arrived at EDR: 06/11/2013  
 Date Made Active in Reports: 11/01/2013  
 Number of Days to Update: 143

Source: EPA  
 Telephone: 703-416-0223  
 Last EDR Contact: 09/13/2013  
 Next Scheduled EDR Contact: 12/23/2013  
 Data Release Frequency: Annually

### UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 09/14/2010  
 Date Data Arrived at EDR: 10/07/2011  
 Date Made Active in Reports: 03/01/2012  
 Number of Days to Update: 146

Source: Department of Energy  
 Telephone: 805-845-0011  
 Last EDR Contact: 05/29/2013  
 Next Scheduled EDR Contact: 09/09/2013  
 Data Release Frequency: Varies

### ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985  
 Date Data Arrived at EDR: 08/09/2004  
 Date Made Active in Reports: 09/17/2004  
 Number of Days to Update: 39

Source: Environmental Protection Agency  
 Telephone: 800-424-9346  
 Last EDR Contact: 06/09/2004  
 Next Scheduled EDR Contact: N/A  
 Data Release Frequency: No Update Planned

### DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009  
 Date Data Arrived at EDR: 05/07/2009  
 Date Made Active in Reports: 09/21/2009  
 Number of Days to Update: 137

Source: EPA, Region 9  
 Telephone: 415-947-4219  
 Last EDR Contact: 10/28/2013  
 Next Scheduled EDR Contact: 02/11/2014  
 Data Release Frequency: No Update Planned

### US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 08/01/2013  
 Date Data Arrived at EDR: 09/05/2013  
 Date Made Active in Reports: 10/03/2013  
 Number of Days to Update: 25

Source: Department of Labor, Mine Safety and Health Administration  
 Telephone: 303-231-5959  
 Last EDR Contact: 09/05/2013  
 Next Scheduled EDR Contact: 12/16/2013  
 Data Release Frequency: Semi-Annually

### TRIS: Toxic Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2011  
 Date Data Arrived at EDR: 07/31/2013  
 Date Made Active in Reports: 09/13/2013  
 Number of Days to Update: 44

Source: EPA  
 Telephone: 202-566-0250  
 Last EDR Contact: 08/30/2013  
 Next Scheduled EDR Contact: 12/09/2013  
 Data Release Frequency: Annually

**GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING**

**TSCA: Toxic Substances Control Act**  
 Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.  
 Date of Government Version: 12/31/2006 Source: EPA  
 Date Data Arrived at EDR: 09/29/2010 Telephone: 202-260-5521  
 Date Made Active in Reports: 12/02/2010 Last EDR Contact: 09/24/2013  
 Number of Days to Update: 64 Next Scheduled EDR Contact: 01/08/2014  
 Data Release Frequency: Every 4 Years

**FTTS: FIFRA/TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)**  
 FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.  
 Date of Government Version: 04/09/2009 Source: EPA/Office of Prevention, Pesticides and Toxic Substances  
 Date Data Arrived at EDR: 04/16/2009 Telephone: 202-566-1667  
 Date Made Active in Reports: 05/11/2009 Last EDR Contact: 11/21/2013  
 Number of Days to Update: 25 Next Scheduled EDR Contact: 03/10/2014  
 Data Release Frequency: Quarterly

**FTTS INSP: FIFRA/TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)**  
 A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.  
 Date of Government Version: 04/09/2009 Source: EPA  
 Date Data Arrived at EDR: 04/16/2009 Telephone: 202-566-1667  
 Date Made Active in Reports: 05/11/2009 Last EDR Contact: 11/21/2013  
 Number of Days to Update: 25 Next Scheduled EDR Contact: 03/10/2014  
 Data Release Frequency: Quarterly

**HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing**  
 A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.  
 Date of Government Version: 10/19/2006 Source: Environmental Protection Agency  
 Date Data Arrived at EDR: 03/01/2007 Telephone: 202-564-2501  
 Date Made Active in Reports: 04/10/2007 Last EDR Contact: 12/17/2007  
 Number of Days to Update: 40 Next Scheduled EDR Contact: 03/17/2008  
 Data Release Frequency: No Update Planned

**HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing**  
 A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.  
 Date of Government Version: 10/19/2006 Source: Environmental Protection Agency  
 Date Data Arrived at EDR: 03/01/2007 Telephone: 202-564-2501  
 Date Made Active in Reports: 04/10/2007 Last EDR Contact: 12/17/2007  
 Number of Days to Update: 40 Next Scheduled EDR Contact: 03/17/2008  
 Data Release Frequency: No Update Planned

**GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING**

**SSTS: Section 7 Tracking Systems**  
 Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.  
 Date of Government Version: 12/31/2009 Source: EPA  
 Date Data Arrived at EDR: 12/10/2010 Telephone: 202-564-4203  
 Date Made Active in Reports: 02/25/2011 Last EDR Contact: 10/28/2013  
 Number of Days to Update: 77 Next Scheduled EDR Contact: 02/11/2014  
 Data Release Frequency: Annually

**ICIS: Integrated Compliance Information System**  
 The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.  
 Date of Government Version: 07/20/2011 Source: Environmental Protection Agency  
 Date Data Arrived at EDR: 11/10/2011 Telephone: 202-564-5088  
 Date Made Active in Reports: 01/10/2012 Last EDR Contact: 10/09/2014  
 Number of Days to Update: 61 Next Scheduled EDR Contact: 01/27/2014  
 Data Release Frequency: Quarterly

**PADS: PCB Activity Database System**  
 PCB Activity Database. PADS identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.  
 Date of Government Version: 06/01/2013 Source: EPA  
 Date Data Arrived at EDR: 07/17/2013 Telephone: 202-566-0500  
 Date Made Active in Reports: 11/01/2013 Last EDR Contact: 10/18/2013  
 Number of Days to Update: 107 Next Scheduled EDR Contact: 01/27/2014  
 Data Release Frequency: Annually

**MLTS: Material Licensing Tracking System**  
 MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.  
 Date of Government Version: 07/22/2013 Source: Nuclear Regulatory Commission  
 Date Data Arrived at EDR: 08/02/2013 Telephone: 301-415-7169  
 Date Made Active in Reports: 11/01/2013 Last EDR Contact: 09/10/2013  
 Number of Days to Update: 91 Next Scheduled EDR Contact: 12/23/2013  
 Data Release Frequency: Quarterly

**RADINFO: Radiation Information Database**  
 The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.  
 Date of Government Version: 09/30/2013 Source: Environmental Protection Agency  
 Date Data Arrived at EDR: 10/09/2013 Telephone: 202-343-9775  
 Date Made Active in Reports: 11/01/2013 Last EDR Contact: 10/09/2013  
 Number of Days to Update: 23 Next Scheduled EDR Contact: 01/20/2014  
 Data Release Frequency: Quarterly

**FINDS: Facility Index System/Facility Registry System**  
 Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

**GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING**

Date of Government Version: 03/08/2013 Source: EPA  
 Date Data Arrived at EDR: 07/10/2013 Telephone: (312) 353-2000  
 Date Made Active in Reports: 07/10/2013 Last EDR Contact: 09/11/2013  
 Number of Days to Update: 111 Next Scheduled EDR Contact: 12/23/2013  
 Data Release Frequency: Quarterly

**RAATS: RCRA Administrative Action Tracking System**  
 RCRA Administrative Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.  
 Date of Government Version: 04/17/1995 Source: EPA  
 Date Data Arrived at EDR: 07/03/1995 Telephone: 202-564-4104  
 Date Made Active in Reports: 08/07/1995 Last EDR Contact: 06/02/2008  
 Number of Days to Update: 35 Next Scheduled EDR Contact: 09/01/2008  
 Data Release Frequency: No Update Planned

**RMP: Risk Management Plans**  
 When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.  
 Date of Government Version: 05/08/2012 Source: Environmental Protection Agency  
 Date Data Arrived at EDR: 05/25/2012 Telephone: 202-564-8600  
 Date Made Active in Reports: 07/10/2012 Last EDR Contact: 10/28/2013  
 Number of Days to Update: 46 Next Scheduled EDR Contact: 02/11/2014  
 Data Release Frequency: Varies

**BRS: Biennial Reporting System**  
 The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LOG) and Treatment, Storage, and Disposal Facilities.  
 Date of Government Version: 12/31/2011 Source: EPANITS  
 Date Data Arrived at EDR: 02/26/2013 Telephone: 800-424-9346  
 Date Made Active in Reports: 04/19/2013 Last EDR Contact: 06/26/2013  
 Number of Days to Update: 52 Next Scheduled EDR Contact: 12/09/2013  
 Data Release Frequency: Biennially

**US HIST CDL: National Clandestine Laboratory Register**  
 A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.  
 Date of Government Version: 09/01/2007 Source: Drug Enforcement Administration  
 Date Data Arrived at EDR: 11/19/2008 Telephone: 202-307-1000  
 Date Made Active in Reports: 03/30/2009 Last EDR Contact: 03/23/2009  
 Number of Days to Update: 131 Next Scheduled EDR Contact: 06/22/2009  
 Data Release Frequency: No Update Planned

**GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING**

**PCB TRANSFORMER: PCB Transformer Registration Database**  
 The database of PCB transformer registrations that includes all PCB registration submittals.  
 Date of Government Version: 02/01/2011 Source: Environmental Protection Agency  
 Date Data Arrived at EDR: 10/19/2011 Telephone: 202-566-0517  
 Date Made Active in Reports: 01/10/2012 Last EDR Contact: 11/01/2013  
 Number of Days to Update: 63 Next Scheduled EDR Contact: 02/11/2014  
 Data Release Frequency: Varies

**COAL ASH DOE: Steam-Electric Plant Operation Data**  
 A listing of power plants that store ash in surface ponds.  
 Date of Government Version: 12/31/2005 Source: Department of Energy  
 Date Data Arrived at EDR: 08/07/2009 Telephone: 202-586-8719  
 Date Made Active in Reports: 10/22/2009 Last EDR Contact: 10/15/2013  
 Number of Days to Update: 76 Next Scheduled EDR Contact: 01/27/2014  
 Data Release Frequency: Varies

**FEMA UST: Underground Storage Tank Listing**  
 A listing of all FEMA owned underground storage tanks.  
 Date of Government Version: 01/01/2010 Source: FEMA  
 Date Data Arrived at EDR: 02/16/2010 Telephone: 202-466-5797  
 Date Made Active in Reports: 04/12/2010 Last EDR Contact: 10/17/2013  
 Number of Days to Update: 55 Next Scheduled EDR Contact: 10/17/2014  
 Data Release Frequency: Varies

**COAL ASH EPA: Coal Combustion Residues Surface Impoundments List**  
 A listing of coal combustion residues surface impoundments with high hazard potential ratings.  
 Date of Government Version: 08/17/2010 Source: Environmental Protection Agency  
 Date Data Arrived at EDR: 01/03/2011 Telephone: N/A  
 Date Made Active in Reports: 03/21/2011 Last EDR Contact: 08/13/2013  
 Number of Days to Update: 77 Next Scheduled EDR Contact: 12/23/2013  
 Data Release Frequency: Varies

**FEDERAL FACILITY: Federal Facility Site Information listing**  
 A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.  
 Date of Government Version: 07/31/2012 Source: Environmental Protection Agency  
 Date Data Arrived at EDR: 10/09/2012 Telephone: 703-603-8704  
 Date Made Active in Reports: 12/20/2012 Last EDR Contact: 10/11/2013  
 Number of Days to Update: 72 Next Scheduled EDR Contact: 01/20/2014  
 Data Release Frequency: Varies

**LEAD SMELTER 1: Lead Smelter Sites**  
 A listing of former lead smelter site locations.  
 Date of Government Version: 01/29/2013 Source: Environmental Protection Agency  
 Date Data Arrived at EDR: 02/14/2013 Telephone: 703-603-8787  
 Date Made Active in Reports: 02/27/2013 Last EDR Contact: 09/24/2013  
 Number of Days to Update: 13 Next Scheduled EDR Contact: 01/20/2014  
 Data Release Frequency: Varies

**LEAD SMELTER 2: Lead Smelter Sites**  
 A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

**GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING**

Date of Government Version: 04/05/2001  
 Date Data Arrived at EDR: 10/27/2010  
 Date Made Active in Reports: 12/02/2010  
 Number of Days to Update: 36

Source: American Journal of Public Health  
 Telephone: 703-305-6451  
 Last EDR Contact: 12/02/2009  
 Next Scheduled EDR Contact: N/A  
 Data Release Frequency: No Update Planned

**US FIN ASSUR: Financial Assurance Information**

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 03/04/2013  
 Date Data Arrived at EDR: 03/15/2013  
 Date Made Active in Reports: 05/10/2013  
 Number of Days to Update: 56

Source: Environmental Protection Agency  
 Telephone: 202-566-1917  
 Last EDR Contact: 11/18/2013  
 Next Scheduled EDR Contact: 03/03/2014  
 Data Release Frequency: Quarterly

**EPA WATCH LIST: EPA WATCH LIST**

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 06/30/2013  
 Date Data Arrived at EDR: 09/13/2013  
 Date Made Active in Reports: 09/13/2013  
 Number of Days to Update: 31

Source: Environmental Protection Agency  
 Telephone: 617-520-3000  
 Last EDR Contact: 11/15/2013  
 Next Scheduled EDR Contact: 02/24/2014  
 Data Release Frequency: Quarterly

**US AIRS MINOR: Air Facility System Data**

A listing of minor source facilities

Date of Government Version: 01/23/2013  
 Date Data Arrived at EDR: 01/30/2013  
 Date Made Active in Reports: 05/10/2013  
 Number of Days to Update: 100

Source: EPA  
 Telephone: 202-564-5962  
 Last EDR Contact: 09/30/2013  
 Next Scheduled EDR Contact: 01/13/2014  
 Data Release Frequency: Annually

**US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)**

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 01/23/2013  
 Date Data Arrived at EDR: 01/30/2013  
 Date Made Active in Reports: 05/10/2013  
 Number of Days to Update: 100

Source: EPA  
 Telephone: 202-564-5962  
 Last EDR Contact: 09/30/2013  
 Next Scheduled EDR Contact: 01/13/2014  
 Data Release Frequency: Annually

**SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing**

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

**GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING**

Date of Government Version: 03/07/2011  
 Date Data Arrived at EDR: 03/09/2011  
 Date Made Active in Reports: 05/02/2011  
 Number of Days to Update: 54

Source: Environmental Protection Agency  
 Telephone: 615-532-8599  
 Last EDR Contact: 11/18/2013  
 Next Scheduled EDR Contact: 02/03/2014  
 Data Release Frequency: Varies

**2020 COR ACTION: 2020 Corrective Action Program List**

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 11/11/2011  
 Date Data Arrived at EDR: 05/18/2012  
 Date Made Active in Reports: 05/25/2012  
 Number of Days to Update: 7

Source: Environmental Protection Agency  
 Telephone: 703-308-4044  
 Last EDR Contact: 11/15/2013  
 Next Scheduled EDR Contact: 02/24/2014  
 Data Release Frequency: Varies

**PRP: Potentially Responsible Parties**

A listing of verified Potentially Responsible Parties

Date of Government Version: 04/15/2013  
 Date Data Arrived at EDR: 07/03/2013  
 Date Made Active in Reports: 09/13/2013  
 Number of Days to Update: 72

Source: EPA  
 Telephone: 202-564-6023  
 Last EDR Contact: 10/04/2013  
 Next Scheduled EDR Contact: 01/13/2014  
 Data Release Frequency: Quarterly

**STATE AND LOCAL RECORDS**

**SHWS: Superfund Site Information Listing**

The SRS database includes all sites that the State Superfund Program is dealing with or has dealt with. The Superfund Program identifies, investigates and determines appropriate cleanup plans for abandoned or uncontrolled hazardous waste sites where a release or potential release of a hazardous substance poses a risk to human health or the environment.

Date of Government Version: 08/29/2013  
 Date Data Arrived at EDR: 09/12/2013  
 Date Made Active in Reports: 10/28/2013  
 Number of Days to Update: 46

Source: Minnesota Pollution Control Agency  
 Telephone: 651-296-6300  
 Last EDR Contact: 09/12/2013  
 Next Scheduled EDR Contact: 12/23/2013  
 Data Release Frequency: Annually

**MN PLP: Permanent List of Priorities**

The list identifies hazardous waste sites where investigation and cleanup are needed, cleanup is underway, or cleanup has been completed and long-term monitoring or maintenance continues.

Date of Government Version: 11/17/2011  
 Date Data Arrived at EDR: 11/21/2011  
 Date Made Active in Reports: 12/27/2011  
 Number of Days to Update: 36

Source: Pollution Control Agency  
 Telephone: 651-296-6139  
 Last EDR Contact: 11/15/2013  
 Next Scheduled EDR Contact: 02/24/2014  
 Data Release Frequency: Annually

**SRS: Site Remediation Section Database**

The database contains site information for sites monitored by the Site Remediation Section.

Date of Government Version: 08/29/2013  
 Date Data Arrived at EDR: 09/12/2013  
 Date Made Active in Reports: 10/28/2013  
 Number of Days to Update: 46

Source: Pollution Control Agency  
 Telephone: 651-282-5988  
 Last EDR Contact: 09/12/2013  
 Next Scheduled EDR Contact: 12/23/2013  
 Data Release Frequency: Quarterly

**GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING**

**MN DEL PLP: Delisted Permanent List of Priorities**

This generally means that either no more cleanup at a site is needed or that no state superfund funding is needed for long term monitoring activities.

Date of Government Version: 11/17/2011  
 Date Data Arrived at EDR: 11/21/2011  
 Date Made Active in Reports: 12/23/2011  
 Number of Days to Update: 32

Source: Pollution Control Agency  
 Telephone: 651-296-6139  
 Last EDR Contact: 11/15/2013  
 Next Scheduled EDR Contact: 02/24/2014  
 Data Release Frequency: Annually

**SWFLF: Permitted Solid Waste Disposal Facilities**

Solid Waste Facilities/Landfill Sites. SWFLF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 08/01/2013  
 Date Data Arrived at EDR: 08/14/2013  
 Date Made Active in Reports: 09/25/2013  
 Number of Days to Update: 42

Source: Minnesota Pollution Control Agency  
 Telephone: 651-296-7276  
 Last EDR Contact: 11/13/2013  
 Next Scheduled EDR Contact: 02/24/2014  
 Data Release Frequency: Varies

**LCP: Closed Landfills Priority List**

The Minnesota Legislature enacted a law to manage and clean up the state's closed Mixed Municipal Solid Waste Landfills. Under that law, the MPCA is required to create and periodically revise a priority list of qualified landfills, based on the relative health and environmental risks they present. The MPCA established the first such priority list in December, 1994.

Date of Government Version: 01/01/2013  
 Date Data Arrived at EDR: 05/30/2013  
 Date Made Active in Reports: 07/01/2013  
 Number of Days to Update: 32

Source: Minnesota Pollution Control Agency  
 Telephone: 651-296-9543  
 Source: Pollution Control Agency, GIS Section  
 Telephone: 651-296-7266  
 Last EDR Contact: 08/23/2013  
 Next Scheduled EDR Contact: 12/09/2013  
 Data Release Frequency: Annually

**LS: List of Sites**

The List of Sites includes: Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS); No Further Remedial Action Planned (NFRAP); National Priorities List (NPL); Permanent List of Priorities (PLP); sites delisted from the Permanent List of Priorities (DPLP); Hazardous Waste Permit Unit Project Facilities (HW PERM); List of Permitted Solid Waste Facilities (SW PERM); 1980 Metropolitan Area Waste Disposal Site Inventory (METRO); 1980 Statewide Outstate Dump Inventory (ODI); Voluntary and Investigation Program (VIC); and Closed Landfill Sites Undergoing Cleanup (LCP).

Date of Government Version: 04/22/2009  
 Date Data Arrived at EDR: 07/14/2009  
 Date Made Active in Reports: 07/24/2009  
 Number of Days to Update: 10

Source: Minnesota Pollution Control Agency  
 Telephone: 651-297-2731  
 Source: Pollution Control Agency, GIS Section  
 Telephone: 651-297-2731  
 Last EDR Contact: 12/21/2011  
 Next Scheduled EDR Contact: 04/09/2012  
 Data Release Frequency: Semi-Annually

**SWRCY: Recycling Facilities**

A listing of companies that accept commercial quantities of recyclable materials.

Date of Government Version: 11/12/2012  
 Date Data Arrived at EDR: 11/16/2012  
 Date Made Active in Reports: 12/24/2012  
 Number of Days to Update: 38

Source: Pollution Control Agency  
 Telephone: 651-296-6300  
 Last EDR Contact: 11/15/2013  
 Next Scheduled EDR Contact: 02/24/2014  
 Data Release Frequency: Varies

**GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING**

**LUST: Leak Sites**

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 10/01/2013  
 Date Data Arrived at EDR: 10/03/2013  
 Date Made Active in Reports: 10/30/2013  
 Number of Days to Update: 27

Source: Minnesota Pollution Control Agency  
 Telephone: 651-296-6300  
 Last EDR Contact: 11/13/2013  
 Next Scheduled EDR Contact: 02/24/2014  
 Data Release Frequency: Semi-Annually

**UST: Underground Storage Tank Database**

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 10/01/2013  
 Date Data Arrived at EDR: 10/03/2013  
 Date Made Active in Reports: 10/28/2013  
 Number of Days to Update: 25

Source: Minnesota Pollution Control Agency  
 Telephone: 651-649-5451  
 Last EDR Contact: 11/13/2013  
 Next Scheduled EDR Contact: 02/24/2014  
 Data Release Frequency: Varies

**LAST: Leaking Aboveground Storage Tanks**

A listing of leaking aboveground storage tanks.

Date of Government Version: 10/01/2013  
 Date Data Arrived at EDR: 10/03/2013  
 Date Made Active in Reports: 10/30/2013  
 Number of Days to Update: 27

Source: Pollution Control Agency  
 Telephone: 651-296-6300  
 Last EDR Contact: 11/13/2013  
 Next Scheduled EDR Contact: 02/24/2014  
 Data Release Frequency: Semi-Annually

**AST: Aboveground Storage Tanks**

Registered Aboveground Storage Tanks.

Date of Government Version: 10/01/2013  
 Date Data Arrived at EDR: 10/03/2013  
 Date Made Active in Reports: 10/28/2013  
 Number of Days to Update: 25

Source: Minnesota Pollution Control Agency  
 Telephone: 651-296-0930  
 Last EDR Contact: 11/13/2013  
 Next Scheduled EDR Contact: 02/24/2014  
 Data Release Frequency: Semi-Annually

**LIENS: Environmental Liens**

Sites included in the Site Remediation System Database that have Environmental Liens.

Date of Government Version: 07/06/2006  
 Date Data Arrived at EDR: 07/07/2006  
 Date Made Active in Reports: 08/14/2006  
 Number of Days to Update: 38

Source: Pollution Control Agency  
 Telephone: 602-282-5988  
 Last EDR Contact: 09/12/2013  
 Next Scheduled EDR Contact: 12/25/2012  
 Data Release Frequency: Quarterly

**BULK: Bulk Facilities Database**

Facilities that use bulk pesticides and fertilizers

Date of Government Version: 08/12/2013  
 Date Data Arrived at EDR: 08/14/2013  
 Date Made Active in Reports: 09/25/2013  
 Number of Days to Update: 42

Source: Department of Agriculture  
 Telephone: 651-297-3907  
 Last EDR Contact: 11/13/2013  
 Next Scheduled EDR Contact: 02/24/2014  
 Data Release Frequency: Semi-Annually

**MANIFEST: Hazardous Waste Manifest Data**

Hazardous waste manifest data.

**GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING**

Date of Government Version: 12/31/2012  
 Date Data Arrived at EDR: 06/18/2013  
 Date Made Active in Reports: 07/02/2013  
 Number of Days to Update: 14

Source: Pollution Control Agency  
 Telephone: 651-296-7258  
 Last EDR Contact: 09/20/2013  
 Next Scheduled EDR Contact: 12/30/2013  
 Data Release Frequency: Annually

**SPILLS: Spills Database**

Spills reported to the Pollution Control Agency.

Date of Government Version: 10/01/2013  
 Date Data Arrived at EDR: 10/03/2013  
 Date Made Active in Reports: 10/30/2013  
 Number of Days to Update: 27

Source: Minnesota Pollution Control Agency  
 Telephone: 651-649-5451  
 Last EDR Contact: 11/13/2013  
 Next Scheduled EDR Contact: 02/24/2014  
 Data Release Frequency: Quarterly

**AG SPILLS: Department of Agriculture Spills**

This data is a list of pesticide/fertilizer incidents reported to have occurred in Minnesota.

Date of Government Version: 08/09/2013  
 Date Data Arrived at EDR: 08/14/2013  
 Date Made Active in Reports: 09/25/2013  
 Number of Days to Update: 42

Source: Department of Agriculture  
 Telephone: 651-297-3997  
 Last EDR Contact: 11/13/2013  
 Next Scheduled EDR Contact: 02/24/2014  
 Data Release Frequency: Semi-Annually

**INST CONTROL: Site Remediation Section Database**

Sites that have an Institutional Control event.

Date of Government Version: 08/29/2013  
 Date Data Arrived at EDR: 09/12/2013  
 Date Made Active in Reports: 10/28/2013  
 Number of Days to Update: 46

Source: Pollution Control Agency  
 Telephone: 651-296-6300  
 Last EDR Contact: 09/12/2013  
 Next Scheduled EDR Contact: 12/23/2013  
 Data Release Frequency: Quarterly

**VIC: Voluntary Investigation and Cleanup Program**

Voluntary Investigation and Cleanup (VIC) Program List.

Date of Government Version: 08/29/2013  
 Date Data Arrived at EDR: 09/12/2013  
 Date Made Active in Reports: 10/28/2013  
 Number of Days to Update: 46

Source: Minnesota Pollution Control Agency  
 Telephone: 651-296-7291  
 Last EDR Contact: 09/12/2013  
 Next Scheduled EDR Contact: 12/23/2013  
 Data Release Frequency: Quarterly

**DRYCLEANERS: Registered Drycleaning Facilities**

A listing of coin-operated laundries and drycleaning; drycleaning plants, except rug cleaning; and industrial laundries.

Date of Government Version: 09/18/2013  
 Date Data Arrived at EDR: 09/19/2013  
 Date Made Active in Reports: 10/28/2013  
 Number of Days to Update: 39

Source: Pollution Control Agency  
 Telephone: 651-296-6300  
 Last EDR Contact: 09/18/2013  
 Next Scheduled EDR Contact: 12/30/2013  
 Data Release Frequency: Varies

**BROWNFIELDS: Petroleum Brownfields Program Sites**

Purchasing, selling, or developing property can present a special set of obstacles if the property is contaminated with chemicals. The Petroleum Brownfields Program is one of several programs within the Minnesota Pollution Control Agency (MPCA) designed to help people address these obstacles. The purpose of the Petroleum Brownfields Program is to provide the technical assistance and liability assurance needed to expedite and facilitate the development, transfer, investigation and/or cleanup of property that is contaminated with petroleum.

**GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING**

Date of Government Version: 09/30/2012  
 Date Data Arrived at EDR: 02/19/2013  
 Date Made Active in Reports: 03/27/2013  
 Number of Days to Update: 36

Source: Pollution Control Agency  
 Telephone: 651-296-7999  
 Last EDR Contact: 11/19/2013  
 Next Scheduled EDR Contact: 03/03/2014  
 Data Release Frequency: Varies

**ENFORCEMENT: Generators Associated with Enforcement Logs**

Regulatory Compliance, Hazardous Waste Enforcement Log and Hazardous Waste Permit Unit Project Identification List.

Date of Government Version: 09/18/2013  
 Date Data Arrived at EDR: 09/27/2013  
 Date Made Active in Reports: 10/28/2013  
 Number of Days to Update: 31

Source: Minnesota Pollution Control Agency  
 Telephone: 651-297-8332  
 Last EDR Contact: 09/16/2013  
 Next Scheduled EDR Contact: 12/30/2013  
 Data Release Frequency: Quarterly

**CDL: Clandestine Drug Labs**

This data was passively gathered. That is, the DOH asks law enforcement and other agencies to notify them of Clandestine Drug Labs (CDLs). They do not require reporting of events. Therefore the data represents only a subset of all CDLs. This data has not been verified. The DOH has made no attempt to verify that reported CDLs actually occurred. They have no knowledge if the CDL was involved in cooking or just consisted of chemicals associated with Meth production. The reports they receive are that a suspected CDL was seized.

Date of Government Version: 10/07/2013  
 Date Data Arrived at EDR: 10/08/2013  
 Date Made Active in Reports: 10/30/2013  
 Number of Days to Update: 22

Source: Department of Health  
 Telephone: 651-215-5800  
 Last EDR Contact: 10/07/2013  
 Next Scheduled EDR Contact: 10/21/2013  
 Data Release Frequency: Varies

**MN HWS PERMIT: Active TSD Facilities**

Active TSD Facilities.

Date of Government Version: 03/21/2013  
 Date Data Arrived at EDR: 03/21/2013  
 Date Made Active in Reports: 05/02/2013  
 Number of Days to Update: 42

Source: Minnesota Pollution Control Agency  
 Telephone: 651-297-8470  
 Last EDR Contact: 09/16/2013  
 Next Scheduled EDR Contact: 12/30/2013  
 Data Release Frequency: Annually

**AIRS: Permit Contact List**

A listing of permitted AIRS facilities.

Date of Government Version: 07/02/2013  
 Date Data Arrived at EDR: 07/05/2013  
 Date Made Active in Reports: 08/02/2013  
 Number of Days to Update: 28

Source: Pollution Control Agency  
 Telephone: 651-296-7351  
 Last EDR Contact: 11/08/2013  
 Next Scheduled EDR Contact: 02/24/2014  
 Data Release Frequency: Varies

**TIER 2: Tier 2 Facility Listing**

A listing of facilities which store or manufacture hazardous materials that submit a chemical inventory report.

Date of Government Version: 12/31/2012  
 Date Data Arrived at EDR: 05/16/2013  
 Date Made Active in Reports: 07/02/2013  
 Number of Days to Update: 47

Source: Department of Public Safety  
 Telephone: 651-296-2233  
 Last EDR Contact: 11/08/2013  
 Next Scheduled EDR Contact: 02/24/2014  
 Data Release Frequency: Varies

**MDA LIS: Licensing Information System Database Listing**

Information provided lists all individuals or companies who hold licenses, certificates and/or permits required by state law and regulated by the Department. Additionally, the LIS lists all companies who must register products with the Department before being used or sold in commercial channels within our state.

**GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING**

Date of Government Version: 08/12/2013  
 Date Data Arrived at EDR: 08/14/2013  
 Date Made Active in Reports: 09/25/2013  
 Number of Days to Update: 42

Source: Department of Agriculture  
 Telephone: 651-201-6000  
 Last EDR Contact: 11/13/2013  
 Next Scheduled EDR Contact: 02/24/2014  
 Data Release Frequency: Varies

**UNPERM LF: Unpermitted Facilities**

These are facilities that have solid waste disposal yet are not permitted.

Date of Government Version: 08/01/2013  
 Date Data Arrived at EDR: 08/14/2013  
 Date Made Active in Reports: 09/25/2013  
 Number of Days to Update: 42

Source: Pollution Control Agency  
 Telephone: 651-297-2655  
 Last EDR Contact: 11/13/2013  
 Next Scheduled EDR Contact: 02/24/2014  
 Data Release Frequency: Quarterly

**COAL ASH: Coal Ash Disposal Site Listing**

A listing of coal ash disposal site locations.

Date of Government Version: 08/13/2013  
 Date Data Arrived at EDR: 08/13/2013  
 Date Made Active in Reports: 09/25/2013  
 Number of Days to Update: 43

Source: Pollution Control Agency  
 Telephone: 651-757-2740  
 Last EDR Contact: 11/08/2013  
 Next Scheduled EDR Contact: 02/24/2014  
 Data Release Frequency: Varies

**AGVIC: Agricultural Voluntary Investigation & Cleanup Listing**

A listing of agricultural voluntary investigation & cleanup site locations.

Date of Government Version: 08/09/2013  
 Date Data Arrived at EDR: 08/14/2013  
 Date Made Active in Reports: 09/25/2013  
 Number of Days to Update: 42

Source: Department of Agriculture  
 Telephone: 651-201-6400  
 Last EDR Contact: 11/13/2013  
 Next Scheduled EDR Contact: 02/24/2014  
 Data Release Frequency: Quarterly

**WIMN: What's in My Neighborhood**

Since 2003, the PCA's "What's in My Neighborhood?" database provides information about air quality, hazardous waste, remediation, solid waste, tanks and leaks, and water quality around Minnesota.

Date of Government Version: 10/13/2013  
 Date Data Arrived at EDR: 10/15/2013  
 Date Made Active in Reports: 10/30/2013  
 Number of Days to Update: 15

Source: Pollution Control Agency  
 Telephone: 651-757-2593  
 Last EDR Contact: 10/15/2013  
 Next Scheduled EDR Contact: 01/27/2014  
 Data Release Frequency: Varies

**TRIBAL RECORDS**

**INDIAN RESERV: Indian Reservations**

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005  
 Date Data Arrived at EDR: 12/08/2006  
 Date Made Active in Reports: 01/11/2007  
 Number of Days to Update: 34

Source: USGS  
 Telephone: 202-206-3710  
 Last EDR Contact: 10/18/2013  
 Next Scheduled EDR Contact: 01/27/2014  
 Data Release Frequency: Semi-Annually

**INDIAN ODI: Report on the Status of Open Dumps on Indian Lands**

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998  
 Date Data Arrived at EDR: 12/03/2007  
 Date Made Active in Reports: 01/24/2008  
 Number of Days to Update: 52

Source: Environmental Protection Agency  
 Telephone: 703-308-8245  
 Last EDR Contact: 11/04/2013  
 Next Scheduled EDR Contact: 02/17/2014  
 Data Release Frequency: Varies

**GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING**

**INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land**

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 07/29/2013  
 Date Data Arrived at EDR: 07/30/2013  
 Date Made Active in Reports: 11/01/2013  
 Number of Days to Update: 94

Source: EPA Region 10  
 Telephone: 206-553-2857  
 Last EDR Contact: 10/28/2013  
 Next Scheduled EDR Contact: 02/11/2014  
 Data Release Frequency: Quarterly

**INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land**

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 03/01/2013  
 Date Data Arrived at EDR: 03/01/2013  
 Date Made Active in Reports: 10/28/2013  
 Number of Days to Update: 42

Source: Environmental Protection Agency  
 Telephone: 415-972-3372  
 Last EDR Contact: 10/28/2013  
 Next Scheduled EDR Contact: 02/11/2014  
 Data Release Frequency: Quarterly

**INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land**

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 08/27/2012  
 Date Data Arrived at EDR: 08/28/2012  
 Date Made Active in Reports: 10/16/2012  
 Number of Days to Update: 49

Source: EPA Region 8  
 Telephone: 303-312-6271  
 Last EDR Contact: 10/28/2013  
 Next Scheduled EDR Contact: 02/11/2014  
 Data Release Frequency: Quarterly

**INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land**

LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 08/27/2013  
 Date Data Arrived at EDR: 08/27/2013  
 Date Made Active in Reports: 11/01/2013  
 Number of Days to Update: 66

Source: EPA Region 7  
 Telephone: 913-551-7003  
 Last EDR Contact: 10/28/2013  
 Next Scheduled EDR Contact: 02/11/2014  
 Data Release Frequency: Varies

**INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land**

LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 09/12/2011  
 Date Data Arrived at EDR: 09/13/2011  
 Date Made Active in Reports: 11/11/2011  
 Number of Days to Update: 59

Source: EPA Region 6  
 Telephone: 214-665-6597  
 Last EDR Contact: 10/28/2013  
 Next Scheduled EDR Contact: 02/11/2014  
 Data Release Frequency: Varies

**INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land**

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 08/01/2013  
 Date Data Arrived at EDR: 08/02/2013  
 Date Made Active in Reports: 11/01/2013  
 Number of Days to Update: 91

Source: EPA Region 4  
 Telephone: 404-562-8677  
 Last EDR Contact: 10/28/2013  
 Next Scheduled EDR Contact: 02/11/2014  
 Data Release Frequency: Semi-Annually

**INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land**

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 02/01/2013  
 Date Data Arrived at EDR: 05/01/2013  
 Date Made Active in Reports: 11/01/2013  
 Number of Days to Update: 184

Source: EPA Region 1  
 Telephone: 617-919-1313  
 Last EDR Contact: 11/01/2013  
 Next Scheduled EDR Contact: 02/11/2014  
 Data Release Frequency: Varies

**GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING**

**INDIAN UST R5: Leaking Underground Storage Tanks on Indian Land**  
 Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 08/20/2013	Source: EPA, Region 5
Date Data Arrived at EDR: 08/23/2013	Telephone: 312-886-7439
Date Made Active in Reports: 11/01/2013	Last EDR Contact: 10/28/2013
Number of Days to Update: 70	Next Scheduled EDR Contact: 02/11/2014
	Data Release Frequency: Varies

**INDIAN UST R10: Underground Storage Tanks on Indian Land**  
 The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 02/05/2013	Source: EPA Region 10
Date Data Arrived at EDR: 02/06/2013	Telephone: 206-553-2857
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 10/28/2013
Number of Days to Update: 65	Next Scheduled EDR Contact: 02/11/2014
	Data Release Frequency: Quarterly

**INDIAN UST R1: Underground Storage Tanks on Indian Land**  
 The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 09/28/2012	Source: EPA, Region 1
Date Data Arrived at EDR: 11/07/2012	Telephone: 617-918-1313
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 11/01/2014
Number of Days to Update: 156	Next Scheduled EDR Contact: 02/11/2014
	Data Release Frequency: Varies

**INDIAN UST R4: Underground Storage Tanks on Indian Land**  
 The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations).

Date of Government Version: 08/01/2013	Source: EPA Region 4
Date Data Arrived at EDR: 08/02/2013	Telephone: 404-562-9424
Date Made Active in Reports: 11/01/2013	Last EDR Contact: 10/28/2013
Number of Days to Update: 91	Next Scheduled EDR Contact: 02/11/2014
	Data Release Frequency: Semi-Annually

**INDIAN UST R5: Underground Storage Tanks on Indian Land**  
 The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 08/20/2013	Source: EPA Region 5
Date Data Arrived at EDR: 08/23/2013	Telephone: 312-886-6136
Date Made Active in Reports: 11/01/2013	Last EDR Contact: 10/28/2013
Number of Days to Update: 70	Next Scheduled EDR Contact: 02/11/2014
	Data Release Frequency: Varies

**INDIAN UST R6: Underground Storage Tanks on Indian Land**  
 The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 05/10/2011	Source: EPA Region 6
Date Data Arrived at EDR: 05/11/2011	Telephone: 214-665-7591
Date Made Active in Reports: 06/14/2011	Last EDR Contact: 10/28/2013
Number of Days to Update: 34	Next Scheduled EDR Contact: 02/11/2014
	Data Release Frequency: Semi-Annually

**GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING**

**INDIAN UST R7: Underground Storage Tanks on Indian Land**  
 The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 12/31/2012	Source: EPA Region 7
Date Data Arrived at EDR: 02/28/2013	Telephone: 913-551-7003
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 10/28/2013
Number of Days to Update: 43	Next Scheduled EDR Contact: 02/11/2014
	Data Release Frequency: Varies

**INDIAN UST R8: Underground Storage Tanks on Indian Land**  
 The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 07/29/2013	Source: EPA Region 8
Date Data Arrived at EDR: 08/01/2013	Telephone: 303-312-6137
Date Made Active in Reports: 11/01/2013	Last EDR Contact: 10/28/2013
Number of Days to Update: 92	Next Scheduled EDR Contact: 02/11/2014
	Data Release Frequency: Quarterly

**INDIAN UST R9: Underground Storage Tanks on Indian Land**  
 The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 02/21/2013	Source: EPA Region 9
Date Data Arrived at EDR: 02/26/2013	Telephone: 415-972-3368
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 10/28/2013
Number of Days to Update: 45	Next Scheduled EDR Contact: 02/11/2014
	Data Release Frequency: Quarterly

**INDIAN VCP R1: Voluntary Cleanup Priority Listing**  
 A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 09/28/2012	Source: EPA, Region 1
Date Data Arrived at EDR: 10/02/2012	Telephone: 617-918-1102
Date Made Active in Reports: 10/16/2012	Last EDR Contact: 10/01/2013
Number of Days to Update: 14	Next Scheduled EDR Contact: 01/13/2014
	Data Release Frequency: Varies

**INDIAN VCP R7: Voluntary Cleanup Priority Listing**  
 A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008	Source: EPA, Region 7
Date Data Arrived at EDR: 04/22/2008	Telephone: 913-551-7365
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 04/20/2009
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/20/2009
	Data Release Frequency: Varies

**EDR PROPRIETARY RECORDS**

**EDR MGP: EDR Proprietary Manufactured Gas Plants**  
 The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whole oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oil waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

**GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING**

Date of Government Version: N/A	Source: EDR, Inc.
Date Data Arrived at EDR: N/A	Telephone: N/A
Date Made Active in Reports: N/A	Last EDR Contact: N/A
Number of Days to Update: N/A	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

**EDR US Hist Auto Stat: EDR Exclusive Historic Gas Stations**  
 EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A	Source: EDR, Inc.
Date Data Arrived at EDR: N/A	Telephone: N/A
Date Made Active in Reports: N/A	Last EDR Contact: N/A
Number of Days to Update: N/A	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

**EDR US Hist Cleaners: EDR Exclusive Historic Dry Cleaners**  
 EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A	Source: EDR, Inc.
Date Data Arrived at EDR: N/A	Telephone: N/A
Date Made Active in Reports: N/A	Last EDR Contact: N/A
Number of Days to Update: N/A	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

**EDR US Hist Auto Stat: EDR Proprietary Historic Gas Stations - Cole**  
 Date of Government Version: N/A  
 Date Data Arrived at EDR: N/A  
 Date Made Active in Reports: N/A  
 Number of Days to Update: N/A

Source: N/A	Telephone: N/A
Last EDR Contact: N/A	Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies	

**EDR US Hist Cleaners: EDR Proprietary Historic Dry Cleaners - Cole**  
 Date of Government Version: N/A  
 Date Data Arrived at EDR: N/A  
 Date Made Active in Reports: N/A  
 Number of Days to Update: N/A

Source: N/A	Telephone: N/A
Last EDR Contact: N/A	Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies	

**OTHER DATABASE(S)**

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

**GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING**

**CT MANIFEST: Hazardous Waste Manifest Data**  
 Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 07/30/2013	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 08/19/2013	Telephone: 860-424-3375
Date Made Active in Reports: 10/03/2013	Last EDR Contact: 08/19/2013
Number of Days to Update: 45	Next Scheduled EDR Contact: 12/02/2013
	Data Release Frequency: Annually

**NJ MANIFEST: Manifest Information**  
 Hazardous waste manifest information.

Date of Government Version: 12/31/2011	Source: Department of Environmental Protection
Date Data Arrived at EDR: 07/19/2012	Telephone: N/A
Date Made Active in Reports: 08/28/2012	Last EDR Contact: 10/18/2013
Number of Days to Update: 40	Next Scheduled EDR Contact: 01/27/2014
	Data Release Frequency: Annually

**NY MANIFEST: Facility and Manifest Data**  
 Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 11/01/2013	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/07/2013	Telephone: 518-402-8651
Date Made Active in Reports: 11/18/2013	Last EDR Contact: 11/07/2013
Number of Days to Update: 11	Next Scheduled EDR Contact: 02/17/2014
	Data Release Frequency: Annually

**PA MANIFEST: Manifest Information**  
 Hazardous waste manifest information.

Date of Government Version: 12/31/2012	Source: Department of Environmental Protection
Date Data Arrived at EDR: 07/24/2013	Telephone: 717-783-8990
Date Made Active in Reports: 08/19/2013	Last EDR Contact: 10/21/2013
Number of Days to Update: 26	Next Scheduled EDR Contact: 02/03/2014
	Data Release Frequency: Annually

**RI MANIFEST: Manifest information**  
 Hazardous waste manifest information

Date of Government Version: 12/31/2012	Source: Department of Environmental Management
Date Data Arrived at EDR: 06/21/2013	Telephone: 401-222-2797
Date Made Active in Reports: 08/05/2013	Last EDR Contact: 08/23/2013
Number of Days to Update: 45	Next Scheduled EDR Contact: 12/30/2013
	Data Release Frequency: Annually

**WI MANIFEST: Manifest Information**  
 Hazardous waste manifest information.

Date of Government Version: 12/31/2012	Source: Department of Natural Resources
Date Data Arrived at EDR: 08/09/2013	Telephone: N/A
Date Made Active in Reports: 09/27/2013	Last EDR Contact: 09/16/2013
Number of Days to Update: 49	Next Scheduled EDR Contact: 12/30/2013
	Data Release Frequency: Annually

**Oil/Gas Pipelines:** This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.


**Sensitive Receptors:** There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.



# EDR DataMap® Corridor Study

## Bassett Creek Main Stem


-  Listed Sites
-  Earthquake Epicenters (Richter 5 or greater)
-  Search Boundary
-  Roads
-  Major Roads
-  Waterways
-  Railroads
-  Contour Lines
-  Pipelines
-  Powerlines
-  Fault Lines
-  Water
-  Superfund Sites
-  Federal DOD Sites
-  Indian Reservations BIA
-  100-Yr Flood Zones
-  National Wetland Inventory



Minneapolis, MN



Scale in Miles



## APPENDIX C



## APPENDIX D



2010

HIG Project # 136145

Client Project # 2032-060

Approximate Scale 1:6000 (1"=500')



Bassett Creek Main  
Stem  
Bassett Creek  
Golden Valley, MN





2003


HIG Project # 136145

Client Project # 2032-060

Approximate Scale 1:6000 (1"=500')



Bassett Creek Main  
Stem  
Bassett Creek  
Golden Valley, MN





1997

HIG Project # 136145

Client Project # 2032-060

Approximate Scale 1:6000 (1"=500')



Bassett Creek Main  
Stem  
Bassett Creek  
Golden Valley, MN





1991

HIG Project # 136145

Client Project # 2032-060

Approximate Scale 1:6000 (1"=500')



Bassett Creek Main  
Stem  
Bassett Creek  
Golden Valley, MN





**1984**

HIG Project # 136145

Client Project # 2032-060

Approximate Scale 1:6000 (1"=500')



Bassett Creek Main  
Stem  
Bassett Creek  
Golden Valley, MN





1979

HIG Project # 136145

Client Project # 2032-060

Approximate Scale 1:6000 (1"=500')



Bassett Creek Main  
Stem  
Bassett Creek  
Golden Valley, MN





1969

HIG Project # 136145

Client Project # 2032-060

Approximate Scale 1:6000 (1"=500')



Bassett Creek Main  
Stem  
Bassett Creek  
Golden Valley, MN





**1964**

HIG Project # 136145

Client Project # 2032-060

Approximate Scale 1:6000 (1"=500')



Bassett Creek Main  
Stem  
Bassett Creek  
Golden Valley, MN





# 1957 - West

HIG Project # 136145

Client Project # 2032-060

Approximate Scale 1:6000 (1"=500')



Bassett Creek Main

Stem

Bassett Creek

Golden Valley, MN





# 1957-East

HIG Project # 136145

Client Project # 2032-060

Approximate Scale 1:6000 (1"=500')



Bassett Creek Main  
Stem  
Bassett Creek  
Golden Valley, MN





**1953**

HIG Project # 136145

Client Project # 2032-060

Approximate Scale 1:6000 (1"=500')



Bassett Creek Main  
Stem  
Bassett Creek  
Golden Valley, MN



[historicalinfo.com](http://historicalinfo.com)



# 1947-West

HIG Project # 136145

Client Project # 2032-060

Approximate Scale 1:6000 (1"=500')



Bassett Creek Main  
Stem  
Bassett Creek  
Golden Valley, MN

[historicalinfo.com](http://historicalinfo.com)





# 1947-East

HIG Project # 136145

Client Project # 2032-060

Approximate Scale 1:6000 (1"=500')



Bassett Creek Main

Stem

Bassett Creek

Golden Valley, MN





1940

HIG Project # 136145

Client Project # 2032-060

Approximate Scale 1:6000 (1"=500')



Bassett Creek Main  
Stem  
Bassett Creek  
Golden Valley, MN





1937

HIG Project # 136145

Client Project # 2032-060


Approximate Scale 1:6000 (1"=500')




Bassett Creek Main  
Stem  
Bassett Creek  
Golden Valley, MN




**APPENDIX E**





**1993**  
 Minneapolis South, Minnesota Quadrangle  
 USGS 7.5 Minute Topographic Map






**1977**  
 Minneapolis South, Minnesota Quadrangle  
 USGS 7.5 Minute Topographic Map






**1972**

Minneapolis South, Minnesota Quadrangle  
USGS 7.5 Minute Topographic Map





**1967**


Minneapolis South, Minnesota Quadrangle  
USGS 7.5 Minute Topographic Map

0 0.2 0.4 0.8 Miles


0 1,250 2,500 5,000 Feet


0 0.375 0.75 1.5 Km





**1952**  
 Minneapolis South, Minnesota Quadrangle  
 USGS 7.5 Minute Topographic Map





**1993**


Hopkins, Minnesota Quadrangle  
USGS 7.5 Minute Topographic Map

0 0.2 0.4 0.8 Miles

0 1,250 2,500 5,000 Feet

0 0.375 0.75 1.5 Km





**1980**


Hopkins, Minnesota Quadrangle  
USGS 7.5 Minute Topographic Map

0 0.2 0.4 0.8 Miles

0 1,250 2,500 5,000 Feet

0 0.375 0.75 1.5 Km





**1967**


Hopkins, Minnesota Quadrangle  
USGS 7.5 Minute Topographic Map

0 0.2 0.4 0.8 Miles

0 1,250 2,500 5,000 Feet

0 0.375 0.75 1.5 Km





**1954**


Hopkins, Minnesota Quadrangle  
USGS 7.5 Minute Topographic Map

0 0.2 0.4 0.8 Miles


0 1,250 2,500 5,000 Feet


0 0.375 0.75 1.5 Km







**1954**  
 Minneapolis, Minnesota Quadrangle  
 USGS 15 Minute Topographic Map






**1901**  
 Minneapolis, Minnesota Quadrangle  
 USGS 15 Minute Topographic Map






**1896**


Minneapolis, Minnesota Quadrangle  
USGS 15 Minute Topographic Map





**1896**

Minneapolis, Minnesota Quadrangle  
USGS 15 Minute Topographic Map



## APPENDIX F

Site Reconnaissance Photos  
2015 Bassett Creek Main Stem Restoration Project  
Golden Valley, MN



Photo 1: Pennsylvania Ave Bridge, facing east



Photo 2: Residential yard, facing north



Photo 3: Wooded creek section, facing east



Photo 4: Residential yards, facing west

Site Reconnaissance Photos  
2015 Bassett Creek Main Stem Restoration Project  
Golden Valley, MN



Photo 5: Golf course, facing north



Photo 6: Subterranean culvert, facing east



Photo 7: Golf course storage bldg., facing north



Photo 8: Golf course storage bldg., facing east

Site Reconnaissance Photos  
2015 Bassett Creek Main Stem Restoration Project  
Golden Valley, MN



Photo 9: 15,000 gallon water tank, facing west




Photo 10: Residential yard, facing south



Photo 11: Hampshire Ave. Bridge, facing west



Photo 12: Residential yards, facing east

Site Reconnaissance Photos  
2015 Bassett Creek Main Stem Restoration Project  
Golden Valley, MN



Photo 13: Residential yards, facing east



Photo 14: Florida Ave. N. Bridge, facing west



Photo 15: Transformer, facing north




Photo 16: Multifamily housing, facing north

Site Reconnaissance Photos  
2015 Bassett Creek Main Stem Restoration Project  
Golden Valley, MN



Photo 17: Railroad Bridge, facing east



Photo 18: Multifamily housing, facing south



Photo 19: Multifamily housing, facing east



Photo 20: Residential yard, facing north

Site Reconnaissance Photos  
2015 Bassett Creek Main Stem Restoration Project  
Golden Valley, MN



Photo 21: Senior living center, facing north



Photo 22: St. Croix Ave. Bridge, facing north



Photo 23: Waling trail, facing east



Photo 24: Residential yard, facing north

Site Reconnaissance Photos  
2015 Bassett Creek Main Stem Restoration Project  
Golden Valley, MN



Photo 25: Commercial building, facing south




Photo 26: Walking trail, facing south



Photo 27: Wetland, facing east



Photo 28: Playground, facing east



*& Associates, Inc.*

**St. Cloud • Minneapolis • St. Paul**


**2015 Bassett Creek Restoration Feasibility Study**

***Appendix F***

***2013 City of Golden Valley Streambank Erosion Inventory***

# Creek Inventory

- ⊙ Bank Erosion
- ▣ Deposition
- ★ Bank Stabilized
- Obstruction
- 🚧 Bridge
- ▲ Drainage Inlet
- Sanitary Structure
- Erosion
- Stabilization



## 2015 Creek Restoration Project

Sources:  
 -Hennepin County Surveyors Office for Property Lines (2013) & Aerial Photography (2012).  
 -MnDNR for 2-Foot Contours (2011)  
 -City of Golden Valley for all other layers.

Print Date: 1/31/2014

1 inch = 400 feet

0 200 400 800 Feet