



Minnesota Wetland Conservation Act Notice of Decision

Local Government Unit: City of Minnetonka County: Hennepin		
Applicant Name: Judd Carpenter, Carpenter land Co Applicant Representative: Robert Cress, Westwood PS		
Project Name: 11800_11812_11824_11900 Wayzata Blvd 2022 LGU Project No. (if any):		
Date Complete Application Received by LGU: May 16, 2022		
Date of LGU Decision: June 13, 2022		
Date this Notice was Sent: June 23, 2022		
WCA Decision Type - check all that apply		
☑ Wetland Boundary/Type ☐ Sequencing ☐ Replacement Plan ☐ Bank Plan (not credit purchase)		
□ No-Loss (8420.0415) □ Exemption (8420.0420)		
Part: □ A □ B □ C □ D □ E □ F □ G □ H Subpart: □ 2 □ 3 □ 4 □ 5 □ 6 □ 7 □ 8 □ 9		
Replacement Plan Impacts (replacement plan decisions only)		
Total WCA Wetland Impact Area:		
Wetland Replacement Type: Project Specific Credits:		
☐ Bank Credits:		
Bank Account Number(s):		
Technical Evaluation Panel Findings and Recommendations (attach if any)		
☐ Approve ☐ Approve w/Conditions ☐ Deny ☐ No TEP Recommendation		
LGU Decision		
\square Approved with Conditions (specify below) ¹ \square Approved ¹ \square Denied		
List Conditions:		
Decision-Maker for this Application: ⊠ Staff □ Governing Board/Council □ Other:		
Decision is valid for: ⊠ 5 years (default) □ Other (specify):		
¹ Wetland Replacement Plan approval is not valid until BWSR confirms the withdrawal of any required wetland bank credits. For project-		

LGU Findings – Attach document(s) and/or insert narrative providing the basis for the LGU decision¹.

- ☑ Attachment(s) (specify): Minnetonka aerial photo review of the property.
- Summary: A wetland delineation report was submitted to the city for review for the properties listed above. The report indicated the presence of one large, Type 3 (PEM1F) wetland labeled Wetland WB-01, of which 0.55 acres extends onto the property. Another 0.56 acre pond labeled P-01 is identified as a PUBH wetland on the National Wetland Inventory. City staff conducted a site visit to verify the delineated wetland boundaries per Minn. Rules 8420.0405. City staff are in concurrence with the findings as presented in the revised wetland delineation report dated June 3, 2022. Regarding the jurisdictional status the wetland labeled P-1, city staff find that there is not sufficient evidence to conclude the wetland is a stormwater pond excavated in upland, therefore a non-regulated wetland. An aerial photo review of the wetland area dating back to 1945 suggests the area has wetland signatures (ditching). The Hennepin County soils map indicates the area in question is hydric soil, and the 1974 soils map indicates much of the area is marsh. Based on the

Wetland Replacement Plan approval is not valid until BWSR confirms the withdrawal of any required wetland bank credits. For project-specific replacement a financial assurance per MN Rule 8420.0522, Subp. 9 and evidence that all required forms have been recorded on the title of the property on which the replacement wetland is located must be provided to the LGU for the approval to be valid.

available information, city staff conclude the wetland P-1 is a jurisdi under the Wetland Conservation act as well as the City of Minneton 300.23.	• •
¹ Findings must consider any TEP recommendations.	
Attached Project Documents	
Site Location Map	cify): Revised wetland delineation report
Appeals of LGU Decisions If you wish to appeal this decision, you must provide a written request received the notice. All appeals must be submitted to the Board of W along with a check payable to BWSR for \$500 unless the LGU has ado below. The check must be sent by mail and the written request to ap The appeal should include a copy of this notice, name and contact information representatives (if applicable), a statement clarifying the intent to ap the decision is in error. Send to:	rater and Soil Resources Executive Director pted a local appeal process as identified peal can be submitted by mail or e-mail. Formation of appellant(s) and their
Appeals & Regulatory Compliance Coordinator Minnesota Board of Water & Soils Resources 520 Lafayette Road North St. Paul, MN 55155 travis.germundson@state.mn.us	
Does the LGU have a <u>local appeal process</u> applicable to this decision? \boxtimes Yes ¹ \square No ¹ If yes, all appeals must first be considered via the local appeals process.	
Local Appeals Submittal Requirements (LGU must describe how to appeal,	submittal requirements, fees, etc. as applicable)
Appeals must be submitted in writing within 30 calendar days of the Natural Resources Manager; City of Minnetonka, 11522 Minnetonka	e date of the decision to: Leslie Yetka,
Notice Distribution (include name) Required on all notices:	
	Member: ben.meyer@state.mn.us
 ☑ LGU TEP Member (if different than LGU contact): smiddleton@minne ☑ DNR Representative: Wes.Saunders-Pearce@state.mn.us	etonkamn.gov
□ Watershed District or Watershed Mgmt. Org.: laura.jester@keystone	ewaters com (BCWMC)
	bobby.cress@westwoodps.com
Optional or As Applicable:	
☐ ☐ Corps of Engineers: usace_requests_mn@usace.army.mil	
☐ BWSR Wetland Mitigation Coordinator (required for bank plan application)	ons only):
	Other:
Signature: Why falka	Date: June 23, 2022

This notice and accompanying application materials may be sent electronically or by mail. The LGU may opt to send a summary of the application to members of the public upon request per 8420.0255, Subp. 3.		



Minnesota Wetland Conservation Act Notice of Application

Local Government Unit: City of Plymouth County: Hennepin
Applicant Name: Mike Payne, Assistant City Engineer
Applicant Representative: Brandon Bohks, Bolton & Menk Inc
Project Name: Gleason Lake Drive Improvements
LGU Project No. (if any): 2022-06
Date Complete Application Received by LGU: 5/27/2022
Date this Notice was Sent by LGU: 6/28/2022
Date that Comments on this Application Must Be Received By LGU ¹ : 7/21/22
¹ minimum 15 business day comment period for Boundary & Type, Sequencing, Replacement Plan and Bank Plan Applications
WCA Decision Type - check all that apply
$oxed{oxed}$ Wetland Boundary/Type $oxed{\Box}$ Sequencing $oxed{\Box}$ Replacement Plan $oxed{\Box}$ Bank Plan (not credit purchase
□ No-Loss (8420.0415) □ Exemption (8420.0420)
Part: □ A □ B □ C □ D □ E □ F □ G □ H Subpart: □ 2 □ 3 □ 4 □ 5 □ 6 □ 7 □ 8 □
Replacement Plan Impacts (replacement plan decisions only)
Total WCA Impact Area Proposed:
Application Materials
¹ Link to ftp or other accessible file sharing sites is acceptable.
Link to Itp of Other accessible file sharing sites is acceptable.
Comments on this application should be sent to:
LGU Contact Person: Ben Scharenbroich, Water Resources Supervisor
E-Mail Address: bscharenbroich@plymouthmn.gov
Address and Phone Number: 3400 Plymouth Blvd, Plymouth, MN 55447
Decision-Maker for this Application:
□ Governing Board/Council □ Other (specify):
Notice Distribution (include name)
Required on all notices:
 ⊠ SWCD TEP Member: Ms. Stacey Lijewski, HCA, 701 Fourth Avenue South, Suite 700, Minneapolis, MN 55415-1600 ⊠ BWSR TEP Member: Ben Meyer, BWSR, 520 Lafayette Road North, St. Paul, MN 55401
BWSK TEP Member: Ben Meyer, BWSK, 320 Landyette Road North, St. Paul, Min 35401
☐ LGU TEP Member (if different than LGU contact):
Wes Saunders-Pearce, MnDNR, 1200 Warner Road, St. Paul, MN 55106, MnDNR,
1200 Warner Road, St. Paul, MN 55106
☐ Watershed District or Watershed Mgmt. Org.: BCWMC, c/o Laura Jester 16145 Hillcrest Lane, Eden Prairie
MN 55346
MCWD, 15320 Minnetonka Blvd, Minnetonka MN 55345
☐ Applicant (notice only): Mike Payne, City of Plymouth
☐ Agent/Consultant (notice only): Brandon Bohks. Bolton & Menk Inc

Optional or As Applicable:

☐ Corps of Engineers: USCOE, c/o Daniel Reburn 180 Fifth Street East, Suite 700, St. Paul MN 55101		
☐ BWSR Wetland Mitigation Coordinator (required for bank plan applications only):		
☐ Members of the Public (notice only): ☐ Other:		
Signature:	Date:	
Ben Schambarish	06/28/2022	

This notice and accompanying application materials may be sent electronically or by mail. The LGU may opt to send a summary of the application to members of the public upon request per 8420.0255, Subp. 3.